

ACETAMINOPHEN 325MG RS- acetaminophen 325mg tablet
McKesson Corporation dba SKY Packaging

Drug Facts

Active Ingredient (in each tablet)

Acetaminophen 325mg

Purpose

Pain reliever/fever reducer

Uses

temporary relief of minor aches and pains associated with:

- headache
- backache
- muscular aches
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to acetaminophen

- with other products containing acetaminophen (prescription or nonprescription).

If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if user has

liver disease.

Ask a doctor or pharmacist before use if

the user is taking the blood thinning drug warfarin

Stop use and ask a doctor if

- symptoms do not improve
- pain gets worse or lasts for more than 10 days
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present
- a rare sensitivity reaction occurs
- **You may report side effects to 1-888-952-0050**

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Keep out of reach of children. In case of accidental overdose, contact a doctor or Poison Control Center immediately. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Adults and children 12 years of age and over: Take 2 tablets every 4 to 6 hours.

Do not take more than 10 tablets in 24 hours.

Children 6-11 years of age: Take 1 tablet every 4 to 6 hours as needed.

Do not take more than 5 tablets in 24 hours.

Children under 6 years of age: Do not use this regular strength product. This will provide more than the recommended dose (overdose) and could cause serious health problems.

Other information

- store at room temperature
- do not use if imprinted safety seal under cap is broken or missing

Inactive ingredients

corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

PRINCIPAL DISPLAY PANEL

Drug Facts
Active ingredient in each tablet
 Acetaminophen 325 mg
Uses Temporarily relieves minor aches and pains due to:
 • headache • muscular aches • backache • minor pain of arthritis
 • the common cold • toothache • premenstrual and menstrual cramps • temporarily reduces fever
Warnings
Important information: This product contains acetaminophen. The maximum daily dose of this product is 12 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if • adult takes more than 4,000 mg of acetaminophen in 24 hours • child takes more than 5 doses in 24 hours, which is the maximum daily amount • taken with other drugs containing acetaminophen • adult has 3 or more alcoholic drinks every day while using this product.
Always read the label. Acetaminophen may cause severe skin reactions. Symptoms may include: • skin redness • blisters • rash. If a skin reaction occurs, stop use and seek medical help right away.
 Do not use • with any other drug containing acetaminophen (prescription or non-prescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 • if you are allergic to acetaminophen or any of the inactive ingredients in this product.
Ask a doctor before use if you have liver disease.
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.
**Stop use and ask a doctor if • pain gets worse or lasts more than 10 days in adults • pain gets worse or lasts more than 5 days in children under 12 years • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present. These could be signs of a serious condition.
For most pain, use the lowest effective dose. Ask a health professional before use.
Directions
 For adults and children 12 years of age and older: Take 2 tablets every 4 to 6 hours while symptoms last. Do not take more than 10 tablets in 24 hours, unless directed by a doctor. Do not use for more than 10 days unless directed by a doctor.
 For children 6 years to under 12 years: Take 1 tablet every 4 to 6 hours while symptoms last. Do not take more than 5 tablets in 24 hours unless directed by a doctor.
Other information • store at room temperature 20° - 25°C (68° - 77°F) • do not use if blister is open • you may report side effects to 1-888-822-0200
Contains Acetaminophen, corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid
 Mfg. By: Mayfield Health, Deer Park, NY 11729
 Dist. By: Beckman Corporation, Memphis, TN 38141
 *This product is not manufactured or distributed by McKel-Cosmetics Healthcare, owner of the registered trademark "Yentel".**



ACETAMINOPHEN 325MG RS

acetaminophen 325mg tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63739-087(NDC:69168-010)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg	
Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN (UNII: O8232NY3SJ)			
POVIDONE (UNII: FZ989GH94E)			
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
Product Characteristics			
Color	white (white)	Score	no score
Shape	ROUND (Round Circle)	Size	11mm
Flavor		Imprint Code	AZ;010
Contains			
Packaging			
		Marketing Start	Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63739-087-02	30 in 1 BOX	07/12/2021	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/12/2021	

Labeler - McKesson Corporation dba SKY Packaging (140529962)

Establishment

Name	Address	ID/FEI	Business Operations
Legacy Pharmaceutical Packaging, LLC		143213275	repack(63739-087) , relabel(63739-087)

Revised: 3/2024

McKesson Corporation dba SKY Packaging