

**SUPHEDRINE PE SINUS PRESSURE PLUS PAIN- acetaminophen, phenylephrine  
hcl tablet  
ARMY AND AIR FORCE EXCHANGE SERVICE**

-----  
**Exchange Select 44-502-Sinus Pressure Plus Pain**

***Active ingredients (in each caplet)***

Acetaminophen 325 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/fever reducer  
Nasal decongestant

***Uses***

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
  - minor aches and pains
  - nasal congestion
  - headache
  - sinus congestion and pressure
- promotes sinus drainage
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- heart disease
- thyroid disease
- diabetes
- liver disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not use more than directed**
- adults and children 12 years and over
  - take 2 caplets every 4 hours
  - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal display panel***

exchange ✓ **select**<sup>™</sup>

### **Pseudoephedrine Free**

Compare To The Active Ingredients  
of SUDAFED PE<sup>®</sup> SINUS PRESSURE + PAIN\*

### **SUPHEDRINE PE**

### **SINUS PRESSURE + PAIN**

**Acetaminophen**, Phenylephrine HCl

Pain Reliever/Fever Reducer, Nasal Decongestant

- Maximum Strength
- Nasal Congestion
- Sinus Headache
- Sinus Pressure

NON-DROWSY

Actual Size

**24** Caplets

✓ quality  
value

**TAMPER EVIDENT: DO NOT USE  
IF PACKAGE IS OPENED OR IF  
BLISTER UNIT IS TORN,  
BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

\*This product is not manufactured  
or distributed by Johnson &  
Johnson Corporation, owner of the  
registered trademark SUDAFED PE<sup>®</sup>  
SINUS PRESSURE + PAIN.

**"SATISFACTION GUARANTEED OR YOUR MONEY BACK"**

Manufactured For Your Military Exchanges

Distributed by: LNK International, Inc.

Hauppauge, NY 11788

1-800-426-9391

50844 REV0820D50208

# SUPHEDRINE PE

## SINUS PRESSURE + PAIN

exchange **select**

**Pseudoephedrine Free**  
Compare To The Active Ingredients  
of SUDAFED PE® SINUS PRESSURE + PAIN\*

# SUPHEDRINE PE

## SINUS PRESSURE + PAIN

### Acetaminophen, Phenylephrine HCl

Pain Reliever/Fever Reducer, Nasal Decongestant

- Maximum Strength
- Nasal Congestion
- Sinus Headache
- Sinus Pressure



24 Actual Size  
Caplets

NON-DROWSY

quality  
value

\*SATISFACTION GUARANTEED OR YOUR MONEY BACK

Manufactured For Your Military Exchanges  
Distributed by: LNK International, Inc.

Hempstead, NY 11788  
1-800-426-9391

50844 REV0620050208

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark SUDAFED PE® SINUS PRESSURE + PAIN.

No print/No varnish area  
Lot no/Exp date



TAMPER EVIDENT: DO NOT USE  
IF PACKAGE IS OPENED OR IF  
BLISTER UNIT IS TORN,  
BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING

B-00666-502-08-R  
REV0820050208

#### Drug Facts

KEEP OUTER PACKAGE FOR COMPLETE  
PRODUCT INFORMATION

Active ingredients (in each caplet)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer
Phenylephrine HCl 5 mg	Nasal decongestant

#### Drug Facts (continued)

**Uses** ■ temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:

- minor aches and pains
- nasal congestion
- headache
- sinus congestion and pressure
- promotes sinus drainage
- temporarily reduces fever

#### Drug Facts (continued)

##### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have** ■ heart disease  
■ thyroid disease ■ diabetes ■ liver disease ■ high blood pressure  
■ difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

When using this product do not exceed recommended dosage.

#### Drug Facts (continued)

##### Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
  - pain or nasal congestion gets worse or lasts more than 7 days
  - fever gets worse or lasts more than 3 days
  - redness or swelling is present ■ new symptoms occur
- These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

##### Directions

- do not use more than directed
- adults and children 12 years and over
- take 2 caplets every 4 hours
- do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

##### Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients** corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

**Questions or comments?** 1-800-426-9391

Exchange Select 44-502

## SUPHEDRINE PE SINUS PRESSURE PLUS PAIN

acetaminophen, phenylephrine hcl tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55301-902
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>FD&amp;C YELLOW NO. 6 ALUMINUM LAKE</b> (UNII: GYP6Z2JR6Q)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

**Product Characteristics**

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	18mm
<b>Flavor</b>		<b>Imprint Code</b>	44;502
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-902-08	2 in 1 CARTON	09/16/2021	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	09/16/2021	

**Labeler** - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55301-902) , pack(55301-902)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55301-902)

Revised: 9/2025

ARMY AND AIR FORCE EXCHANGE SERVICE