DAYTIME COLD AND FLU NON DROWSY- acetaminohpen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled CVS Pharmacy

Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325 mg

Dextromethoprhan HBr 10 mg

Phenlyephrine HCl 5 mg

Purpose

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves common cold and flu symptoms:
 - minor aches and pains
 - headache
 - sore throat
 - nasal congestion
 - fever
 - cough due to minor throat and bronchial irritation

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a

doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- diabetes
- heart disease
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product,

do not exceed recommended dosage.

Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see Overdose warning)
- do not take more than 4 doses in 24 hours
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- when using other Daytime or Nighttime products, carefully read each label to insure correct dosing

Other information

- store between 15-30°C (59-86°F)
- avoid excessive heat

Inactive ingredients

FD&C red #40, FD&C yellow#6, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, white ink

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Vick® DayQuil® Cold & Flu LiquiCaps®*

Cold/Flu

Non-Drowsy

Daytime

Multi-Symptom Cold/Flu Relief

ACETAMINOPHEN - Pain reliever; Fever reducer

DEXTROMETHORPHAN HBr - Cough suppressant

PHENYLEPHRINE HCI - Nasal decongestant

Relieves:

Aching & fever, sore throat, coughing, and congested-stuffy head so you can get through the day

Alcohol free

Antihistamine free

SOFTGELS**

(LIQUID-FILLED CAPSULES)

*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks®, Dayquil®, and LiquiCaps® are registered trademarks of The Procter & Gamble Company.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWING ANY SIGNS OF TAMPERING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Distributed by: CVS Pharmacy, Inc

One CVS Drive, Woonsocket, RI 02895

Package Label



CVS HEALTH Non-Drowsy Daytime Multi-Symptom Cold & Flu Relief

DAYTIME COLD AND FLU NON DROWSY acetaminohpen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:69842-897 Route of Administration ORAL

| Active Ingredient/Active Moiety | | | |
|--|----------------------------------|----------|--|
| Ingredient Name | Basis of Strength | Strength | |
| ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) | ACETAMINOPHEN | 325 mg | |
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg | |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg | |

| Inactive Ingredients | |
|---|----------|
| Ingredient Name | Strength |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| GELATIN (UNII: 2G86QN327L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| POVIDONE (UNII: FZ989GH94E) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0KO0R) | |
| SORBITAN (UNII: 6092ICV9RU) | |
| SORBITOL (UNII: 506T60A25R) | |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |
| LIGHT MINERAL OIL (UNII: N6K5787QVP) | |
| MANNITOL (UNII: 30WL53L36A) | |

| Product Characteristics | | | | |
|-------------------------|---------|--------------|----------|--|
| Color | orange | Score | no score | |
| Shape | CAPSULE | Size | 20mm | |
| Flavor | | Imprint Code | PC9 | |
| Contains | | | | |

| P | Packaging | | | | |
|---|----------------------|--|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:69842-897- 24 | 24 in 1 CARTON | 07/31/2019 | | |
| 1 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | | |
| 2 | NDC:69842-897- 48 | 48 in 1 CARTON | 07/31/2019 | | |
| 2 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | | |

| Marketing Information | | | | |
|-----------------------|---------------------------------|-----------------|---------------|--|
| Marketing | Application Number or Monograph | Marketing Start | Marketing End | |
| Category | Citation | Date | Date | |

| OTC Monograph Drug | M012 | 07/31/2019 | |
|--------------------|------|------------|--|
| | | | |

Labeler - CVS Pharmacy (062312574)

Revised: 3/2024 CVS Pharmacy