PRILOSEC OTC- omeprazole magnesium tablet, delayed release The Procter & Gamble Manufacturing Company

Prilosec OTC[®] WILDBERRY

Drug Facts

Active ingredient (in each tablet)

Omeprazole delayed-release tablet 20 mg (equivalent to 20.6 mg omeprazole magnesium)

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs <u>2 or more</u> days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

- Do not use if you are allergic to omeprazole.
- Omeprazole may cause severe skin reactions. Symptoms may include:
 skin reddening blisters rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck, or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug.

Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- $\circ\,$ swallow whole. Do not chew, crush, or suck tablets.

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- $\circ~$ do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20 to 25°C (68 to 77°F) and protect from moisture

Inactive ingredients

acetyl tributyl citrate, colloidal silicon dioxide, corn starch, croscarmellose sodium, dextrose, FD&C blue #2, FD&C red #40, flavor, hydroxypropyl cellulose, hypromellose 2910, magnesium stearate, methacrylic acid copolymer type c, microcrystalline cellulose, polyethylene glycol 400, polyethylene glycol 3350, polyethylene glycol 8000, polysorbate 80, polyvinyl alcohol, propylene glycol, sucralose, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

Questions?

1-800-289-9181

Safety Feature - Do not use if tablet blister unit is open or torn.

Dist. by Procter & Gamble, Cincinnati, OH 45202

PRINCIPAL DISPLAY PANEL - 42 Tablet Carton

NEW FORMULA

SAME ACTIVE INGREDIENT.

SEE CURRENT DRUG FACTS.

NDC 84126-301-42

Treats FREQUENT Heartburn! 24 HR

Prilosec OTC[®]

omeprazole delayed-release tablets

20 mg / acid reducer

SWALLOW - DO NOT CHEW

Three 14-day courses of treatment

May take 1 to 4 days for full effect.

WILDBERRY Coated Tablet

42 TABLETS





Acid reducers may interact with certain prescription drugs Stop use and ask a doctor if: Stop use and ask a doctor it: your head to take this product for more than 14 days you need to take more than 1 course of treatment every 4 months you get diarrhea •you develop a rash or joint pain



Drug Facts Drug Facts (continued) If pregnant or breast-feeding, ask a health professional before us Keep out of reach of children. In case of overdose, get medical he or contact a Poison Control Center right away. Purpose The point of reado of control Centrol of the order of the ordero of the order of the order of the order of the order of th Warnings Allergy alert: • Do not use if you are allergic to omeprazole. • Omeprazole may cause severe skin reactions. Symptoms may include • skin reddening • bilsters • rash If an allergic reaction occurs, stop use and seek medical help right away. Do not use if you have:

In an integrate the electron of the set of the electron of the set of the electron of the set of th Other information tread the directions and warnings before use
 keep the carton. It contains important information.
 store at 20° to 25°C (68° to 77°F) and protect from mo

The second secon Questions? 1-800-289-9181

PRILOSEC OTC omeprazole magnesium tablet, delayed release

Product Type		HUMAN OTC DRUG	Item Code (Sou	rce)	NDC:84126-301
Route of Admin	istration	ORAL			
Active Ingred	ient/Active	e Moiety			
5		gredient Name		Basis Streng	STrond T
OMEPRAZOLE MAGNESIUM (UNII: 426QFE7XLK) (OMEPRAZOLE - UNII:KG60484QX9)				OMEPRAZOLE	
Inactive Ingre	dients				
		Ingredient Nan	ne		Strength
ACETYL TRIBUTYL					
SILICON DIOXIDE	(UNII: ETJ7Z6)	(BU4)			
STARCH, CORN (U	NII: 08232NY3	SJ)			
CROSCARMELLOS	E SODIUM (U	NII: M28OL1HH48)			
DEXTROSE (UNII: I'	Y9XDZ 35W2)				
FD&C BLUE NO. 2	UNII: LO6K8R	7DQK)			
FD&C RED NO. 40	(UNII: WZB91	27XOA)			
HYDROXYPROPYL	CELLULOSE,	UNSPECIFIED (UNII: 9XZ	8H6N6OH)		
MICROCRYSTALLI	NE CELLULOS	SE (UNII: OP1R32D61U)			
HYPROMELLOSE 2	2910 (15 MP/	A.S) (UNII: 36SFW2JZOW)			
MAGNESIUM STEA	RATE (UNII: 7	0097M6I30)			
METHACRYLIC AC	ID AND ETHY	L ACRYLATE COPOLYME	R (UNII: NX76LV5T8J)		
POLYETHYLENE G	LYCOL 400 (UNII: B697894SGQ)			
POLYETHYLENE G	LYCOL 3350	(UNII: G2M7P15E5P)			
POLYSORBATE 80	UNII: 60ZP3	9ZG8H)			
POLYVINYL ALCO	HOL (UNII: 532	B59J990)			
PROPYLENE GLYC	OL (UNII: 6DC	9Q167V3)			
SUCROSE (UNII: C1	L51H8M554)				
TALC (UNII: 7SEV7J	4R1U)				
SUCRALOSE (UNII:	96K6UQ3ZD4)			
TITANIUM DIOXID	E (UNII: 15FIX9	V2JP)			
TRIACETIN (UNII: X	(HX3C3X673)				
TRIETHYL CITRAT	E (UNII: 8Z960	(XD6UM)			
POLYETHYLENE G	LYCOL 8000	000 (UNII: 8EIY1IHX76)			
Product Chara	acteristics	;			
Color	purple	Score	score with u	neven pieces	
Shape	OVAL	Size	13mm		
Flavor	BERRY	Imprint Code	24		

P	ackaging			
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84126- 301-14	1 in 1 CARTON	06/03/2025	
1		14 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:84126- 301-42	3 in 1 CARTON	06/03/2025	
2		14 in 1 BLISTER PACK; Type 0: Not a Combination Product		
M	arketing	Information		
M	larketing Marketing Category	Information Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Registrant - The Procter & Gamble Manufacturing Company (004238200)

Revised: 6/2025

The Procter & Gamble Manufacturing Company