

**ALLERGY RELIEF- cetirizine hcl tablet**  
**NUVICARE LLC**

-----  
**Allergy Relief**

**Active Ingredient (in each caplet)**

Cetirizine HCl 10 mg

**Purpose**

Antihistamine

**Uses:**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings:**

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

**KEEP OUT OF REACH OF CHILDREN.** In case of overdose, get medical help or contact a Poison Control Center (1-800 222-1222) right away.

**Directions**

**Adults and children 6 years and older:** One 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

**Adults 65 years and over:** Ask a doctor.

**Children under 6 years of age:** Ask a doctor.

**Consumers with liver or kidney disease:** Ask a doctor

**Other Information**

- Store between 20°C to 25°C (68°F to 77°F)

**Inactive Ingredients**

Lactose, Povidone, Maize Starch, Magnesium Stearate, Opadry White, Titanium Dioxide, Hypromellose, Polyethylene Glycol

**Questions or Comments?**

Call 1 (718) 337-8733 or visit [support@nuvicare.com](mailto:support@nuvicare.com)

**nuvi+care**<sup>®</sup> Compare to Zyrtec<sup>®</sup> Allergy active ingredients.

antihistamine

**ORIGINAL RX STRENGTH**

**Allergy Relief**

Cetirizine HCl 10 mg  
Relief from indoor/outdoor allergies

24 HOURS

✓ Sneezing ✓ Runny nose  
✓ Itchy watery eyes  
✓ Itchy throat or nose

**100** caplets  
easy to swallow

not actual size

**TAMPER EVIDENT** Do not use if safety seal under cap is broken or missing.

**Drug Facts**

**Active Ingredient (in each caplet)**  
Cetirizine HCl 10 mg.....Antihistamine

**Purpose**  
Antihistamine

**Uses:** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

**Warnings: Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using this product** ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery.

(continued under label)

This product is not manufactured or distributed by © Johnson & Johnson Consumer Inc., owner of the Registered trademark Zyrtec<sup>®</sup> Allergy.  
Distributed by: NuviCare LLC., Brooklyn, NY 11211, U.S.A.  
www.nuviCare.com  
PL0205-00

3 84324 00004 6  
Lot No. Exp. Dt.

**PEEL HERE**

**Drug Facts** (continued)

**Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away.

**if pregnant or breast-feeding**  
■ if breast-feeding: not recommended  
■ if pregnant: ask a health professional before use. **KEEP OUT OF REACH OF CHILDREN.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions: Adults and children 6 years and older:** One 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. **Adults 65 years and over:** Ask a doctor. **Children under 6 years of age:** Ask a doctor. **Consumers with liver or kidney disease:** Ask a doctor

**Other Information:** ■ Store between 20°C to 25°C (68°F to 77°F)

**Inactive Ingredients:** Lactose, Povidone, Maize Starch, Magnesium Stearate, Opadry white, Titanium Dioxide, Hypromellose, Polyethylene Glycol.

**Questions or Comments?**  
Call 1 (718) 337-8733 or visit: support@nuvicare.com

## ALLERGY RELIEF

cetirizine hcl tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84324-001
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	

<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	

<b>Product Characteristics</b>			
<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	BULLET (Barrel shape)	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	CTN;10
<b>Contains</b>			

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84324-001-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/17/2024	

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077829	07/17/2024	

**Labeler** - NUVICARE LLC (119257565)