

HIBICLENS- chlorhexidine gluconate solution
Asclemed USA, Inc.

Hibiclens, 4% CHG

Chlorhexidine gluconate solution 4.0% w/v

Antiseptic

Uses

- antimicrobial skin cleanser helps to reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- *skin wound and general skin cleansing.* Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- *surgical hand scrub.* Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- *healthcare personnel handwash.* Wet hand with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions?

1-800-843-8497

Relabeled By:



Enovachem[™] 379 Van Ness Ave.
Suite 1403-1406
Torrance, CA 90501

Hibiclens (Chlorhexidine Gluconate Solution 4.0% w/v)

NDC: 76420-535-08

Qty: 236



Distributed By: Molnlycke Health Care, LLC
Source NDC: 0234-0575-08
Description: 236mL in bottle
Lot #: 00000000
Batch #: 00000000
Drug Status: OTC

Exp:



(01) 0 0376420 53508 9
(17) 230221
(10)
(21) 165850

Hibiclens (Chlorhexidine Gluconate Solution 4.0% w/v)

NDC: 76420-535-08

S/N:

Qty: 236

Hibiclens (Chlorhexidine Gluconate Solution 4.0% w/v)

NDC: 76420-535-08

S/N:

Qty: 236

Hibiclens (Chlorhexidine Gluconate Solution 4.0% w/v)

NDC: 76420-535-08

S/N:

Qty: 236

CAUTION: FEDERAL LAW PROHIBITS DISPENSING WITHOUT PRESCRIPTION. SEE PACKAGE INSERT.
KEEP OUT OF REACH OF CHILDREN. STORE AT 20-25C (68-77F) [SEE USP CONTROLLED ROOM TEMP].

HIBICLENS

chlorhexidine gluconate solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76420-535(NDC:0234-0575)
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
POLOXAMER 237 (UNII: JT3U72U71K)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
WATER (UNII: 059QF0KO0R)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76420-535-08	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/03/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA017768	09/17/1976	

Labeler - Asclemed USA, Inc. (059888437)