

COLD SORE FAST-ACTING PAIN RELIEF- glycerin and lidocaine gel

Blistex Inc.

Cold Sore Fast-Acting Pain Relief

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Lidocaine 4.0% (w/w)	External analgesic
Glycerin 20% (w/w)	Lip protectant

Uses

- for the temporary relief of pain and itching associated with fever blisters and cold sores
- relieves dryness and softens cold sores and fever blisters
- softens crusts (scabs) associated with cold sores and fever blisters
- temporarily protects chapped or cracked lips

Warnings

For external use only

Do not use in large quantities, particularly over raw surfaces or blistered areas

When using this product

- do not get into eyes

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **adults and children 2 years of age and older:** apply to affected area not more than 3 to 4 times daily
- **children under 2 years of age:** do not use, consult a doctor

Other information

- push and turn cap to open, close tightly after use
- wash hands before and after applying www.blistex.com

Inactive ingredients

citric acid, disodium EDTA, ethylhexylglycerin, hydroxyethylcellulose, menthol, phenoxyethanol, potassium sorbate, propylene glycol, purified water

PRINCIPAL DISPLAY PANEL - 4.25 g Tube Label

NDC 10157-4103-1

Blistex®

DERMATOLOGIST RECOMMENDED

NEW

COLD SORE

FAST-ACTING

PAIN RELIEF

EXTERNAL ANALGESIC / LIP PROTECTANT

IMMEDIATELY

Relieves Pain & Itching

NET WT. 4.25 g (0.15 oz)

NDC 10157-4103-1

Blistex®

NEW

DERMATOLOGIST RECOMMENDED

COLD SORE
FAST-ACTING
PAIN RELIEF

EXTERNAL ANALGESIC / LIP PROTECTANT

IMMEDIATELY
Relieves Pain & Itching



NET WT. 4.25 g (0.15 oz)

Blistex®

DERMATOLOGIST RECOMMENDED

COLD SORE
FAST-ACTING PAIN RELIEF

Maximum-strength Lidocaine helps block nerve signals to quickly alleviate the discomfort from cold sores & fever blisters.

Blistex Cold Sore Fast-Acting Pain Relief helps immediately relieve pain & itching.

Glycerin moisturizes & helps protect the skin surrounding the sore, creating a soothing, hydrating barrier.

Drug Facts

Active Ingredients	Purpose
Lidocaine 4.0% (w/w).....	External analgesic
Glycerin 20% (w/w).....	Lip protectant

Uses

- for the temporary relief of pain and itching associated with fever blisters and cold sores
- relieves dryness and softens cold sores and fever blisters
- softens crusts (scabs) associated with cold sores and fever blisters
- temporarily protects chapped or cracked lips

Drug Facts (continued)

Warnings

For external use only

Do not use in large quantities, particularly over raw surfaces or blistered areas

When using this product

- do not get into eyes

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older: ▶

Drug Facts (continued)

apply to affected area not more than 3 to 4 times daily

- children under 2 years of age: do not use, consult a doctor

Other Information

- push and turn cap to open, close tightly after use
 - wash hands before and after applying
- www.blistex.com

Inactive Ingredients

citric acid, disodium EDTA, ethylhexylglycerin, hydroxyethylcellulose, menthol, phenoxyethanol, potassium sorbate, propylene glycol, purified water



©2025 Blistex Inc.,
P.O. Box 5392, Oak Brook,
IL 60522-5392
#C010302

COLD SORE FAST-ACTING PAIN RELIEF

glycerin and lidocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10157-4103
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	200 mg in 1 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
PHENOXYETHANOL (UNII: H1E492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	

MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)

EDETATE DISODIUM (UNII: 7FLD91C86K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10157-4103-1	1 in 1 BLISTER PACK	07/01/2025	
1		4.25 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M017	07/01/2025	

Labeler - Blistex Inc. (005126354)

Establishment

Name	Address	ID/FEI	Business Operations
Blistex Inc.		005126354	MANUFACTURE(10157-4103)

Revised: 7/2025

Blistex Inc.