

OXYGEN- oxygen gas
DJB Gas Services, Inc

Oxygen

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

DJB Gas Services, Inc.

DJB GAS SERVICES, INC.

1177 Swaner Road

Salt Lake City, UT 84104

801-908-7800 www.djbgas.com

NO SMOKING

NO VAPING

CONTENTS: LTRS: CU.FT.

OXYGEN,
COMPRESSED
USP
UN1072
PRODUCED BY AIR LIQUEFACTION



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.



Gas
Services,
Inc.

DJB GAS SERVICES, INC.
1177 South Swaner Road
Salt Lake City, Utah 84104
801-908-7800 • www.djbgas.com



NO SMOKING
NO VAPING

CONTENTS:
LTRS:
CU. FT.



OXYGEN

REFRIGERATED LIQUID, USP

UN 1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

DANGER

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.

CAS: 7782-44-7

NO SMOKING

NO VAPING

FIRST AID

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical help.

Lot Number:

Contents:

Expiration Date:

DJB Gas Services, Inc.

1177 Swaner Road

Salt Lake City, UT 84104

801-908-7800 www.djbgas.com

DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN

REFRIGERATED LIQUID, USP UN 1073



(P-202) 12/2008

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

<div style="background-color: red; color: white; text-align: center; padding: 2px;">WARNING</div> <p style="font-size: x-small;">For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX required.</p> <p style="font-size: x-small;">Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.</p> <p style="font-size: x-small;">Produced by Air Liquefaction.</p>	<div style="background-color: red; color: white; text-align: center; padding: 2px;">DANGER</div> <p style="font-size: x-small;">MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.</p> <p style="font-size: x-small;">Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.</p>	 <p style="font-size: x-small;">NO SMOKING NO VAPING</p>	<div style="background-color: red; color: white; text-align: center; padding: 2px;">FIRST AID</div> <p style="font-size: x-small;">IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical help.</p>
<p style="font-size: x-small;">Lot Number:</p> <p style="font-size: x-small;">Contents:</p> <p style="font-size: x-small;">Expiration Date:</p>		<div style="display: flex; align-items: center; justify-content: center;"><p style="font-size: small;">Gas Services, Inc.</p></div> <p style="font-size: small;">1177 South Swaner Road Salt Lake City, Utah 84104 801-908-7800 • www.djbgas.com</p>	
<p style="font-size: x-small;">READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.</p> <p style="font-size: x-small;">CAS: 7782-44-7</p>		<p style="font-size: x-small;">PRINTED BY RATERMANN MFG., INC. www.rmorder.com</p>	

DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:43621-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43621-001-11	198 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
2	NDC:43621-001-12	255 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
3	NDC:43621-001-13	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
4	NDC:43621-001-14	708 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
5	NDC:43621-001-15	1133 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
6	NDC:43621-001-16	1614 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
7	NDC:43621-001-17	2265 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
8	NDC:43621-001-18	3539 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
9	NDC:43621-001-19	7108 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
10	NDC:43621-001-20	9543 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
11	NDC:43621-001-21	180 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	
12	NDC:43621-001-22	160 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205712	01/01/1990	

Labeler - DJB Gas Services, Inc (053129180)**Establishment**

Name	Address	ID/FEI	Business Operations
DJB Gas Services, Inc		053129180	manufacture(43621-001)

