

**OXYGEN- oxygen gas**  
**DJB Gas Services, Inc**

-----  
**Oxygen**

OXYGEN, COMPRESSED, USP  
UN1072


OXYGEN 2

WARNING: For emergency use only when administered properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of constructions and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect form sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL

DJB Gas Services, Inc.

DJB GAS SERVICES, INC.  
1177 South Swaner Road  
Salt Lake City, Utah 84104  
801-908-7800  
www.djbgas.com

CONTENTS: LTRS  
CU. FT.



OXYGEN REFRIGERATED LIQUID, USP UN1073 OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills, Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. Lot Number: Contents: Expiration Date: DO NOT REMOVE THIS PRODUCT LABEL.

# OXYGEN

## REFRIGERATED LIQUID, USP UN 1073



**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.**

### WARNING

#### USP

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

#### Produced by Air Liquefaction.

Keep out of reach of children; and Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

**READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.**

CAS: 7782-44-7

### DANGER

**MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.**

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position.



**IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.**

Lot Number:

Contents:

Expiration Date:



**DO NOT REMOVE THIS PRODUCT LABEL**

PRINTED BY RATERMANN MFG., INC.  
www.rmorder.com

OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2

DJB Gas Services, Inc. DJB GAS SERVICES, INC. 1177 South Swaner Road Salt Lake City, Utah 84104


801-908-7800 . [www.djbgas.com](http://www.djbgas.com)

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

**DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills, Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.**

**DO NOT REMOVE THIS PRODUCT LABEL. CAS: 7782-44-7**



<b>OXYGEN</b>				
oxygen gas				
<b>Product Information</b>				
<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:43621-001	
<b>Route of Administration</b>	RESPIRATORY (INHALATION)			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L	
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43621-001-11	198 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
2	NDC:43621-001-12	255 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
3	NDC:43621-001-13	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
4	NDC:43621-001-14	708 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
5	NDC:43621-001-15	1133 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
6	NDC:43621-001-16	1614 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	

<b>7</b>	NDC:43621-001-17	2265 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
<b>8</b>	NDC:43621-001-18	3539 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
<b>9</b>	NDC:43621-001-19	7108 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
<b>10</b>	NDC:43621-001-20	9543 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
<b>11</b>	NDC:43621-001-21	180 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205712	01/01/1990	

**Labeler** - DJB Gas Services, Inc (053129180)

## Establishment

Name	Address	ID/FEI	Business Operations
DJB Gas Services, Inc		053129180	manufacture(43621-001)

Revised: 10/2023

DJB Gas Services, Inc