WOMENS GENTLE LAXATIVE- bisacodyl tablet, delayed release Discount Drug Mart

Drug Mart 44-676A

Active ingredient (in each tablet)

Bisacodyl USP, 5 mg

Purpose

Stimulant laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- a sudden change in bowel habits that lasts more than 2 weeks
- stomach pain, nausea or vomiting

When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- you may have stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative.
 These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

take with a glass of water

adults and	take 1 to 3 tablets
children 12	in a
years and over	single daily dose
children 6 to	take 1 tablet in a
under 12	single
years	daily dose
children under 6	ask a doctor
years	ask a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid excessive humidity
- see end flap for expiration date and lot number

Inactive ingredients

carmine, colloidal silicon dioxide, corn starch, FD&C red #40 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, methacrylic acid, microcrystalline cellulose, polydextrose, polyethylene glycol, shellac wax, simethicone, sodium bicarbonate, sodium lauryl sulfate, stearic acid, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments?

Call 1-800-426-9391

Principal display panel

NDC 53943-676-01

DISCOUNT

drug

mart

FOOD MARKET

AN EMPLOYEE OWNERSHIP COMPANY

Women's Gentle Laxative

Bisacodyl USP, 5 mg Stimulant Laxative

Gentle, dependable

constipation relief

30 Tablets

MAY CONTAIN **ANTI-THEFT** DEVICE

Actual Size

Comfort Coated Tablets

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

50844 REV0119A67601

DISTRIBUTED BY:
DRUG MART - FOOD FAIR
211 COMMERCE DRIVE,
MEDINA, OH 44256
www.discount-drugmart.com

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART 211 COMMERCE DRIVE, MEDINA, OHIO 44256

to 12 hours ■ this product generally produces bowel movement in 6 ■ for relief of occasional constipation (irregularity)

Drug Facts (continued)

Purpose

Stimulant laxative, Bisacodyl USP, 5 mg (in each tablet) Active ingredient

Drug Facts

COMPLETE PRODUCT IN FORMATION KEEP OUTER PACKAGE FOR

NDC 53943-676-01

DISTRIBUTED BY:
DRUG MART - FOOD FAIR
211 COMMERCE DRIVE,
MEDINA, OH 44256
www.discount-drugmart.com

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER Unit is torn, broken or shows any signs of tampering

REV0119A6760

50844

Women's

Gentle Laxative

Bisacodyl USP, 5 mg

Stimulant Laxative

Actual Size

Gentle, dependable constipation relief

MAY CONTAIN **ANTI-THEFT**

Comfort Coated Tablets

30 Tablets

Questions or comments? Call 1-800-426-9391

tanium dioxide, triacetin, triethyl citrate bicarbonate, sodium lauryl sulfate, stearic acid, talc, polyethylene glycol, shellac wax, simethicone, sodium

Drug Facts (continued)

B-0380-676A-01 REV0119A67601

No Print No Varnish Lot & Expiry Area

> methacrylic acid, microcrystalline cellulose, polydextrose, hypromellose, lactose anhydrous, magnesium stearate, dioxide, corn starch, FD&C red #40 aluminum lake, Inactive ingredients carmine, colloidal silicon

211 COMMERCE DRIVE, MEDINA, OHIO 44266
STORE, SEND REASON FOR DISSEPPORT TO RETURN TO DISCOUNT DRUG MART

211 COMMERCE DRIVE, MEDINA, OHIO 44266

211 COMMERCE DRIVE, MEDINA, OHIO 44266

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE

S ATI SFACTION GUARANTEED

- see end flap for expiration date and lot number 15°-30°C (59°-86°F) ■ avoid excessive humidity
- store at 25°C (77°F); excursions permitted between OPENED OR BLISTER IS TORN OR BROKEN
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS Other information

children under 6 years	ask a doctor
years	daily dose
children 6 to under 12	take 1 tablet in a single
years and over	single daily dose
adults and children 12	take 1 to 3 tablets in a
take with a glass of water	

Directions (beunitnoo) **stor4 purd**

medical help or contact a Poison Control Center right Keep out of reach of children. In case of overdose, get

If pregnant or breast-feeding, ask a health professional

- you need to use a laxative for more than 1 week of a serious condition.
- movement after use of a laxative. These could be signs ■ you have rectal bleeding or fail to have a bowel Stop use and ask a doctor if

- you may have stomach discomfort, faintness and ■ do not use within 1 hour after taking an antacid or milk
 - do not chew or crush tablet(s)

When using this product

weeks stomach pain, nausea or vomiting ■ a sudden change in bowel habits that lasts more than 2 Ask a doctor before use if you have

Do not use if you cannot swallow without chewing. spninnaW

(beunitnoo) **stor4 purid**

Drug Mart 44-676A

bisacodyl tablet, delayed release

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:53943-676

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)

BISACODYL

5 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHACRYLIC ACID (UNII: 1CS02G8656)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SHELLAC (UNII: 46N107B710)	
DIMETHICONE (UNII: 92RU3N3Y10)	
WATER (UNII: 059QF0KO0R)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

TRIETHYL CITRATE (UNII: 8Z96QXD6UM)

Color	pink	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	В
Contains			

		-	
Pa	$\boldsymbol{\nu}$	\sim 1	na
	No		

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:53943- 676-01	2 in 1 CARTON	12/20/2019	

	15 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing I	nformation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Dru	g 505G(a)(3)	12/20/2019	

Labeler - Discount Drug Mart (047741335)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(53943-676)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(53943-676) , pack(53943-676)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(53943-676)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(53943-676)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(53943-676)

Revised: 11/2024 Discount Drug Mart