# LEVONORGESTREL- levonorges trel tablet OC Pharma, LLC

-----

# Levonorges trel Tablets

**Drug Facts** 

# **Active ingredient**

Levonorgestrel 1.5mg

## **Purpose**

Emergency contraceptive

#### Use

for women to reduce chance of pregnancy after unprotected sex (if a contraceptive failed or if you did not use birth control)

## Warnings

# Allergy alert

Do not use if you have ever had an allergic reaction to levonorgestrel

# Sexually transmitted diseases (STDs) alert

This product does **not** protect against HIV/AIDS or other STDs

#### Do not use

- if you are already pregnant (because it will not work)
- for regular birth control

#### When using this product you may have

- menstrual changes
- tiredness
- breast pain
- nausea
- headache
- vomiting
- lower stomach (abdominal) pain
- dizziness

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control center right away.

#### **Directions**

- take as soon as possible within 72 hours (3 days) after unprotected sex. The sooner you take it, the better it will work.
- If you vomit within 2 hours of taking the medication, call a healthcare professional to find out if you should repeat that dose.

#### Other information

- read the instructions, warnings, and enclosed product leaflet before use
- this product works mainly by preventing ovulation (egg release). It may also prevent fertilization of a released egg (joining of sperm and egg) or attachment of a fertilized egg to the uterus (implantation).
- do not use if the carton is open or blister seal is broken or missing
- store at 20° to 25°C (68° to 77°F)

## **Inactive ingredients**

colloidal silicon dioxide, FD&C Yellow No.6 aluminum lake, lactose monohydrate, magnesium stearate, and pregelatinized starch

#### Questions or comments?

Call **1-800-224-4606**.

# PRINCIPAL DISPLAY PANEL - 1.5 mg Tablet Blister Pack Carton

NDC 49615-017-01

Levonorgestrel Tablet

1.5 mg

**Emergency Contraceptive** 

Reduces chance of pregnancy after unprotected sex. Not for regular birth control.

ONE TABLET, ONE DOSE,

 $\mathbf{OC}$ 

Pharma

Contains 1 Levonorgestrel Tablet 1.5 mg

- The sooner you take it, the more effective it will be.
- Take as soon as possible within 72 hours (3 days) after unprotected sex.
- Will not harm an existing pregnancy.



9102 Vluly 2016

Mfg. for: OC Pharma, LLC, Salem, Virginia 24153 Product made in Poland

lake, lactose monohydrate, magnesium stearate, and pregelatinized starch Questions or comments? Call 1-800-224-4606,

■ lower stomach (abdominal) pain ■ dizziness Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control center right away.

Inactive ingredients coloidal alicon dioxide, FD&C Yellow No.6 aluminum place, lactose monohydrate, magnesium stearate, and pregletimized starch

When using this product you may have

menstrual changes

medness product pain

medness preasts pain

mediache

media

■ store at 20° to 25°C (68° to 77°F)

In it you are already pregnant (because it will not work)

In for regular birth control

do not rise it the catton is oben or plister, seal is broken
formed to should suppressed edge
to the risers (imbjangapo) is attachment of a fertilized edge
to the risers (imbjangapo) hy breventing ovulation (edge
broadors results peculic area

Sexually transmitted diseases (STDs) alert: This product does not protect against HIV/AIDS or other STDs

Other information

Read the instructions, warnings, and enclosed product leaflet before use

Warnings Alletgy alert: Do not use if you have ever had an allergic reaction to levonorgestrel

repeat that dose.

USE for women to reduce chance of pregnancy after unprotected sex (if a contraceptive failed or if you did not see birth control)

unprotected sex. The sooner you take it, the better it will work.

If you vomit within 2 hours of taking the medication, call a healthcare professional to find out if you should

evonorgestrel 1.5mg......Emergency contraceptive

■ take as soon as possible within 72 hours (3 days) affer inprotected sex. The sooner you take if the better it.

Active ingredient

Drug Facts (continued)

əsodund

Drug Facts



Exp. Date:

\_ot #:

Levonorgestrel Tablet 1.5 mg

Emergency Contraceptive

NDC 49615-017-01

# Levonorgestrel Tablet 1.5 mg

# **Emergency Contraceptive**

Reduces chance of pregnancy after unprotected sex.

Not for regular birth control.

ONE TABLET. ONE DOSE.



- The sooner you take it, the more effective it will be.
- Take as soon as possible within 72 hours (3 days) after unprotected sex.
- · Will not harm an existing pregnancy.

Contains 1 Levonorgestrel Tablet 1,5 mg

Pharma

Levonorgestrel Tablet 1.5 mg

Emergency Contraceptive

# LEVONORGESTREL

levonorgestrel tablet

#### **Product Information**

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:49615-017

# Active Ingredient/Active Moiety

8		
Ingredient Name	Basis of Strength	Strength
Levonorgestrel (UNII: 5W7SIA7YZW) (Levonorgestrel - UNII:5W7SIA7YZW)	Levonorgestrel	1.5 mg

Inactive Ingredients	
Ingredient Name	Strength
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
Lactose Monohydrate (UNII: EWQ57Q8I5X)	
Magnesium Stearate (UNII: 70097M6I30)	
Starch, corn (UNII: O8232NY3SJ)	

Product Characteristics				
Color	ORANGE	Score	no score	
Shape	ROUND	Size	8 mm	
Flavor		Imprint Code	17	
Contains				

l	Packaging				
l	# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
l	1 NDC:49615-017-01	1 in 1 CARTON	12/31/2018		
l	1	1 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA202380	12/0 1/20 18		

# Labeler - OC Pharma, LLC (171268936)

Revised: 10/2017 OC Pharma, LLC