

KONICARE 5%- konicare 5% lido spray spray

Turkuaz Saglik Hizmetleri Medikal Temizlik Kimyasal Urunler Sanayi ve Tic. AS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

KoniCare 5% Lido Spray

Active Ingredients

- Ethyl Alcohol 2,5 %.....Topical Anesthetic
- Lidocaine HCl 5%.....Topical Anesthetic

Uses:

For temporary relief of pain

Do not use

- On wounds or damaged skin
- In large quantities
- With a heating pad
- If you are allergic to any ingredients of this product

Stop use and ask a doctor if,

- Use only as directed
- Avoid contact with the eyes, mucous membranes or rashes
- Do not bandage tightly

Stop use and ask a doctor if,

- Skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Conditions worsen
- Symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days

If pregnant or breast feeding,

If swallowed, get medical help or contact a Poison Control Center right away

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions**Adults and children 12 years of age and older:**

- Clean and dry affected area
- Apply to affected area not more than 4 times daily

Children under 12 years of age:

- Consult a doctor

Inactive Ingredients:

Water, Citric Acid, Methyl Hydroxy Benzoate, Benzalkonium Chloride.

Konicare 5% LidoSpray

Ethyl Alcohol 2.5 % Topical Anesthetic

Lidocaine HCl 5% Topical Anesthetic

Drug Facts

Active Ingredients **Purpose**
Ethyl Alcohol 2.5 %..... Topical Anesthetic
Lidocaine HCl 5%..... Topical Anesthetic

Uses
For temporary relief of pain

Do not use

- On wounds or damaged skin
- In large quantities
- With a heating pad
- If you are allergic to any ingredients of this product

When using this product

- Use only as directed
- Avoid contact with the eyes, mucous membranes or rashes
- Do not bandage tightly

Stop use and ask a doctor if

- Skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Conditions worsen
- Symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days

If pregnant or breast feeding, ask a health professional before use

Keep out of reach of children
If swallowed, get medical help or contact a Poison Control Center right away

Directions
Adults and children 12 years of age and older:

- Clean and dry affected area
- Apply to affected area not more than 4 times daily

Children under 12 years of age:
Consult a doctor

5%

LIDO
SPRAY

Topical
Anaesthetic
Spray

Lidocaine HCl 5%

40ml(1.33oz) e

koniCARE

Drug Facts (Continued)

Other Information:
• Avoid storing in direct sunlight

Inactive Ingredients:
Water, Citric Acid, Methyl Hydroxy Benzoate, Benzalkonium Chloride.

Made in
Turkey
Discover
the potential
صنع في تركيا

Manufactured by
turkuaz
T +90 212 428 68 48 Pbx F +90 212 428 68 53
info@turkuazgik.com.tr / www.turkuazgik.com.tr

REF T0000.438.0001
Rev.: 03 / 07.11.2018 Cod: 02.02.0102



5%

LIDO
SPRAY

Topical
Anaesthetic
Spray

Lidocaine HCl 5%

40ml(1.33oz) e

koniCARE

koniCARE
Topical Anaesthetic Spray
Lidocaine HCl 5%

5%

LIDO

SPRAY

40ml(1.33oz)e

Drug Facts

Active Ingredients	Purpose
Ethyl Alcohol 2,5 %	Topical Anesthetic
Lidocaine HCl 5%	Topical Anesthetic

Excipients Ingredients: Water, Citric Acid, Methy Hydroxy Benzoate, Benzalkonium Chloride

Uses
For temporary relief of pain

Made in Turkey
Discover the potential
مصنوع في تركيا

Manufactured by
turkuaz

T +90 212 428 68 48 Pbx F +90 212 428 68 53
info@turkuazgl.com.tr / www.turkuazgl.com.tr

REF T0000.438.0001
Rev.: 03 / 07.11.2018 Cod: 06.02.0228

KONICARE 5%

konicare 5% lido spray spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73107-902
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z 41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	5 g in 100 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	2.5 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73107-902-10	1 in 1 CARTON	11/01/2019	
1		40 mL in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	11/01/2019	

Labeler - Turkuaz Saglik Hizmetleri Medikal Temizlik Kimyasal Urunler Sanayi ve Tic. AS (356325295)

Registrant - Turkuaz Saglik Hizmetleri Medikal Temizlik Kimyasal Urunler (356325295)

Establishment

Name	Address	ID/FEI	Business Operations
Turkuaz Saglik Hizmetleri Medikal Temizlik Kimyasal Urunler		356325295	manufacture(73107-902)

Revised: 7/2022

Turkuaz Saglik Hizmetleri Medikal Temizlik Kimyasal Urunler Sanayi ve Tic. AS