

**BROAD SPECTRUM SUNSCREEN SPF 30- avobenzone, homosalate, octisalate spray**  
**Meijer, Inc.**

-----  
**Meijer D48.000/D48AA**  
**Sunscreen Spray SPF 30**

**Active Ingredients**

Avobenzone 3%

Homosalate 10%

Octisalate 5%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protections measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable:**

Keep away from fire or flame.

- after application, wait until product dries before approaching a source of heat or flame, or before smoking

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

**Stop use and ask a doctor if**

- rash occurs

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

## **Other information**

- protect the product in this container from excessive heat and direct sun

## **Inactive ingredients**

alcohol denat., diethylhexyl 2,6-naphthalate, acrylates/octylacrylamide copolymer, diisopropyl adipate, neopentyl glycol diheptanoate, butyloctyl salicylate, fragrance, tocopheryl acetate

## **Disclaimer**

\*This product is not manufactured or distributed by Sun Bum LLC, distributor of Sun Bum<sup>®</sup> Premium Moisturizing Sunscreen Spray Broad Spectrum SPF 30.

May stain or damage some fabrics or surfaces

DSP-TN-21091

DSP-MO-20087

## **Adverse Reaction**

Questions 1-888-593-0593

DISTRIBUTED BY  
MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com  
Our Quality Guraranteed  
The Meijer Family  
www.meijer.com/satisfaction

**Principal Panel Display**

meijer ®

sunscreen spray

BROAD SPECTRUM SPF 30

UVA/UVB SUNSCREEN

SPF 30

WATER RESISTANT (80 MINUTES)

FRESH BANANA SCENT

OXYBENZONE, OCTINOXATE AND OCTOCRYLENE FREE

COMPARE TO SUN BUM ® PREMIUM MOISTURIZING SUNSCREEN SPRAY\*

NET WT 5.5 oz (156 g)

**meijer.**  
sunscreen  
spray

**BROAD SPECTRUM SPF 30  
UVA/UVB SUNSCREEN**

**SPF 30**

**WATER RESISTANT (80 MINUTES)**  
FRESH BANANA SCENT  
OXYBENZONE, OCTINOXATE  
AND OCTOCRYLENE FREE

COMPARE TO SUN BUM® PREMIUM  
MOISTURIZING SUNSCREEN SPRAY\*

**NET WT 5.5 OZ (156 g)**

**Drug Facts**

**Active ingredients** Purpose  
Avobenzone 3% Sunscreen  
Homosalate 10% Sunscreen  
Octisalate 5% Sunscreen

**Uses**  
Helps prevent sunburn. If used as directed with other sun protection measures (i.e. clothing), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
For external use only.  
Flammable: Keep away from fire or flames. After application, wait until product dries before approaching a source of heat or flame, or before smoking.  
Do not use on or damaged or broken skin.  
When using this product, keep out of eyes. Rinse with water to remove.  
Do not use under pressure. Do not puncture or incise. Do not store at temperature above 120°F.  
Stop use and ask a doctor if rash occurs.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
Spray liberally and spread evenly by hand 15 minutes before sun exposure.  
Apply to all skin exposed to the sun. Hold container 4 to 6 inches from the skin to apply.  
Do not spray directly into face. Spray on hands then apply to face.  
Do not apply in windy conditions. Use in a well-ventilated area and avoid inhalation.  
Reapply after 80 minutes of swimming or sweating. Immediately after towel-drying.  
At least every 2 hours.  
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
Limit time in the sun, especially from 10 a.m. to 4 p.m.  
Wear long-sleeved shirts, pants, hats and sunglasses.  
Children under 6 months of age: Ask a doctor.

**Other information**  
Do not use the product in this container from excessive heat and direct sun.

**Inactive ingredients** alcohol denat., diethylhexyl 2,6-naphthalate, acrylates/cyclohexyl dimethylacrylate copolymer, diisopropyl adipate, neopentyl glycol diheptanoate, butylacetyl salicylate, fragrance, tocopheryl acetate.

May stain or damage some fabrics or surfaces.  
DSP-77-21.091 DSP-MO-20087  
Questions 1-888-933-0593  
DISTRIBUTED BY  
MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com

**OUR QUALITY GUARANTEE**  
The Meijer Quality Guarantee

LOG21-474WA  
PND 6278240

1 3 7 3 3 2 0 3 7

\*This product is not manufactured or distributed by Sun Bum LLC. A provider of Sun Bum® Premium Moisturizing Sunscreen Spray Broad Spectrum SPF 30.

## BROAD SPECTRUM SUNSCREEN SPF 30

avobenzone, homosalate, octisalate spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-0948
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW)</b> (UNII: 7LL6SY9YFV)	
<b>DIISOPROPYL ADIPATE</b> (UNII: P7E6YFV72X)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKWBC543X)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0948-1	156 g in 1 CAN; Type 0: Not a Combination Product	10/30/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/30/2023	

**Labeler** - Meijer, Inc. (006959555)

**Registrant** - Nice-Pak Products, LLC (119091520)

## Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(79481-0948)

Revised: 2/2026

Meijer, Inc.