SHEER GLOW- zinc oxide cream USRX LLC

70809-1910 Sheer Glow

Drug Facts

Active Ingredients:

Zinc Oxide 11.6%

Purpose

Sunscreen

Use(s):

Helps prevent sunburn.

If used as directed with other sun protection measures (see directions), decreases the risk of skin canger and early skin aging caused by the sun.

Warnings:

For External use only.

Do not use

on damaged or broken skin.

When using this product,

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:

For Sunscreen use:

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:


- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months: ask a doctor

INACTIVE INGREDIENTS:

Water (Aqua), Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Glycerin, Dimethicone, Undecylcrylene Dimethicone, Cetearyl Olivate, Polyester-8, Polyglyceryl-3 Beeswax, Carthamus Tinctorius (Safflower) Oleosomes, Sorbitan Olivate, Propanediol, Polyhydroxystearic Acid, Potassium Cetyl Phosphate, Caprylyl Glycol, Hydrolyzed Wheat Protein/PVP Crosspolymer, Xanthan Gum, Bisabolol, Caprylhydroxamic Acid, Sodium Gluconate, Citrus Reticulata (Tangerine) Peel Oil, Carthamus Tinctorius (Safflower) Seedcake Extract, Citrus Grandis (Grapefruit) Fruit Extract.

Other Information:

Protect the product in this container from excessive heat and direct sun.



Sea water research consider in swimming or sweating
 Sun Prolection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this fisk, regularly use a sunacrean with a Broad Spectrum SFF value of 15 or higher and other sun protection measures including:
 limit time in the sun, especially from 10 a.m.-2 p.m.
 wear long-sleeved shifts, parts, hats and aurglasses
 children under 6 months of age. Ask a doctor

явкан воноствет н ехиптинд

Other Information • protect the product in this container from excessive heat and direct sun

Insertive Ingredients Water (Aqua), Butyloctyl Sallcylate, Caprylic/Capric Triglyceride, Glycerin, Dimethicone, Undecylcrylene Dimethicone, Cetearyl Ollvate, Polyester-8, Polyglyceryl-3 Beeswax, Carthamus Tinctorius (Safflower) Oleosomes, Sorbitan Olivate, Propanediol, Polyhydroxystearic Acid, Potassium Cetyl Phoephate, Caprylyl Glycol, Hydrolyzed Wheat Protein/PVP Crosspolymer, Xanthan Gum, Bisabolol, Caprylhydroxamic Acid, Sodium Gluconate, Citrus Reticulata (Tangerine) Peel Oil, Carthamus Tinctorius (Safflower) Seedcake Extract, Citrus Grandle (Grapefruit) Fruit Extract

This proprietary formulation process is used to produce a broad spectrum sunscreen with ultra-sheer protection for diverse skin tones.

O Hydrates dryskin Protects skin tone
 Brightuns a dull complexion

KEY INGREDIENT:

Zinc Oxide protects the skin from the sun's harmful UVB and UVA rays, helping to prevent the visible signs of aging, uneven skin tone and enlarged pores.

even tone daily defense mineral moisturizer

BROAD SPECTRUM SPF 30 SUNSCREEN

ZINC OXIDE 11.6%

2.25 fl oz | 66.5 mL

A USRx® Product Distributed by USRx LLC 8604 Cliff Cameron Drive Suite 175 Charlotte, NC 28269 urbanskinnx.com




66 I've always considered mineral sunscreens superior, but they've proven difficult to apply sheer on deeper skin tones. I'm very proud to have finally achieved a sheer formula with this product.

> RACHEL ROFF FOUNDER & AESTHETICIAN

Ŵ

 \odot ESTHETICIAN



sheerg	 helps prevent auntum If used as directed with other sun protection measures (see Silvactilines), decreases the risk of sidn cancer and early skin aging caused by the sun Minrasinger For scientali use only Do not use - on demaged or broken skin When using this product - keep out of eyes. Firms with water to remove. Stop use and eait a doclar If - rash occurs Keep ant of reach of children. If availowed, get medical help or contact a Polson Control Center right sway.
even tone daily defense mineral moisturizer	Directions For numeron use: apply liberally 15 minutes before sun exposure reapply at least every 2 hours use a water resistant suracreen if awimming or everying Sun Protection Necesare. Spending time in the sun increases your tak of side cancer and early side aging. To decrease this risk, regularly use a suracreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
BROAD SPECTRUM SPF 30 SUNSCREEN	Other information • protect the product in this container from exceeder heat and cirect aun Insective Ingenetients Water (Aqua), Butyloctyl Salicylate, Capryle/Capric Trigtyceride, Glycenin, Dimethicone, Undecylcrylene Dimethicone, Cataaryl Olivate, Polyester-8, Polygiyceryl-3 Beeewax, Carthamus Tinctorius (Bafflower) Oleosomes, Sorbitan Olivate, Propanedici, Polyhydroxysteelic Acid, Potessium Catyl Phosphate, Caprylyl Glycol, Hydrolyzed Wheat Protein/PVP Crosepolymer, Xanthan Burn, Biasboloi, Caprylhydroxemic Acid, Sodium Gluconete, Citrue Reticulate (Dangerine) Peel Di, Carthamas Tinctorius (Satilower) Seedcake Ednact, Citrus Grandis (Grapefuit) Fruit Ednact
2.25 fl o <u>z </u> 66.5 mL	A USRx [®] Product Distributed by USRx LLC 8604 Cliff Cameron Drive Suite 175 Charlotte, NC 28269 urbanskinn.com

SHEER GLOW zinc oxide cream			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70809-1910
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	11.6 mg in 100 mL

Ingredient Name	Strength
PUMMELO (UNII: ET1TN5W71X)	
MANDARIN OIL (UNII: NJO720F72R)	
CARTHAMUS TINCTORIUS (SAFFLOWER) OLEOSOMES (UNII: 9560Q72309)	
METHYL DIHYDROABIETATE (UNII: 7666FJ0J9F)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
PROPANEDIOL (UNII: 5965N8W85T)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED) (UNII: T9296U138P)	
LEVOMENOL (UNII: 24WE03BX2T)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
UNDECYLCRYLENE DIMETHICONE (10000 MW) (UNII: HA26P2LA4P)	
WATER (UNII: 059QF0KO0R)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)	
CARTHAMUS TINCTORIUS SEEDCAKE (UNII: DHQ13F4N2W)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70809- 1910-1	1 in 1 BOX	07/19/2001	
1		66.5 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:70809- 1910-2	1 in 1 BOX	06/01/2021	
2		15 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/19/2001	

Revised: 10/2023

USRX LLC