FRUIT OF THE EARTH SUN TOWN CITY SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion Fruit of the Earth, Inc.

Fruit of the Earth Sun Town City SPF 50 Lotion Sunscreen

Active Ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 4.5%, Octocrylene 8.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protectino measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

□Directions

- Apply liberally 15 minutes before sun exposure
- Reapply:
- after 80 minutes of swimming or sweating

- immediately after towel drying
- at least every 2 hours
- Children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.,.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, polyester-7, neopentyl glycol diheptanoate, glycerin, aluminum starch octenylsuccinate, styrene/acrylates copolymer, silica, phenoxyethanol, isododecane, arachidyl alcohol, beeswax, ethylhexylglycerin, acrylates/C10-30 alkyl acrylate crosspolymer, behenyl alcohol, tocopherol (vitamin E), arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, disodium EDTA, sodium ascorbyl phosphate, fragrance





HYPOALLERGENIC ■

PARABEN & PHTHALATE FREE'■

WATER RESISTANT (80 MINUTES)

NO REEF-HARMING OXYBENZONE & OCTINOXATE

3.4 FL OZ (100 mL)



Welcome to Sun Town City" from Fruit of the Earth?
We've got you covered with everything you want and nothing you don't.

Drug Facts

Active ingredients
Avobenzone 3.0%
Homosalate 10.0%
Octisalate 4.5%
Octocrylene 8.0%

Uses + helps prevent sunburn + if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use - on damaged or broken skin.
When using this product - keep out of eyes. Rinse with water to remove.

to remove.

Stop use and ask a doctor if - rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- or contact a "relation Control Control

Imactive ingredients was payeer-1, record glood disposance, dycern, similar starts actinguations, special-grides coopient, else-phonosymbral, obsistance, actinist glood, beverus, ethioproglycern, surpless CDI-D0 disposance participate, behave detail, toopient (disnis E), maching specials, special seators, PSD-D0 seators, potassium hydrostic, starting specials specials perioris specials produced specials specials specials specials specials specials special specials special specials specials special specials specials specials specials produced to the special special special specials produced to the special special special specials produced to the special special special special special specials produced to the special specia

Questions or comments? Call toll free 1-800-527-7731


* No parabens separately added to preserve this product.

1 Formula is compilant with Hawaii S82571.

At Fult of the Earth y
we pride ourselves in
being 100% American
owned and operated.

llow/tag us in your pho @fote_usa







- HYPOALLERGENIC
- PARABEN & PHTHALATE FREE™ WATER RESISTANT (80 MINUTES)
- NO REEF-HARMING OXYBENZONE & OCTINOXATE

3.4 FL OZ (100 mL)



Welcome to Sun Town City™ from Fruit of the Earth? We've got you covered with everything you want and nothing you don't.

Drug Facts

Uses + helps prevent sunburn + if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Cencer and early son ways to the Warnings
For external use only
Do not use - on damaged or broken skin.
When using this product - keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor If - rash occurs.
Keep out of reach of children, If swalbowed, get medical help or contact a Polon Control Center right away.

Reep out of reach of chadren, I availaboved, get medical help or contact a Pointon Control Centre (right avery.)

Directions

Apply Ibrarily 15 minutes before sun exposure

Reapply:

- R

Questions or comments? Call toll free 1-800-527-7731

* No parabens separately added to preserve this product.

† Formula is compliant with Hawaii S82571.

llow/tag us in your pho @fote_usa

O f









Drug Facts

Active ingredient
Avobenzone 3.0%
Homosalate 10.0%
Octisalate 4.5%
Octocrylene 8.0%

Uses - helps prevent sunburn - if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Cancer and early son aging colleges of the Marnings
For external use only
De not use - on damaged or broken skin.
When using this product - keep out of eyes, Rinse with water to remove.
Stop use and ask a dector if - rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Polson Control Center right eway.

or contact a Poison Control Center right away.

Directions

- Apple benefity 15 minutes before sun exposure
- Apple benefity 15 minutes before sun exposure
- Retoply:
- after 80 minutes of swimming or sweating
- immediately after fowed erpoing
- at least every 2 hours
- Sun Protection Measures, Speeding time in the sun increases
- Sun Protection Measures, Speeding time in the sun increases
- Sun Protection Measures, Speeding time in the sun increases
- Sun Protection Measures, Speeding time in the sun increase
- Sun Protection Measures, Speeding time in the sun increase
- Sun Protection Measures, Speeding time in the sun expectage
- I limit time in the sun, expectagly from 10 a.m. – 2 p.m.
- weer long-sleeve shirts, pants, hats, and sungfasses
- Other information
- protect the product in this container from excessive het
- and clients usu
- may stain or damage some fabrics, materials or surfaces
- Imactive ingredients's when pelveter?, measured sked designation

• mily stato of commage dome scarcies, materiassy or services— ImacCitive integratedients* such politics* operated politics* operated politics of p

Questions or comments? Call toll free 1-800-527-7731

** We names spanish added
by preserve this product.

**Formula is compliant with Hawaii S82571.

**Www.foot.com

At Fult of the Earth **
we pride ourselves in
being 100% American
owned and operated.





SPF 50 LOTION **SUNSCREEN**

BROAD SPECTRUM

- HYPOALLERGENIC
- PARABEN & PHTHALATE FREE® ■
- WATER RESISTANT (80 MINUTES)
- NO REEF-HARMING OXYBENZONE & OCTINOXATE

8,0 FL OZ (237 mL)

Welcome to Sun Town City™ from Fruit of the Earth?
We've got you covered with everything you want and nothing you don't

Drug Facts	
Active ingredients Avobenzone 3,0%	Purpos
Homosalate 10.0% Octisalate 4.5% Octocrylene 8.0%	Sunscree

Uses + helps prevent sunburn + if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use - on damaged or broken skin.
When using this product - keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if + rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- or contact a Potson Control Center right away.

 Directions

 Apply Bersilly 15 minutes before sun exposure

 Reapply:
 after 30 minutes of swimming or sweating
 immediately after towel drying
 at least every 2 hours

 Children under 6 mortilos of age: Ask a doctor

 Children under 6 mortilos of age: Ask a doctor

 Sun Protection Measurers, Spending time in the sun increases
 your risk of skin canner and early skin aging. To decrease this
 risk, regularly use a sunscream win a Broad Spectrum SPF value
 of 15 or higher and other sun protection measures including:

 Britt time in the sun, especially from 10 a.m. 2 p.m.

 Wear brig-lieve shirts, parits, hats, and sunglasses

 Other information

- Other information

 protect the product in this container from excessive heat
 and direct and
 may stain or damage some fabrics, materials or surfaces

Imactive imgredients were pleased, proceeding decident market pleased and proceeding of the proceeding


www.fote.com

At Futoffs Loth y we pride ourselves in being 100% American owned and operated.

Fruit of the Earth, Inc.
3325 W. Trinity Blvd.
Grand Prairie, TX 75050

* No parabens separately added to preserve this product. † Formula is compliant with Hawaii SB2571.





BROAD SPECTRUM SPF 50 LOTION SUNSCREEN

- HYPOALLERGENIC .
- PARABEN & PHTHALATE FREE®
- WATER RESISTANT (80 MINUTES)
- NO REEF-HARMING OXYBENZONE & OCTINOXATE

8.0 FL OZ (237 mL)

Welcome to Sun Town City™ from Fruit of the Earth? We've got you covered with everything you want and nothing you don't.

Paraben & Phthalate Free* No Reef-Harming Oxybenzone & Octinoxate

At the beach, in the pool, and on the field, trust that Fruit of the Earth has got you covered! This SPORT SPF 50 Sunscreen Lotion with also vera absorbs quickly and delivers vital moisturizing protection from skin-damaging and photo-aging UVA/UVB gray. Yilaminis E and C help combat free redicals. Guard your skin with maximum protection that's kinder to the environment.

Drug Facts

Active ingredients
Avobenzone 3.0%
Homosalate 10.0%
Octiselate 4.5%
Octocryllene 8.0%

Uses + helps prevent sunburn + if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only

When using this product + keep out of eyes. Rinse with water

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- or contact a Poison Control Center right away.

 Directions

 Apply Berally 15 minutes before sun exposure

 Respylr:

 after 80 minutes of swimming or swesting

 immediately after towel drying

 at least every 2 hours

 Children under 6 months of age: Ask a doctor

 Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging, To decrease this risk, regularly use a sunscreen with 8 fixed Spectrum SPF value of 15 or higher and other sun protection measures including:

 Imit time in the sun, exposing from 10 zm. -2 g.m.,

 wear lang-sleeve shirts, pants, hats, and sunglasses

 Other information

- Other information

 product in this container from excessive heat
 and direct sun

 may stain or damage some fabrics, materials or surfaces

Inactive impredients was paperint, sepentagined displanate, given, saminum starch obtentage single and personal property and property person, saminum starch obtentage resided active. Interest, eitherstyleptom, saminum 201-30 days archite crespolent Lehned dechid. Inceptent (interior, saminum 201-30 days archite crespolent Lehned dechid. Inceptent (interior, saminum 201-30 days architecture. 1951-30 distrato, potassium hydroxide, discolum EUTA, sodium accertel phosphole, fingrance

At Put of the Earth, Inc.

At Put of the Earth, Inc.

3325 W. Trainty Blod


Grand D.

* No parabens separately added to preserve this product.

† Formula is compliant with Hawaii \$82571.







FRUIT OF THE EARTH SUN TOWN CITY SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62217-069
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	80 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYESTER-7 (UNII: 0841698D2F)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: 19PJ006294)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ISODODECANE (UNII: A8289P68Y2)	
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
DOCOSANOL (UNII: 9G10E216XY)	
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
WHITE WAX (UNII: 7G1J5DA97F)	
ARACHIDYL GLUCOSIDE (UNII: 6JVW35JOOJ)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
GLYCERYL 1-STEARATE (UNII: 258491E1RZ)	
PEG-100 STEARATE (UNII: YD01N1999R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYM (UNII: V5RS026Q0H)	IER

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62217- 069-82	100 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/10/2019	
2	NDC:62217- 069-11	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/10/2019	
3	NDC:62217- 069-96	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/10/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/10/2019	

Labeler - Fruit of the Earth, Inc. (079559467)

Revised: 10/2024 Fruit of the Earth, Inc.