ALKA-SELTZER PLUS DAY AND NIGHT SEVERE COLD AND FLU- acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride, and doxylamine succinate Bayer HealthCare LLC.

Alka-Seltzer Plus ® Day & Night Severe Cold and Flu

Alka-Seltzer Plus [®] Severe Cold + Flu Day

Drug Facts

Active ingredients (in each packet)	Purposes
Acetaminophen 500 mg	Pain reliever/fever reducer
Dextromethorphan hydrobromide 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant
Phenylephrine hydrochloride 10 mg	Nasal decongestant

Uses

- temporarily relieves these symptoms due to a cold or flu:
 - minor aches and pains
 - headache
 - sore throat
 - cough
 - nasal congestion
 - sinus congestion and pressure
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 packets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- in children under 12 years of age

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough with excessive phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.
- nervousness, dizziness, or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than the recommended dose
- take every 4 hours; do not exceed 6 packets in 24 hours or as directed by a doctor
- adults and children 12 years and over: dissolve contents of one packet in 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.
- children under 12 years: do not use

Other information

- each packet contains: potassium 5 mg and sodium 6 mg
- store at room temperature

Inactive ingredients

acesulfame potassium, anhydrous citric acid, compressible sugar, D&C yellow #10, dental-type silica, FD&C red #40, flavors, maltodextrin, povidone, pregelatinized starch, silicon dioxide, sodium citrate, stearic acid, sucralose, tartaric acid, tribasic calcium phosphate

Questions or comments?

1-800-986-0369 (Mon-Fri 9AM - 5PM EST)

Alka-Seltzer Plus [®] Severe Cold + Flu Night

Drug Facts

Active ingredients (in each packet)	Purposes
Acetaminophen 650 mg	Pain reliever/fever reducer
Dextromethorphan hydrobromide 20 mg	Cough suppressant
Doxylamine succinate 12.5 mg	Antihistamine
Phenylephrine hydrochloride 10 mg	Nasal decongestant

Uses

- temporarily relieves these symptoms due to a cold or flu:
 - headache
 - minor aches and pains
 - cough
 - sore throat
 - nasal congestion
 - sinus congestion and pressure
 - runny nose
 - sneezing
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

 more than 5 packets in 24 hours, which is the maximum daily amount for this product

- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use to sedate children.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- in children under 12 years of age

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- cough with excessive phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- do not exceed recommended dosage
- may cause marked drowsiness
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

- cough comes back or occurs with rash or headache that lasts. These could be signs
 of a serious condition.
- nervousness, dizziness, or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than the recommended dose
- take every 4 hours; do not exceed 5 packets in 24 hours or as directed by a doctor
- adults and children 12 years and over: dissolve contents of one packet in 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.
- children under 12 years: do not use

Other information

- each packet contains: potassium 5 mg and sodium 5 mg
- store at room temperature

Inactive ingredients

acesulfame potassium, anhydrous citric acid, compressible sugar, D&C yellow #10, dental-type silica, FD&C red #40, flavors, pregelatinized starch, sodium citrate, sucralose, tartaric acid, tribasic calcium phosphate

Questions or comments?

1-800-986-0369 (Mon-Fri 9AM - 5PM EST)

Dist. by: Bayer HealthCare LLC

Whippany, NJ 07981

PRINCIPAL DISPLAY PANEL - Kit Carton

Alka-Seltzer PLUS ®

SEVERE COLD + FLU

Honey Lemon Zest Fast Relief Mix-In Packets

DAYNON-DROWSY

Acetaminophen / Pain reliever-fever reducer

Phenylephrine HCI / Nasal decongestant

Dextromethorphan HBr / Cough suppressant

Guaifenesin / Expectorant

- Nasal Congestion
- Headache & Body Ache
- Cough Sore Throat Mucus
- Fever Chest Congestion

NIGHT

Acetaminophen / Pain reliever-fever reducer

Doxylamine succinate / Antihistamine

Phenylephrine HCI / Nasal decongestant

Dextromethorphan HBr / Cough suppressant

- Nasal Congestion
- Headache & Body Ache
- Cough Runny Nose
- Fever Sore Throat

6 DAY PACKETS + 6 NIGHT PACKETS

12 TOTAL



ALKA-SELTZER PLUS DAY AND NIGHT SEVERE COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride, and doxylamine succinate kit

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:0280-0924

F	Packaging					
#	tem Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:0280-0924- 12	1 in 1 CARTON; Type 0: Not a Combination Product	07/01/2014	03/31/2020		

Quantity	of Parts	
Part #	Package Quantity	Total Product Quantity

Part 1	6 PACKET	6
Part 2	6 PACKET	6

Part 1 of 2

ALKA-SELTZER PLUS DAY SEVERE COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride powder, for solution

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg			
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg			
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg			
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg			

Inactive Ingredients				
Ingredient Name	Strength			
STARCH, CORN (UNII: O8232NY3SJ)				
HONEY (UNII: Y9H1V576FH)				
ACESULFAME POTASSIUM (UNII: 230V73Q5G9)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
MALTODEXTRIN (UNII: 7CVR7L4A2D)				
POVIDONE (UNII: FZ 989GH94E)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
TARTARIC ACID (UNII: W4888I119H)				
TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28)				
SUCROSE (UNII: C151H8M554)				
MENTHOL (UNII: L7T10EIP3A)				
LEMON (UNII: 24RS0A9880)				

Prod	luct	Chara	cter	istics
	JUCE	Cilai a		136163

Color yellow Score

Shape		Size	
Flavor	LEMON, HONEY	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	07/01/2014		

Part 2 of 2

ALKA-SELTZER PLUS NIGHT SEVERE COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, and phenylephrine hydrochloride powder, for solution

Product Information Route of Administration ORAL

Active Ingredient/Active Moiety				
Ingredient Name Basis of Strength				
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	650 mg		
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg		
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg		

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		
MENTHOL (UNII: L7T10EIP3A)		
LEMON (UNII: 24RS0A9880)		
HONEY (UNII: Y9H1V576FH)		
STARCH, CORN (UNII: O8232NY3SJ)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		

ACESULFAME POTASSIUM (UNII: 230V73Q5G9)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TARTARIC ACID (UNII: W4888I119H)	
TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28)	

Product Characteristics		
Color	yellow	Score
Shape		Size
Flavor	HONEY, LEMON	Imprint Code
Contains		

Packaging				
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2014	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2014	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 1/2024 Bayer HealthCare LLC.