

**LIDOCAINE- burn relief aerosol, spray**  
**Perrigo Direct**

-----  
**Good Sense Burn Relief Spray**

***Active Ingredients***

Lidocaine 0.5%

***Purpose***

External analgesic

***Uses***

for the temporary relief of pain and itching associated with:

- sunburn
- minor burns
- minor cuts
- scrapes
- insect bites
- minor skin irritations

***Warnings***

**For external use only.**

**Flammable:**

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F

**Do not use**

in large quantities, particularly over raw surfaces or blistered areas.

**When using this product**

- do not get into eyes
- ask a doctor before using on children under 2 years of age

**Stop use and ask a doctor if**

- condition gets worse
- symptoms last more than 7 days or clears up and occurs again in a few days

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- shake can well
- for adults and children 2 years and older, apply to affected area not more than 3 to 4 times daily
- for children under 2 years of age, ask a doctor
- to apply to face spray in palm of hand and gently apply

**Other information**

store between 20° and 25°C (68° and 77°F)

**Inactive ingredients**

aloe barbadensis gel, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerine, methylparaben, propane, propylene glycol, propylparaben, tocopheryl acetate (vitamin E acetate), triethanolamine, simethicone, water

**Questions?**

Call 1-888-423-0139

**Principal Display Panel****GOODSENSE****Burn****Relief****Spray****Lidocaine 0.5%****External Analgesic**

- Relieves pain and itching from sunburn, minor burns and insect bites
- Cools, moisturizes and soothes sunburned skin

**Net WT 4.5 OZ (127g)**

GOODSENSE®

# Burn Relief Spray

**Lidocaine 0.5% External Analgesic**

- Relieves pain and itching from sunburn, minor burns and insect bites

- Cools, moisturizes and soothes sunburned skin

Compare to the active ingredient of Solarcaine®\*



NET WT 4.5 OZ (127 g)

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Solarcaine.

### Drug Facts

**Active ingredient Purpose**  
Lidocaine 0.5%.....External analgesic

**Uses** for temporary relief of pain and itching associated with:  
 ■ sunburn ■ minor burns  
 ■ minor cuts ■ insect bites  
 ■ scrapes ■ minor skin irritations

### Warnings

**For external use only.**

#### Flammable

Use only as directed. Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Do not use** in large quantities, particularly over raw surfaces or blistered areas.

#### When using this product

- do not get into eyes
- ask a doctor before using on children under 2 years of age

#### Stop use and ask a doctor if

- condition gets worse
- symptoms last more than 7 days or clear up and occur again in a few days

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Distributed by:  
Geiss, Destin & Dunn Inc.  
385 Highway 74 South  
Peachtree City, GA 30269  
www.valuelabels.com

Made in USA with U.S. and imported parts

### Drug Facts (continued)

#### Directions

- shake can well
- for adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- for children under 2 years of age: consult a doctor
- to apply to face spray in palm of hand and gently apply

#### Other information

store between 20° to 25°C (68° to 77°F)

#### Inactive ingredients

aloe barbadensis leaf juice, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerin, methylparaben, propane, propylene glycol, propylparaben, simethicone, tocopheryl acetate (vitamin E acetate), triethanolamine, water

**Questions? Call 1-866-964-0939**



3/16 INCH OVERWRAP (NO TEXT)

50-0226S-01

## LIDOCAINE

burn relief aerosol, spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50804-756
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.64 g in 127 g

### Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BUTANE (UNII: 6LV4FOR43R)	
CARBOMER 934 (UNII: Z135WT9208)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
DISODIUM COCOAMPHODIPROPIONATE (UNII: 6K8PRP397M)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPANE (UNII: T75W9911L6)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-756-45	127 g in 1 CAN; Type 0: Not a Combination Product	07/22/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/22/2021	

**Labeler** - Perrigo Direct (076059836)

Revised: 1/2024

Perrigo Direct