

**NEUTROGENA AGE SHIELD FACE OIL FREE SUNSCREEN BROAD SPECTRUM SPF 110-avobenzone, homosalate, octisalate, octocrylene, and oxybenzone lotion  
Johnson & Johnson Consumer Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Neutrogena® Age Shield® Face oil-free sunscreen BROAD SPECTRUM SPF 110**

***Drug Facts***

<b><i>Active ingredient</i></b>	<b><i>Purpose</i></b>
Avobenzone (3%)	Sunscreen
Homosalate (15%)	Sunscreen
Octisalate (5%)	Sunscreen
Octocrylene (10%)	Sunscreen
Oxybenzone (6%)	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

### **Inactive ingredients**

Water, Styrene/Acrylates Copolymer, Silica, Beeswax, Cyclopentasiloxane, Ethylhexylglycerin, Glyceryl Stearate, PEG-100 Stearate, Acrylates/Dimethicone Copolymer, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Fragrance, Chlorphenesin, Triethanolamine, Diethylhexyl 2,6-Naphthalate, Dipotassium Glycyrrhizate, Disodium EDTA, BHT, Methylisothiazolinone

### **Questions?**

Call toll-free **800-299-4786** or **215-273-8755** (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.**  
Skillman, NJ 08558

### **PRINCIPAL DISPLAY PANEL - 88 mL Tube Carton**

**Neutrogena<sup>®</sup>**  
**#1 DERMATOLOGIST RECOMMENDED BRAND**  
**Age Shield<sup>®</sup>**  
**Face**  
oil-free

**sunscreen**  
**BROAD SPECTRUM SPF 110**  
**110**

**helioplex<sup>®</sup>**  
**broad spectrum uva•uvb**

shields skin 6-layers deep  
from skin-aging UVA rays  
water resistant (80 minutes)

3.0 FL OZ (88mL)



# Neutrogena®

# Neutrogena®

#1 DERMATOLOGIST RECOMMENDED BRAND

# Age Shield® Face oil-free sunscreen

BROAD SPECTRUM SPF 110

# 110

**Neutrogena® Age Shield®  
Face Lotion—Superior  
Protection From Skin Aging**

- Oil-free, non-greasy feel
- PABA-free
- Non-comedogenic (won't clog pores)
- Sweat & water resistant (80 minutes)

For a lifetime of healthy, beautiful skin, practice these sun safe habits year round:

- **Apply and reapply sunscreen** per directions to maintain protection from the sun.
- **Seek shade**, especially in the middle of the day when the sun's rays are strongest (10am-2pm).
- **Cover up** with protective clothing to guard as much skin as possible.

110



shields skin 6-layers deep  
from skin-aging UVA rays  
water resistant (80 minutes)

3.0 FL OZ (88 mL)

- **wear a hat**, preferably one with a wide brim, to shade your face, ears and neck.
- **Wear sunglasses** with 99%–100% UV absorption to provide optimal protection for your eyes & the surrounding skin.

Neutrogena®  
Age Shield® Face Lotion  
Broad Spectrum SPF 110

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone (3%), Homosalate (15%), Octisalate (5%), Octocrylene (10%), Oxybenzone (6%)	}..... Sunscreen

**Uses** - helps prevent sunburn - if used as directed with

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

■ **For external use only** ■ **Do not use** on damaged or broken skin ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ children under 6 months of age: Ask a doctor

### Other information

■ protect this product from excessive heat and direct sun ■ may stain some fabrics

### Inactive ingredients

Water, Styrene/Acrylates Copolymer, Silica, Beeswax, Cyclopentasiloxane, Ethylhexylglycerin, Glyceryl Stearate, PEG-100 Stearate, Acrylates/Dimethicone Copolymer, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Fragrance, Chlorphenesin, Triethanolamine, Diethylhexyl 2,6-Naphthalate, Dipotassium Glycyrrhizate, Disodium EDTA, BHT, Methylisothiazolinone


### Questions?

Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)


Distributed by: JOHNSON & JOHNSON CONSUMER INC.  
Skillman, NJ 08558 © J&JCI 2019

## Neutrogena® Age Shield® Face Lotion—Superior Protection From Skin Aging

UVB rays harm the skin's surface and are the primary cause of sunburn. UVA's more penetrating rays damage collagen and elastin that results in the signs of premature aging: fine lines, wrinkles, sagging, age spots, broken capillaries and uneven skin tone.



Neutrogena® brings you **superior protection** against both types of harmful rays, with a true breakthrough in sunscreen technology.



HELIOPLEX® technology works two ways: 1) helps screen out UVB burning rays, 2) helps stop UVA aging rays from penetrating surface layers for deep cellular protection. The formula helps combat sun-induced free-radical damage that can accelerate the signs of aging. The lightweight lotion protects and cares for your skin to help maintain skin's youthful appearance.



30044721



# NEUTROGENA AGE SHIELD FACE OIL FREE SUNSCREEN BROAD SPECTRUM SPF 110

avobenzone, homosalate, octisalate, octocrylene, and oxybenzone lotion

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0611
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Avobenzone (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	30 mg in 1 mL
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	150 mg in 1 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 mL
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	100 mg in 1 mL
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	60 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Yellow Wax (UNII: 2ZA36H0S2V)	
Cyclomethicone 5 (UNII: 0THT5PC10R)	
Ethylhexylglycerin (UNII: 147D247K3P)	
Glyceryl Monostearate (UNII: 230OU9XXE4)	
PEG-100 Stearate (UNII: YD01N1999R)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
Chlorphenesin (UNII: I670DAL4SZ)	
Trolamine (UNII: 9O3K93S3TK)	
Diethylhexyl 2,6-Naphthalate (UNII: I0DQJ7YGXM)	
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)	
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
Methylisothiazolinone (UNII: 229D0E1QFA)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:69968-0611-3	1 in 1 CARTON	01/31/2020	
1		88 mL in 1 TUBE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
	<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
	OTC MONOGRAPH NOT FINAL	part352	01/31/2020	

**Labeler** - Johnson & Johnson Consumer Inc. (002347102)

Revised: 5/2020

Johnson & Johnson Consumer Inc.