

**CETIRIZINE HYDROCHLORIDE- cetirizine hydrochloride tablet, film coated**  
**Discount Drug Mart, Inc**

-----  
**Cetirizine Hydrochloride Tablets**

**Active ingredient (in each tablet)**

Cetirizine HCl, 10mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have**

liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- If breast-feeding: not recommended

- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, starch, titanium dioxide.

**Questions?**

call **1-888-375-3784**.

**PRINCIPAL DISPLAY PANEL**



TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP PRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING

### Drug Facts

**Active ingredient (in each tablet)** Cetrizine HCl USP, 10 mg **Purpose** Antihistamine

#### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

#### Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.  
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product ■ drowsiness may occur ■ avoid alcoholic drinks

■ alcohol, sedatives, and tranquilizers may increase drowsiness  
■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

#### If pregnant or breast-feeding:

■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

adults and children 6 years and over one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

adults 65 years and over ask a doctor  
children under 6 years of age ask a doctor  
consumers with liver or kidney disease ask a doctor

#### Other information

■ store between 20° to 25°C (68° to 77°F)

#### Inactive ingredients

hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, starch, titanium dioxide.

Questions? call 1-888-375-3784



## Allergy Relief

Cetirizine Hydrochloride Tablets USP, 10 mg

Antihistamine Allergy



Compare to the active ingredient in Zyrtec® Tablets\*

Original Prescription Strength

## Allergy Relief

Cetirizine Hydrochloride Tablets USP, 10 mg

Antihistamine Allergy

Indoor & Outdoor Allergies

Relief of:

- Sneezing • Itchy, Watery Eyes
- Runny Nose • Itchy Throat or Nose

24 HOUR

45 Tablets



actual size

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Zyrtec® Tablets. Zyrtec® is a registered trademark of Johnson & Johnson.  
Distributed by: Discount Drug Mart  
211 Center on Stone Mountain, GA 30026  
www.discount-drugmart.com

FEV 10/10



Original Prescription Strength

## Allergy Relief

Cetirizine Hydrochloride Tablets USP, 10 mg

Antihistamine Allergy

Indoor & Outdoor Allergies

Relief of:


- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose



0 93351 03073 4

LOT

EXP



Original Prescription Strength


# Allergy Relief

Cetirizine Hydrochloride Tablets USP, 10 mg

**Antihistamine Allergy**

Indoor & Outdoor Allergies

45 Tablets



**TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP PRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING**

**Drug Facts**

**Active ingredient (in each tablet)**  
Cetirizine HCl USP, 10 mg....Antihistamine

**Purpose**  
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

**Warnings** Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. **Ask a doctor before use if you have liver or kidney disease.** Your doctor should determine if you need a different dose. **Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.**

(Continued On Back Of Label)

Distributed by: Discount Drug Mart  
211 Commerce Drive Medina, OH 44256  
www.discount-drugmart.com

REV 10/19

150078178

LOT  
EXP  
PEEL HERE

**Drug Facts (continued)**

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery. **Stop use and ask a doctor if an allergic reaction to this product occurs.** Seek medical help right away.

**If pregnant or breast-feeding:**

- If breast-feeding: not recommended
- If pregnant: ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions** Adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. **Adults 65 years and over:** ask a doctor. **Children under 6 years of age:** ask a doctor.

**Consumers with liver or kidney disease:** ask a doctor.

**Other information**

- store between 20° to 25°C (68° to 77°F)

**Inactive Ingredients**  
hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, starch, titanium dioxide.

**Questions? Call 1-888-375-3784**

## CETIRIZINE HYDROCHLORIDE

cetirizine hydrochloride tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53943-519(NDC:55111-699)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B6978945GQ)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	

<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	C
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-519-45	1 in 1 CARTON	01/20/2020	
1		45 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:53943-519-30	1 in 1 CARTON	01/20/2020	
2		30 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078343	01/20/2020	

**Labeler** - Discount Drug Mart, Inc (047741335)