

**MENSTRUAL COMPLETE- menstrual complete tablet, coated**  
**Healthlife of USA**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Maximum Strength Menstrual Complete / Buscapina**

**Acetaminophen 500mg, Caffeine 60mg, Pyrilamine Maleate 15mg**

**Drug Facts**

Maximum Strength Menstrual Complete / Buscapina

**Purpose**

Pain Reliever, Diuretic, Antihistamine, Multi-Symptom Relief

**Active ingredients (in each Caplet)**

Acetaminophen 500mg

Caffeine 60mg

Pyrilamine maleate 15mg

**Uses**

- For the temporary relief of these symptoms associated with menstrual periods
- Cramps
- Bloating
- Water- weight gain
- Headache
- Backache
- Muscle aches
- Fatigue

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 6 tablets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Allergy warning: Acetaminophen may cause severe skin or severe allergic reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- hives
- facial swelling
- asthma (wheezing)
- shock

If a skin or general allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- Liver disease
- Glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

- Taking the blood thinning drug warfarin
- Taking sedatives or tranquilizers

**When using this product**

- you may get drowsy
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

**Stop use and ask a doctor if**

- new symptoms appear
- redness or swelling is present
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days

**If pregnant or breast-feeding**

Ask a health professional before use.

**Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- Do not exceed recommended dosage.
- Adults and children 12 years and over: Take 2 tablets with water. Repeat every 6 hours, as needed. Do not exceed 6 tablets per day

- Children under 12 years: Consult a doctor

**Other Information**

- Store at room temperature
- TAMPER EVIDENT; DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**Inactive ingredients**

- Colloidal silicon dioxide
- Hypromellose
- Magnesium stearate
- Microcrystalline cellulose
- Polyethylene glycol
- Polyvinyl pyrrolidone
- Pregelatinized starch
- Titanium dioxide
- Talc

**Questions or comments?**

Call toll free 1-844-832-1138 Monday through Friday 9AM - 5PM or [www.healthlifeofusa.com](http://www.healthlifeofusa.com)

**Maximum Strength Menstrual Complete**

**Acetaminophen 500mg**

**Caffeine 60mg**

**Pyrilamine maleate 15mg**

**20 Caplets**

**Compare to Midol® Complete active ingredient**

**Distributed by:**

**Healthlife of USA LLC**

**Rahway**

**NJ 07065**

**[www.healthlifeofusa.com](http://www.healthlifeofusa.com)**



**HealthLife**  
**Maximum Strength Menstrual Complete**  
 Acetaminophen 500 mg / Pain Reliever  
 Caffeine 60 mg / Diuretic  
 Pyrilamine Maleate 15 mg / Antihistamine  
 Multi-Symptom Relief

**RETAIN CARTON FOR COMPLETE DRUG FACTS**

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete.

**HealthLife**  
**Maximum Strength Menstrual Complete**  
 Acetaminophen 500 mg / Pain Reliever  
 Caffeine 60 mg / Diuretic  
 Pyrilamine Maleate 15 mg / Antihistamine  
 Multi-Symptom Relief

**20 CAPLETS**

**Compare to Midol® Complete active ingredient\***

**OPX**

Distributed by: HealthLife of USA LLC  
 Rahway, NJ 07065  
 www.healthlifeofusa.com

**31**  
 000000  
 0000

**0 69517 13020 4**  
 Lot. No.:  
 Exp. Date:

**COATING FREE AREA**

**Drug Facts (continued)**

**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
 ■ **do not exceed recommended dosage.**  
 ■ **adults and children 12 years and over:** take 2 tablets with water. Repeat every 6 hours, as needed, do not exceed 6 tablets per day.  
 ■ **children under 12 years:** consult a doctor

**Other information**  
 ■ store at room temperature  
 ■ **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Inactive ingredients:** colloidal silicon dioxide, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl pyrrolidone, pregelatinized starch, titanium dioxide, talc

**Questions or comments?** Call toll free 1-844-832-1188 Monday through Friday 9AM—5PM EST or www.healthlifeofusa.com

**Drug Facts (continued)**

■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**  
 ■ liver disease ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland ■ a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**  
 ■ taking the blood thinning drug warfarin  
 ■ taking sedatives or tranquilizers

**When using this product** ■ you may get drowsy  
 ■ avoid alcoholic drinks  
 ■ excitability may occur, especially in children  
 ■ alcohol, sodatives, and tranquilizers may increase drowsiness  
 ■ be careful when driving a motor vehicle or operating machinery  
 ■ limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

**Stop use and ask a doctor if**  
 ■ new symptoms appear  
 ■ redness or swelling is present  
 ■ pain gets worse or lasts for more than 10 days  
 ■ fever gets worse or lasts for more than 3 days


**COATING FREE AREA**

**9 633 692**

**COATING FREE AREA**

**Buscapina**  
**Acetaminophen 500mg**  
**Caffeine 60mg**  
**Pyrilamine maleate 15mg**  
**24 Caplets**

**Distributed By:**  
**OPMX**  
**San Diego, CA, 92154**



**MENSTRUAL COMPLETE**

menstrual complete tablet, coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69517-130
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

**Inactive Ingredients**

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TALC (UNII: 7SEV7J4R1U)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE (UNII: FZ989GH94E)	

**Product Characteristics**

Color	white	Score	no score
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69517-130-20	1 in 1 CARTON	05/31/2017	
1		20 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69517-130-24	24 in 1 BOTTLE; Type 0: Not a Combination Product	12/28/2017	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	05/31/2017	

**Labeler** - Healthlife of USA (079656178)**Establishment**

Name	Address	ID/FEI	Business Operations
Elysium Pharmaceuticals Limited		9 15664486	manufacture(69517-130)