

SANTONINUM- santonin liquid
Washington Homeopathic Products

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS

ACTIVE INGREDIENTS

SANTONINUM

USES

To relieve the symptoms of urinary problems.

KEEP OUT OF REACH OF CHILDREN

Keep this and all medicines out of reach of children.

INDICATIONS

Indications:

SANTONINUM Urinary problems

STOP USE AND ASK DOCTOR

If symptoms persist/worsen or if pregnant/nursing, consult your practitioner.

DIRECTIONS

Adults: 4 drops into a tsp. of water 3 times a day. Children: 1/2 dose. Repeat at greater intervals as condition subsides. Or as directed by lic. practitioner.

INACTIVE INGREDIENTS

Sucrose/Lactose

PRINCIPAL DISPLAY PANEL

The OTC potency range of SANTONINUM is 6x–30x, 3c–30c, 200c, 1m, 10m, 50m, and CM. Availability is subject to change.

WHP
 Since 1873

Homeopathic Medicine

Contents: 30 ml 20% Alcohol HPUS

Santoninum 30C
Urinary Problems

Directions: Adults: 4 Drops into a tsp. of water 3 times a day.
 Children 1/2 dose. Repeat at greater intervals as condition subsides. Or as directed by a lic. practitioner. **Warning:** If symptoms persist/worsen or if pregnant/nursing, consult your practitioner. Keep out of reach of children. Do not use if seal is broken.

Washington Homeopathic Products Lot 20491
 260 JR Hawwemale Way, Berkeley Springs, WV 25411
 800-336-1695 • homeopathyworks.com • Est No. 3006489197

7 40640 45920 1

All WHP single remedies are made to order; thus, the labels are printed on the same label stock, as the orders are filled.

‘Bottle Size,’ ‘Potency,’ and ‘Alcohol Percentage’ vary on the label depending on customer choice. Standard bottle sizes for dilution-form remedies are 15ml, 30ml, 50ml, and 100ml.

| SANTONINUM | | | |
|--|-------------------|--------------------|----------------|
| santonin liquid | | | |
| Product Information | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:719 19-609 |
| Route of Administration | ORAL | | |
| Active Ingredient/Active Moiety | | | |
| Ingredient Name | Basis of Strength | Strength | |
| SANTONIN (UNII: 1VL8J38ERO) (SANTONIN - UNII:1VL8J38ERO) | SANTONIN | 30 [hp_C] in 1 mL | |
| Inactive Ingredients | | | |
| Ingredient Name | Strength | | |
| ALCOHOL (UNII: 3K9958V90M) | | | |
| WATER (UNII: 059QF0KO0R) | | | |
| Product Characteristics | | | |
| Color | white (white) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-------------------|--|----------------------|--------------------|
| 1 | NDC:719 19-609-07 | 15 mL in 1 VIAL, GLASS; Type 0: Not a Combination Product | 03/16/2010 | |
| 2 | NDC:719 19-609-08 | 30 mL in 1 VIAL, GLASS; Type 0: Not a Combination Product | 03/16/2010 | |
| 3 | NDC:719 19-609-09 | 50 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 03/16/2010 | |
| 4 | NDC:719 19-609-10 | 100 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 03/16/2010 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 03/16/2010 | |

Labeler - Washington Homeopathic Products (084929389)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------------------|---------|-----------|-------------------------|
| Washington Homeopathic Products | | 084929389 | manufacture(719 19-609) |

Revised: 3/2010

Washington Homeopathic Products