

PROHEAL POVIDONE IODINE- povidone-iodine solution
Click Industries LLC

PROHEAL POVIDONE IODINE SOLUTION

Drug Facts

Active ingredient

Povidone-iodine, 10% (1% available iodine)

Purpose

First aid antiseptic

Uses

first aid to help prevent the risk of infection in: • minor cuts • scrapes • burns

Warnings

For external use only

Do not use

• in the eyes or apply over large areas of the body • longer than 1 week unless directed by a doctor

Ask a doctor before use in case of deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• clean the affected area • apply a small amount of this product on the area 1 to 3 times daily • may be covered with a sterile bandage • if bandaged, let dry first

Other information

• store at room temperature

Inactive ingredients

citric acid, disodium hydrogen phosphate, purified water.

PREVENTS INFECTIONS | BURNS AND WOUNDS

FIRST AID ANTISEPTIC

Manufactured for:

ProHeal

Surfside, FL

www.prohealproducts.com

772-776-4325

Packaging

Package: 118 mL

PROHEAL

POVIDONE IODINE SOLUTION

PREVENTS INFECTIONS
BURNS AND WOUNDS

4 FL OZ
118 ML

Povidone Iodine
USP

FIRST AID ANTISEPTIC

Drug Facts

Active ingredient	Purpose
Povidone-iodine, 10% (1% available iodine)	First aid antiseptic

Uses First aid to help prevent the risk of infection in:
 ■ minor cuts ■ scrapes ■ burns

Warnings
For external use only

Do not use
 ■ in the eyes or apply over large areas of the body
 ■ longer than 1 week unless directed by a doctor

Ask a doctor before use in case of deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Directions
 ■ clean the affected area ■ apply a small amount of this product on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first

Other information
 ■ store at room temperature

Inactive ingredients citric acid, disodium hydrogen phosphate, purified water.

NDC: 86173-004-04

Item# PH-16021H



8 40308 71359 8

Manufactured for:
Proheal, Inc.
Surfside, FL
www.prohealproducts.com
772-776-4325 (Rev. 08/24)



Package: 48 Bottles

PROHEAL

POVIDONE IODINE SOLUTION

PREVENTS INFECTIONS | BURNS AND WOUNDS

48 BOTTLES
EACH 4 FL OZ | 118 ML

Povidone Iodine
USP

FIRST AID ANTISEPTIC

Drug Facts

Active ingredient	Purpose
Povidone-iodine, 10% (1% available iodine)	First aid antiseptic

Uses First aid to help prevent the risk of infection in:
 ■ minor cuts ■ scrapes ■ burns

Warnings
For external use only

Do not use
 ■ in the eyes or apply over large areas of the body
 ■ longer than 1 week unless directed by a doctor

Ask a doctor before use in case of deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ clean the affected area ■ apply a small amount of this product on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first

Other information
 ■ store at room temperature

Inactive ingredients citric acid, disodium hydrogen phosphate, purified water.

NDC: 86173-004-04

PROHEAL

POVIDONE IODINE SOLUTION

PREVENTS INFECTIONS | BURNS AND WOUNDS

48 BOTTLES
EACH 4 FL OZ | 118 ML

Povidone Iodine
USP

FIRST AID ANTISEPTIC

Drug Facts

Active ingredient	Purpose
Povidone-iodine, 10% (1% available iodine)	First aid antiseptic

Uses First aid to help prevent the risk of infection in:
 ■ minor cuts ■ scrapes ■ burns

Warnings
For external use only

Do not use
 ■ in the eyes or apply over large areas of the body
 ■ longer than 1 week unless directed by a doctor

Ask a doctor before use in case of deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ clean the affected area ■ apply a small amount of this product on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first

Other information
 ■ store at room temperature

Inactive ingredients citric acid, disodium hydrogen phosphate, purified water.

NDC: 86173-004-04

Package: 237 mL

PROHEAL

POVIDONE IODINE SOLUTION

PREVENTS INFECTIONS
BURNS AND WOUNDS

8 FL OZ
237 ML

Povidone Iodine
USP

FIRST AID ANTISEPTIC

Drug Facts

Active ingredient	Purpose
Povidone-iodine, 10% (1% available iodine)	First aid antiseptic

Uses First aid to help prevent the risk of infection in:
 ■ minor cuts ■ scrapes ■ burns

Warnings
For external use only

Do not use
 ■ in the eyes or apply over large areas of the body
 ■ longer than 1 week unless directed by a doctor

Ask a doctor before use in case of deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ clean the affected area ■ apply a small amount of this product on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first

Other information
 ■ store at room temperature

Inactive ingredients citric acid, disodium hydrogen phosphate, purified water.

NDC: 86173-004-08

Item# PH-16022H



8 40308 71360 4

Manufactured for:
Proheal, Inc.
Surfside, FL
www.prohealproducts.com
772-776-4325 (Rev. 08/24)

Package: 12 Bottles

PROHEAL

POVIDONE IODINE SOLUTION

PREVENTS INFECTIONS | BURNS AND WOUNDS

12 BOTTLES
EACH 8 FL OZ | 237 ML

Povidone Iodine
USP

FIRST AID ANTISEPTIC

Drug Facts

Active ingredient	Purpose
Povidone-iodine, 10% (1% available iodine)	First aid antiseptic

Uses First aid to help prevent the risk of infection in:
 ■ minor cuts ■ scrapes ■ burns

Warnings
For external use only

Do not use
 ■ in the eyes or apply over large areas of the body
 ■ longer than 1 week unless directed by a doctor

Ask a doctor before use in case of deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ clean the affected area ■ apply a small amount of this product on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first

Other information
 ■ store at room temperature

Inactive ingredients citric acid, disodium hydrogen phosphate, purified water.

NDC: 86173-004-21

PROHEAL

POVIDONE IODINE SOLUTION

PREVENTS INFECTIONS | BURNS AND WOUNDS

12 BOTTLES
EACH 8 FL OZ | 237 ML

Povidone Iodine
USP

FIRST AID ANTISEPTIC

Drug Facts

Active ingredient	Purpose
Povidone-iodine, 10% (1% available iodine)	First aid antiseptic

Uses First aid to help prevent the risk of infection in:
 ■ minor cuts ■ scrapes ■ burns

Warnings
For external use only

Do not use
 ■ in the eyes or apply over large areas of the body
 ■ longer than 1 week unless directed by a doctor

Ask a doctor before use in case of deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ clean the affected area ■ apply a small amount of this product on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first

Other information
 ■ store at room temperature

Inactive ingredients citric acid, disodium hydrogen phosphate, purified water.

NDC: 86173-004-21

PROHEAL POVIDONE IODINE
povidone-iodine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:86173-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	1 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86173-004-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/22/2025	
2	NDC:86173-004-48	48 in 1 CASE	10/22/2025	
2		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:86173-004-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/22/2025	
4	NDC:86173-004-21	12 in 1 CASE	10/22/2025	
4		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	10/22/2025	

Labeler - Click Industries LLC (117033580)

Revised: 12/2025

Click Industries LLC