

**LAXATIVE ENTERIC COATED- bisacodyl 5mg tablet, coated
Grocery Outlet**

Laxative

Active ingredient(s)

Bisacodyl USP 5 mg

Purpose

Stimulant Laxative

Use(s)

- for temporary relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- you may have stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breastfeeding,

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take with a glass of water

Adults and children 12 years of age and over: 1 to 3 tablets in a single daily dose

Children 6 to under 12 years of age: 1 tablet in a single daily dose

Children under 6 years of age: ask a doctor

Other information

- store between 68° to 77°F (20° to 25°C)
- do not use if blister unit is broken or torn

Inactive ingredients

acacia, ammonium hydroxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, propylparaben, propylene glycol, povidone, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

Questions/Comments

Call **1-877-290-4008**

Principal Display Panel



5 mg
EXTRA GENTLE Laxative
 BISACODYL DELAYED-RELEASE USP TABLETS, 5 mg
 Stimulant Laxative

Drug Facts

Active ingredient (in each tablet)
 Bisacodyl USP 5mg..... Stimulant Laxative

Uses ■ for temporary relief of occasional constipation and irregularity
 ■ this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use if you cannot swallow without chewing
 Ask a doctor before use if you have ■ stomach pain, nausea or vomiting
 ■ a sudden change in bowel habits that lasts more than 2 weeks
 When using this product ■ do not chew or crush tablets(s) ■ do not use within 1 hour after taking an antacid or milk ■ it may cause stomach discomfort, flatthess and cramps

Stop use and ask a doctor if ■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of accidental overdose, get medical help or contact a doctor or Poison Control Center (1-800-222-1222), right away.

Directions ■ take with a glass of water
 Adults and children 12 years of age and over 1 to 3 tablets in a single daily dose
 Children 6 to under 12 years of age 1 tablet in a single daily dose
 Children under 6 years of age ask a doctor

Other Information

■ store between 68° to 77°F (20° to 25°C)

Inactive ingredients acacia, ammonium hydroxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, propylene glycol, propylparaben, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, tracetin, triethyl citrate

Questions or comments? Call 1-877-290-4008

*This product is not manufactured or distributed by Beechinger Ingelheim Pharmaceuticals, Inc., owner of the registered trademark, Dulcolax®
 DISTRIBUTED BY: Grocery Outlet, Inc. | Emeryville, CA 94608
 www.groceryoutlet.com
 PRODUCT OF USA
 LB2429 81125



RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
 DO NOT USE IF BLISTER UNIT IS TORN OR OPEN

EXTRA GENTLE

Laxative

BISACODYL DELAYED-RELEASE
 USP TABLETS, 5 mg

Stimulant Laxative

Temporary relief of occasional constipation

NDC 85828-04-92
 Compare to active ingredient in Dulcolax®**



EXTRA GENTLE
Laxative
 BISACODYL DELAYED-RELEASE USP TABLETS, 5 mg
 Stimulant Laxative

Lot: []
 Exp: []



Uncoated area for Lot and Exp

Blister Carton

LAXATIVE ENTERIC COATED
 bisacodyl 5mg tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85828-404
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
AMMONIA (UNII: 5138Q19F1X)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85828-404-92	1 in 1 CARTON	03/19/2026	
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	03/19/2026	

Labeler - Grocery Outlet (029161585)

Revised: 3/2026

Grocery Outlet