

SOLARGUARD MD - homosalate oxybenzone octocrylene octisalate avobenzone spray
Scarguard Labs, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Homosalate 15%
Oxybenzone 6%
Octocrylene 5%
Octisalate 5%
Avobenzone 3%

Purpose

Sunscreen
Sunscreen
Sunscreen
Sunscreen
Sunscreen

Uses

- helps prevent sunburn
- high SPF provides more sunburn protection
- retains SPF after 30 minutes of activity in the water
- provides maximum protection against the sun

Warnings

For external use only

When using this product keep out of eyes. Rinse with water to remove.

Do not apply to open wounds.

Stop use and ask a doctor if irritation becomes severe or condition worsens.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 20 minutes before sun exposure
- reapply at frequent intervals and after swimming, towel drying or perspiring
- ask a doctor before using on children under 6 months old

Other Information

- **Sun Alert:** limiting sun exposure, wearing protective clothing and using sunscreens may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun.

Inactive Ingredients

water, adipic acid/diethylene glycol/glycerin crosspolymer, polysorbate 60, glyceryl stearate, beeswax, diethylhexyl 2,6-naphthalate, trimethylsiloxysilicate, glycerin, dipotassium glycyrrhizate, dimethicone, butyloctyl salicylate, triethanolamine, phenoxyethanol ethylhexylglycerin, carbomer, styrene/acrylates copolymer, sorbitan oleate, fragrance, xanthan gum, disodium EDTA

Questions?

call 1-877-566-5935

60 mL package

Solarguard MD

Solarguard MD® protects your skin against the sun's harmful UVA/UVB rays. Sun protection is important to the health of your skin, especially scars and sensitive skin.

Doctors advise that failure to protect scars, recently injured skin and other high risk areas from sun exposure can cause permanent darkening.

Solarguard MD® is specially formulated to be used with Searguard MD, and can be used with other topical scar treatments.

CLINICALLY PROVEN

Solarguard MD combines multiple technologies that have been clinically proven to help reduce the risk of skin cancer, darkening and sun damage.

EASY-TO-USE

Our micro targeted technology lets you apply Solarguard MD directly to scars or other high risk areas. Apply frequently throughout the day. Be aware that sun damage can also occur through clothing.

HOW SOLARGUARD MD WORKS

Solarguard MD utilizes SLGS, which combines multiple technologies, which merge sunscreen barriers with light reflection technology to protect you against the sun's harmful rays.

TO REFLECT SLGS contains sun-spheres which reflect the harmful rays of the sun and boosts Solarguard MD sunscreen protection.

TO SCREEN Solarguard MD's barriers create an invisible screen on the skin to block the absorption of the sun's harmful rays.

RESULTS GUARANTEED

Solarguard MD is used by so many plastic surgeons and dermatologists for one reason... **IT WORKS!**

Without Solarguard MD your skin absorbs the rays of the sun.

With Solarguard MD your skin reflects & screens the sun.

SLG.FC.60ML-10.08

Drug Facts

Active Ingredients	Purpose
Homosalate 15%	Sunscreen
Oxybenzone 6%	Sunscreen
Octocrylene 5%	Sunscreen
Octisalate 5%	Sunscreen
Amblyone 3%	Sunscreen

Uses

- helps prevent sunburn
- helps prevent skin cancer
- helps prevent more sunburn protection
- helps SPF provide more efficacy in the water
- provides maximum protection against the sun

Warnings

- For external use only
- When using this product keep out of eyes, rinse with water to remove.
- Do not apply to open wounds.
- Stop use and ask a doctor if irritation becomes severe or condition worsens.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 20 minutes before sun exposure
- reapply at frequent intervals and after swimming, towel drying or perspiring
- ask a doctor before using on children under 6 months old

Other Information

- Sun Alert: limiting sun exposure, wearing protective clothing and using sunscreens may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun.

Inactive Ingredients

water, adipic acid/diethylene glycol/glycerin crosspolymer, polysorbate 60, glyceryl stearate, beeswax, diethylhexyl 2,6-naphthalate, trimethylsiloxysilicate, glycerin, dipotassium glycyrrhizate, dimethicone, butyloctyl salicylate, triethanolamine, phenoxyethanol ethylhexylglycerin, carbomer, styrene/acrylates copolymer, sorbitan oleate, fragrance, xanthan gum, disodium EDTA

Questions? call 1-877-566-5935

UVA/UVB FOR SCARS

SPF 70

#1 CHOICE OF

Searguard MD, LLC

Sola

CLINICALLY PROVEN



SOLARGUARD MD

homosalate oxybenzone octocrylene octisalate avobenzone spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64269-9907
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	15 mL in 100 mL
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	6 g in 100 mL
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	5 mL in 100 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	5 mL in 100 mL
Avobenzone (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	3 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
Polysorbate 60 (UNII: CAL22UVI4M)	

GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
GLYCERIN (UNII: PDC6A3C0OX)	
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)	
Dimethicone (UNII: 92RU3N3Y1O)	
TROLAMINE (UNII: 9O3K93S3TK)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
CARBOMER HOMO POLYMER TYPE C (UNII: 4Q93RCW27E)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
XANTHAN GUM (UNII: TTV12P4NEE)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64269-9907-1	60 mL in 1 BOTTLE, SPRAY		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/01/2009	

Labeler - Scarguard Labs, LLC (842204575)

Registrant - Scarguard Labs, LLC (842204575)

Revised: 6/2010

Scarguard Labs, LLC