

**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION  
SPF 20 FM CLAIRE 2- octinoxate, titanium dioxide emulsion  
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION  
SPF 20 FM MEDIUM 5- octinoxate, titanium dioxide emulsion  
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION  
SPF 20 FM MEDIUM 6- octinoxate, titanium dioxide emulsion  
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION  
SPF 20 FM CLAIRE 4- octinoxate, titanium dioxide emulsion  
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION  
SPF 20 FM CLAIRE 3- octinoxate, titanium dioxide emulsion  
Ventura International LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**L'BEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION  
SPF 20 FM**

***Active Ingredients Purpose***

Octinoxate 7.00% Sunscreen

Titanium Dioxide 2.44% Sunscreen

Uses

- Helps prevent sunburn

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if** rash occurs.

***Warnings***

**Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. this product has shown only to help prevent sunburn, **not** skin cancer or early skin aging.

**For external use only.**

**Do not use** on damaged or broken skin.

**when using this product** keep out of eyes. Rinse with water to remove.

***Directions***

- Apply Liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: ask a doctor
- Reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

***Other Information***

- Protect the product in this container from excessive heat and direct sun

***Inactive ingredients:***

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-18/18 DIMETHICONE, HYDROXYACETOPHENONE, PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL Silylate, ALUMINA, HEXYL LAURATE, BUTYLENE GLYCOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, HYDROGEN DIMETHICONE, BHT, CARBOMER, POLYSORBATE 20, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7. **MAY CONTAIN** : TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

**EFFET PARFAIT foundation CLAIRE 2**

L'BEL


EFFET PARFAIT

Signs of age appearance minimizer foundation SPF 20 <sup>FM</sup>

1.01 fl. oz. (30 ml)

TONE CLAIRE 2

REPUJADO



L'BEL

EFFET  
PARFAIT

Signs of age  
appearance  
minimizer  
foundation  
SPF 20<sup>FM</sup>

1.01 fl.oz. e (30 ml)

**Drug Facts**

**Active Ingredients Purpose**  
Octinoxate 7.00% .....sunscreen  
Titanium Dioxide 2.44%.....sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

**Skin Cancer / Skin Aging Alert:**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-18/18 DIMETHICONE, HYDROXYACETOPHENONE, ▶

**Drug Facts**  
(continued)

PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL Silylate, ALUMINA, HEXYL LAURATE, BUTYLENE GLYCOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, HYDROGEN DIMETHICONE, BHT, CARBOMER, POLYSORBATE 20, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.

**MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. [www.lbel.com](http://www.lbel.com)

TONE: CLAIRE 2

L'BEL


EFFET PARFAIT

Signs of age appearance minimizer foundation SPF 20 FM

1.01 fl. oz. (30 ml)

CLAIRE 3

REPUJADO



**Drug Facts**

**Active Ingredients Purpose**  
Octinoxate 7.00% .....sunscreen  
Titanium Dioxide 2.44%.....sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

**Skin Cancer / Skin Aging Alert:**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-18/18 DIMETHICONE, HYDROXYACETOPHENONE, ▶

**Drug Facts**  
(continued)

PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, ALUMINA, HEXYL LAURATE, BUTYLENE GLYCOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, HYDROGEN DIMETHICONE, BHT, CARBOMER, POLYSORBATE 20, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.  
**MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.lbel.com

L'BEL

EFFET  
PARFAIT

Signs of age  
appearance  
minimizer  
foundation  
SPF 20<sup>FM</sup>

1.01 fl.oz. e (30 ml)

TONE: CLAIRE 3

L'BEL


EFFET PARFAIT

Signs of age appearance minimizer foundation SPF 20 FM

1.01 fl. oz. (30 ml)

CLAIRE 4

REPUJADO



**Drug Facts**

**Active Ingredients Purpose**  
Octinoxate 7.00% .....sunscreen  
Titanium Dioxide 2.44%.....sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

**Skin Cancer / Skin Aging Alert:**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-18/18 DIMETHICONE, HYDROXYACETOPHENONE, ▶

**Drug Facts**  
(continued)

PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL Silylate, ALUMINA, HEXYL LAURATE, BUTYLENE GLYCOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, HYDROGEN DIMETHICONE, BHT, CARBOMER, POLYSORBATE 20, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.

**MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. [www.lbel.com](http://www.lbel.com)

L'BEL

EFFET  
PARFAIT

Signs of age  
appearance  
minimizer  
foundation  
SPF 20<sup>FM</sup>

1.01 fl.oz. e (30 ml)

TONE: CLAIRE 4

L'BEL


EFFET PARFAIT

Signs of age appearance minimizer foundation SPF 20 FM

1.01 fl. oz. (30 ml)



REPUJADO



L'BEL

EFFET  
PARFAIT

Signs of age  
appearance  
minimizer  
foundation  
SPF 20<sup>FM</sup>

1.01 fl.oz. e (30 ml)

**Drug Facts**

**Active Ingredients Purpose**  
Octinoxate 7.00% .....sunscreen  
Titanium Dioxide 2.44%.....sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

**Skin Cancer / Skin Aging Alert:**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-18/18 DIMETHICONE, HYDROXYACETOPHENONE, ▶

**Drug Facts**  
(continued)

PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL Silylate, ALUMINA, HEXYL LAURATE, BUTYLENE GLYCOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, HYDROGEN DIMETHICONE, BHT, CARBOMER, POLYSORBATE 20, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.

**MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. [www.lbel.com](http://www.lbel.com)

STONE: MEDIUM 5

L'BEL


EFFET PARFAIT

Signs of age appearance minimizer foundation SPF 20 FM

1.01 fl. oz. (30 ml)

MEDIUM 6

REPUJADO



L'BEL

EFFET  
PARFAIT

Signs of age  
appearance  
minimizer  
foundation  
SPF 20<sup>FM</sup>

1.01 fl.oz. e (30 ml)

**Drug Facts**

**Active Ingredients Purpose**  
Octinoxate 7.00% .....sunscreen  
Titanium Dioxide 2.44%.....sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

**Skin Cancer / Skin Aging Alert:**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:**

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-18/18 DIMETHICONE, HYDROXYACETOPHENONE, ▶

**Drug Facts**  
(continued)

PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, ALUMINA, HEXYL LAURATE, BUTYLENE GLYCOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, HYDROGEN DIMETHICONE, BHT, CARBOMER, POLYSORBATE 20, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.

**MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

**TONE: MEDIUM 6**

**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 2**

octinoxate, titanium dioxide emulsion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-287
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
----------	------------------	----------------------------	-----------------------------	---------------------------

1	NDC:14783-287-01	30 mL in 1 BOX; Type 0: Not a Combination Product	07/30/2021
---	------------------	---	------------

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

## LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 5

octinoxate, titanium dioxide emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-288
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>SILICA DIMETHYL Silylate</b> (UNII: EU2PSP0G0W)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	

<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-288-01	30 mL in 1 BOX; Type 0: Not a Combination Product	07/30/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

## LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 6

octinoxate, titanium dioxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-289
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	

<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-289-01	30 mL in 1 BOX; Type 0: Not a Combination Product	07/30/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

## LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 4

octinoxate, titanium dioxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-290
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
SILICA DIMETHYL Silylate (UNII: EU2PSP0G0W)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-290-01	30 mL in 1 BOX; Type 0: Not a Combination Product	07/30/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER**



# FOUNDATION SPF 20 FM CLAIRE 3

octinoxate, titanium dioxide emulsion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-291
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>SILICA DIMETHYL Silylate</b> (UNII: EU2PSP0G0W)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Packaging

Marketing Start      Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-291-01	30 mL in 1 BOX; Type 0: Not a Combination Product	07/30/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

**Labeler** - Ventura International LTD (603192787)

**Registrant** - Bel Star S.A. (Colombia) (880160197)

**Establishment**

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	manufacture(14783-287, 14783-288, 14783-289, 14783-290, 14783-291)

Revised: 7/2021

Ventura International LTD