

GOODSENSE SPF 50 SUNSCREEN- avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10% lotion
Geiss, Destin, & Dunn, Inc.

GoodSense SPF 50 Sunscreen Lotion

Active Ingredients

Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%

Purpose

Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin. **When using this product** keep out of eyes. Rinse eyes with water to remove.

Stop use and ask a doctor if rash occurs.

Keep Out of Reach of Children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure. Reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Sun protection measures: spending time in the sun increases your risk of skin cancer and early skin aging. To decrease risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measure including:

- limit time in the sun, especially from 10 am to 2 pm
- wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: ask a doctor.

Inactive Ingredients

Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Carbomer, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Fragrance, Phenoxyethanol, Polyglyceryl-3 Distearate, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water

Label

GOODSENSE®

50

SUNSCREEN
LOTION

BROAD SPECTRUM SPF 50

UVA/UVB Protection
Hypoallergenic
Oxybenzone Free
Water Resistant (80 Minutes)

8 FL OZ (237 mL)

Drug Facts

Active ingredients	Purpose
Avobenzone 3%.....	Sunscreen
Homosalate 15%.....	Sunscreen
Octisalate 5%.....	Sunscreen
Octocrylene 10%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash or irritation develops and lasts.
Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Apply liberally 15 minutes before sun exposure
• Reapply: • after 80 minutes of swimming or sweating
• immediately after towel drying
• at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: ask a doctor

Other information • protect the product in this container from excessive heat and direct sun • may stain fabrics

Inactive ingredients aluminum starch octenylsuccinate, benzyl alcohol, carbomer, dimethicone, disodium EDTA, ethylhexylglycerin, fragrance, phenoxyethanol, polyglyceryl-3 distearate, sorbitan isostearate, sorbitol, stearic acid, tocopherol, triethanolamine, VP/eicosene copolymer, water

Distributed by:
Perrigo Direct, Inc.
Peachtree City, GA 30269
www.PerrigoDirect.com
1-844-987-2727

GoodSense® is a registered trademark of L. Perrigo Company.

Made in the USA with Domestic and Imported Components.

8 46036 00117 4

GOODSENSE SPF 50 SUNSCREEN

avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10% lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50804-083
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
TROLAMINE (UNII: 9O3K93S3TK)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
EICOSYL POVIDONE (UNII: XQQ9MKE2BJ)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
TOCOPHEROL (UNII: R0ZB2556P8)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
SORBITOL (UNII: 506T60A25R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
DIMETHICONE 200 (UNII: RGS4T2AS00)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-083-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/12/2020	

Labeler - Geiss, Destin, & Dunn, Inc. (076059836)