ACTIDOSE AQUA- activated charcoal suspension Padagis US LLC

ACTIDOSE®-Aqua Drug Facts

Active ingredient (in each tube)

Activated Charcoal

Purpose

Poison Adsorbent

Uses

■ For emergency use to adsorb swallowed poisons.

Warnings

- **Do not give** activated charcoal until after the patient has vomited unless directed by a health professional.
- **Do not use** in persons who are not fully conscious.
- **Do not use** this product, unless directed by a health professional, if turpentine, corrosives (such as alkalies (lye) and strong acids), or petroleum distillates (such as kerosene, gasoline, paint thinner, cleaning fluid, or furniture polish), have been ingested.

Keep out of reach of children.

Directions

Oral Dosage: 20 to 30 grams of activated charcoal in a minimum of 8 ounces of liquid or as directed by a health professional. Repeat dose immediately, if possible.

- Shake well
- Snip tapered tip as indicated in drawing and remove. Holding the tube upright, carefully but off tube closure. Reattach tapered tip and connect to any charcoal administration set or squeeze contents in a cup with a minimum of 4 ounces of liquid for patient to drink.
- If previous attempts to contact a poison control center, emergency medical facility, or health professional were unsuccessful, continue trying.
- Keep patient active and moving.
- Save the container of poison.

Other information

 Store at 20-25°C (68-77°F) [see USP Controlled Room Temperature]. Do not refrigerate.

Inactive Ingredients

Citric acid, glycerin, propylene glycol, sucrose, and water.

Questions?

Please call 1-866-634-9120

Package/Label Principal Display Panel

NDC 0574-0521-74

ACTIDOSE®-Aqua

ACTIVATED CHARCOAL SUSPENSION

25 grams Activated Charcoal

POISON ADSORBENT

If possible call a Poison Control Center, emergency medical facility, or health professional for help before using this product. If help cannot be reached quickly, follow directions on this label. Read label warnings and directions upon buying this product. Insert emergency phone number(s) in space provided on the label.

Emergency Phone Number:

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

CONTENTS: 120 mL (4 fl oz)



ACTIDOSE AQUA

activated charcoal suspension

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0574-0521

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10) ACTIVATED CHARCOAL OCTIVATED CHARCOAL - ACTIVATED CHARCOAL OCTIVATED CHARCOAL OCTIVATED CHARCOAL OCTIVATED IN 1 mL

Inactive Ingredients				
Ingredient Name	Strength			
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SUCROSE (UNII: C151H8M554)				
WATER (UNII: 059QF0KO0R)				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0574-0521- 04	120 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/11/2020		
2	NDC:0574-0521- 08	240 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/11/2020		
3	NDC:0574-0521- 25	72 mL in 1 TUBE; Type 0: Not a Combination Product	01/31/2023		
4	NDC:0574-0521- 74	120 mL in 1 TUBE; Type 0: Not a Combination Product	11/10/2020		
5	NDC:0574-0521- 76	240 mL in 1 TUBE; Type 0: Not a Combination Product	12/13/2020		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M023	11/10/2020			

Labeler - Padagis US LLC (967694121)

Revised: 12/2023 Padagis US LLC