

SALICYLIC ACID- medicated callus removers extra thick patch
CVS Pharmacy

CVS Medicated Callus Removers

Active ingredient

Salicylic acid 40%

Purpose

Callus remover

Use

- for the removal of calluses
- relieves pain by removing calluses

Warnings

For external use only.

Do not use

- if you are a diabetic
- if you have poor blood circulation
- on irritated skin, on any area that is infected or reddened

Stop use and ask a doctor

if discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry area thoroughly
- if necessary, cut medicated patch to fit callus
- apply adhesive side down of medicated patch onto callus
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- may soak corn in warm water for 5 minutes to assist in removal

Other information

store between 15°C to 30°C (59°F to 86°F)

Inactive ingredients

acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions?

call 1-866-964-0939

Principal Display Panel

CVS Health

Medicated
Extra Thick
Callus Removers
Salicylic Acid 40%

- Effective callus removal treatment
- Extra-thick pads cushion and help protect against pressure & friction

4 Medicated Patches/4 Protective Pads

CLEAR AREA

CRIMP SEAL AREA (NO TEXT)

CVS Health

Medicated Callus Removers
SALICYLIC ACID 40%

Extra Thick

NDC 59779-116-04

LOT #
EXP DATE:

#235630
FPO 85%
UPC# 050428299593
XXXXX XXXXX

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2015 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
Made in the U.S.A.
V-13698

CVS Quality
Always with Guarantees

Drug Facts
Active ingredient Purpose
Salicylic acid 40%.....Callus remover

Uses
■ for the removal of calluses
■ relieves pain by removing calluses

Warnings
For external use only.
Do not use
■ if you are diabetic
■ if you have poor blood circulation
■ on irritated skin, on any area that is infected or reddened
Stop use and ask a doctor if
discomfort persists

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ wash affected area and dry thoroughly ■ if necessary, cut medicated patch to fit callus
■ apply adhesive side down of medicated patch onto callus
■ cover medicated patch with pad
■ after 48 hours, remove medicated patch
■ repeat procedure every 48 hours as needed for up to 14 days (until callus is removed)
■ may soak callus in warm water for 5 minutes to assist in removal

Other information
store between 15° and 30°C (59° and 86°F)

Inactive ingredients
acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions? Call 1-866-964-0939

52-072CV-01

FPO CLEAR WINDOW AREA

4 MEDICATED PATCHES/4 PROTECTIVE PADS

CRIMP SEAL AREA (no text but must have color)

EYE MARK

EYE MARK

CLEAR AREA

SALICYLIC ACID

medicated callus removers extra thick patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-116
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 mg in 4

Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ALCOHOL (UNII: 532B59J990)	
VINYL ACETATE (UNII: L9MK238N77)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-116-04	4 in 1 PACKAGE; Type 0: Not a Combination Product	01/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	01/01/2014	

Labeler - CVS Pharmacy (062312574)

Revised: 11/2024

CVS Pharmacy