

SANI-STAR TEATSTAR PLUS NPE FREE- iodine teat dip liquid
Knapp Manufacturing

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Sani-Star TeatStar Plus NPE Free

CAUTION

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately. If swallowed: Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately. If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops and persists, contact a physician.

Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on this label or MSDS, or a poison control center.

PRECAUTION: Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed.

STORAGE: Store closed container in a cool, dry location away from sources of heat. If product becomes frozen, thaw and mix well before use.

SEE MATERIAL SAFETY DATA SHEET

Iodine Teat Dip or Spray

Helps reduce the spread of organisms which may cause Mastitis

USE DIRECTIONS NOT FOR HUMAN USE

FOR EXTERNAL USE ONLY USE AT FULL STRENGTH

PRE-DIPPING:

Before milking, dip, foam or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.

POST-DIPPING:

After milking, dip, foam or spray entire teat with this product. Allow to air dry.

Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to original container.

Active Ingredient (Iodine 0.5%)

Emollients 5%

Iodine Teat Dip or Spray

Helps reduce the spread of organisms which may cause Mastitis

**USE DIRECTIONS NOT FOR HUMAN USE
FOR EXTERNAL USE ONLY USE AT FULL STRENGTH**

PRE-DIPPING: Dip teats in foam or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.

POST-DIPPING: After milking, dip, foam or spray entire teat with this product. Allow to air dry. Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not reuse unused product to original container.

Emollient 3%

Sellador De Yodo O Spray

Reduce the propagation of organisms that can cause mastitis

**DIRECCIONES DE USO NO PARA USO HUMANO
PARA USO EXTERNO SOLAMENTE UTILICELO SIN DILUIR**

PRE-SELLADO: Inmersión completa de la pezuña con este producto. Limpie y seque la pezuña después de aplicar este producto con una toalla para prevenir la contaminación de la leche.

POST-SELLADO: Después de ordeñar, seque completamente la pezuña con este producto. Doble que seque al aire libre.

Nota: Si la solución en la copa se ve visiblemente sucia, reemplázala con una nueva mezcla de este producto. No reutilice el producto sin estar a los contenedores originales.

Emulsionas 3%

527 E. Pine Ave. • Fresno, CA 93727 • 1-800-255-3924
Made in U.S.A.

Always use caution when introducing your cows to a new teat dip.

Remember these industry guidelines:

Replace dip cups and/or clean dip lines when introducing a new dip to a herd and flush dip cups and lines with water. If the dip is finished with hot water to clean out any residue of the old dip.

Aggressively remove keratin and exfoliated skin from teats before dipping. Keratinized skin does not absorb the dip. Aggressively clean teats to remove exfoliated skin and clean teat ends to insure that the dead skin is removed.

Monitor cows for changes in skin conditions. Many teat dips are designed with emollients to soften the skin. Some dips contain antibiotics. Skin reactions due to allergic or environmental conditions may occur. Closely monitor teat skin whenever a new dip is introduced. If unusual skin conditions are found, monitor closely and, if persistent, replace dip with one containing a different emollient or antibiotic formula.

Siempre tener cuidado al usar un nuevo sellador de pezuñas en las vacas.

Tomar en cuenta las siguientes recomendaciones de la industria:

Reemplazar las vacas y observar los cambios de condición de la piel

Muchos selladores de pezuñas contienen emolientes y otros ingredientes acondicionadores de la piel para suavizar la piel. Algunos selladores contienen antibióticos. Reacciones de la piel pueden ocurrir como resultado de alérgicas o ambientales. Vigilar de cerca la piel de las vacas cuando se usa un nuevo sellador. Si se encuentran condiciones de la piel inusuales, vigilar de cerca y, si persisten, reemplazar el sellador con otro que contenga una fórmula con diferentes emolientes o antibióticos.

TeatStar+

**CAUTION
KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE**

FIRST AID:
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present and care of lens and eye. Continue rinsing.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present and care of lens and eye. Continue rinsing. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately.
If swallowed: Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately.
If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops on skin, contact a physician.
If on clothing: Rinse with water when going for treatment. Call a physician. The emergency number listed on this label or MSDS, or a poison control center.
If inhaled: Rinse mouth with water. If difficulty breathing, call a physician immediately.
STORAGE: Store in a cool, dry place. Do not store in combination with any chemicals.
WARNING: May irritate. May cause dizziness or drowsiness. May cause numbness or tingling if product becomes frozen. Wash and dry well before use.
SEE MATERIAL SAFETY DATA SHEET

**PRECAUCIÓN
MANTENER EL PRODUCTO FUERA DEL ALCANCE DE LOS NIÑOS
NO PARA USO HUMANO**

PREVENIR AUXILIOS:
Si en los ojos: Mantenga el ojo abierto y enjuague lentamente durante 15-20 minutos. Quite las lentes de contacto, después de los primeros 5 minutos si los tiene puestos y continúe a enjuagar sus ojos. Continúe enjuagando. No dé nada a beber a una persona inconsciente. No induzca el vomito. Contáctese a un médico inmediatamente.
Si se inhaló: Lave a la persona al aire libre. Contáctese a un médico inmediatamente. Desárraigalo y perlas de la irritación, contáctese a un médico.
Después de tener el contenido o el calcomán del producto al momento de ir por atención médica, informe a los médicos que usted usó el producto. Llévela a la atención médica en la hoja de información del producto o al centro de control de productos venenosos.
PRECAUCIÓN: Evite el contacto con los ojos. No inspire. No fume con ningún otro producto químico.
ALMACENAMIENTO: Almacene en contenedores cerrados lejos de una fuente de calor. Si el producto se congela, deseche el producto. No combine con cualquier otro químico.
VER LA HOJA DE DATOS SOBRE MEDIDAS DE SEGURIDAD PARA EL MANEJO DE MATERIALES

Distributed by/Distribuido por
Knapp Manufacturing
527 E. Pine Ave. • Fresno, CA 93727 • Made in U.S.A.
1-800-255-3924
Emergency No. Only / No. de Emergencia 546:
(Chem•Tel) 1-800-255-3924

SANI-STAR TEATSTAR PLUS NPE FREE

iodine teat dip liquid

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:43104-2009
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Iodine (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	Iodine	5 g in 1 L

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43104-2009-1	56.8 L in 1 DRUM		
2	NDC:43104-2009-2	208 L in 1 DRUM		
3	NDC:43104-2009-3	1041 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/2015	

Labeler - Knapp Manufacturing (063012827)

Registrant - BouMatic, LLC (124727400)

Establishment

Name	Address	ID/FEI	Business Operations
Knapp Manufacturing		063012827	manufacture, api manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Boumatic		080073197	manufacture, api manufacture

Revised: 12/2015

Knapp Manufacturing