

STOPAIN CLINICAL- menthol gel
Troy Manufacturing, Inc.

Stopain Clinical

Drug Facts

Active Ingredient

Menthol 10.0%

Purpose

Topical Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

Avoid contact with eyes. **For external use only.**

Flammable: Keep away from fire or flame.

When using this product

- use only as directed
- do not bandage tightly or use a heating pad
- do not apply to wounds or damaged skin

Stop use and ask a doctor if

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present
- excessive irritation of the skin develops

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 12 years:

ask a doctor. **Children 12 years or younger:**

- apply directly onto affected area without the need to bandage
- repeat if necessary, but do not apply more than 4 times daily.


Other Information

- Store at room temperature

Inactive Ingredients

acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).

Package Labeling:



CLINICAL
MAXIMUM PERFORMANCE PAIN RELIEF

Immediate, Penetrating Relief from
Arthritis / Muscle Aches / Joint & Back Pain
with **MSM & Glucosamine**


GEL

1.62 FL OZ (50mL)



MAXIMUM PERFORMANCE PAIN RELIEF

Drug Facts	
Active Ingredient	Purpose
Menthol 10.0%.....	Topical Analgesic
Uses For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains	
Warnings	
For external use only. Avoid contact with eyes.	
Flammable: Keep away from fire or flame.	
When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin	
Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
Adults and children over 12 years: ■ apply directly onto affected area without the need to bandage ■ repeat if necessary, but do not apply more than 4 times daily.	
Children 12 years or younger: ask a doctor.	
Other Information ■ Store at room temperature	
Inactive Ingredients acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).	

**Sample Only
Not For Re-Sale**



Scan the QR code to learn more about our products or visit StopainClinical.com



Manufactured for: Troy Healthcare, LLC
130 Lions Drive • Hazleton, PA 18202
800-201-PAIN (7246)
© 2021 Troy Healthcare, LLC
2-905 REV 00 / 0721

STOPAIN CLINICAL

menthol gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63936-9505
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ACRYLIC ACID (UNII: J94PBK7X8S)	
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
PEG-8 DIMETHICONE (UNII: GIA7T764OD)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63936-9505-5	50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	08/09/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/09/2021	

Labeler - Troy Manufacturing, Inc. (160075248)

Revised: 10/2023

Troy Manufacturing, Inc.