

DRKIDS CHILDRENS COUGH AND CHEST CONGESTION DM- dextromethorphan hydrobromide, guaifenesin solution
CalmCo LLC

DrKids Children's Cough & Chest Congestion DM

Active Ingredient (in each 5mL)

Dextromethorphan HBr, USP, 5mg

Guaifenesin, USP, 100mg

Purpose

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive

Warnings

Do not use

if your child is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if your child has

persistent or chronic cough such as occurs with asthma or if cough is accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if

cough lasts for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

do not give more than 6 doses in any 24 hour period
give the recommended number of vials below, following the instructions under How to
Open and Use on the side panel
empty all liquid in each Single-Use Vial when dosing

Dosing Chart

Age (Years)	Dose
under 4 years	Consult a doctor
4 – 5 years	1 Single-Use Vial (5 mL) every 4 hours
6 – 11 years	1 – 2 Single-Use Vials (5 mL each) every 4 hours
Adults and children 12 years and over	2 – 4 Single-Use Vials (5 mL each) every 4 hours

Inactive Ingredients

citric acid, glycerin, mixed berry flavor, propylene glycol, purified water, sodium benzoate, sodium saccharin, sorbitol, sucralose, trisodium citrate dihydrate, xanthan gum

Other information

- each Single-Use vial contains 6mg of sodium
- store at 20-25°C (68-77°F)
- tamper evident: do not use if top flap of carton is open. Do not use if any vials are open or broken

Questions or comments?

941-202-3270 or visit www.DrKids.com

Package

Drug Facts (continued)

Directions

- do not give more than 6 doses in any 24-hour period
- give the recommended number of vials below following the instructions under "Easy to Use" on the side panel
- empty all liquid in each Single Use Vial when dosing.

Dosing Chart

Age (Years)	Dose
Under 4 years	Consult a doctor
4 – 5 years	1 Single-Use Vial (5mL) every 4 hours
6 – 11 years	1-2 Single-Use Vials (5mL each) every 4 hours
Adults & children 12 years & over	2-4 Single-Use Vials (5mL each) every 4 hours

Other Information

- each Single-Use vial contains 6mg of sodium
- store at 20-25°C (68-77°F)
- tamper evident: do not use if top flap of carton is open, do not use if any vials are open or broken.

Inactive Ingredients

citric acid, glycerin, mixed berry flavor, propylene glycol, purified water, sodium benzoate, sodium saccharin, sorbitol, sucralose, trisodium citrate dihydrate, xanthan gum.

Questions or Comments?
941-202-3270 or visit www.DrKids.com

Made in the USA:
Distributed by CalmCo LLC
Sarasota FL 34240

WARNING
CHOKING HAZARD
Small parts. Keep out of reach of children.

DrKids® Ages 4+ years
Children's
Cough & Chest Congestion^{DM}

DrKids® Ages 4+ years
Children's
Cough & Chest Congestion^{DM}

Dextromethorphan HBr, 5 mg /
Cough Suppressant
Guaifenesin, 100 mg /
Expectorant

Controls cough
Breaks up mucus
Pre-measured dose

Pre-Measured Single-Use Vials
20
0.17 fl.oz (5 mL) Each
3.4 fl.oz (100 mL) Total

Free From:
✓ Alcohol
✓ Dyes
✓ Sugar

MIXED BERRY FLAVOR

DrKids.com

@DrKids

Easy to Use

- Tap the vial to eliminate air bubbles
- Twist the top of the vial off
- Squeeze the liquid into child's mouth

Why DrKids: Meet DrKids, the safe, clean medicine in a single-use dose. We are parents, too, and our revolutionary vials remove the guesswork of over or under dosing. DrKids is hygienic (so no more sticky cups or syringes!) and portable, making it safe and easy to administer wherever you are. DrKids is ready so you can be ready at home or on-the-go. Go forth and conquer!

Free From:

- Alcohol
- Dyes
- Sugar

INTEGRATED TAMPER EVIDENT
Push Below to Open

Drug Facts Keep Outer Package for Complete Product Information

Active Ingredients (in each 5 mL)

Dextromethorphan HBr, USP, 5mg.....Cough Suppressant
Guaifenesin, USP 100mg.....Expectorant

Purposes

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive

Warnings

Do not use if your child is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease, or for two weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if your child has

- persistent or chronic cough such as occurs with asthma or if cough is accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if cough lasts for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away, (1-800-222-1222)

Drug Facts Continued to Side Panel ▶

DRKIDS CHILDRENS COUGH AND CHEST CONGESTION DM

dextromethorphan hydrobromide, guaifenesin solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73282-0013
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SORBITOL (UNII: 506T60A25R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

XANTHAN GUM (UNII: TTV12P4NEE)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73282-0013-1	20 in 1 CARTON	12/15/2023	
1		5 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/15/2023	

Labeler - CalmCo LLC (079308308)