

ONE VITE IRON SUPPLEMENT LIQUID- ferrous sulfate liquid
Akron Pharma

ONE-VITE
Ferrous Sulfate
220 mg / 5 mL
Iron Supplement Liquid

For the treatment of iron deficiency and iron deficiency anemia

Supplement Facts

| | | |
|------------------------------------|----------------|---------------|
| Serving Size: 1 teaspoonful (5 mL) | | |
| Servings per container: 94 | | |
| Amount per teaspoonful (5 mL) | %Daily Value * | % Daily Value |
| Calories 4 | | |
| Total Carbohydrate | 1g | <1% |
| Total Sugars | 1g | ** |
| includes 1g Added Sugars | | 2% |
| Iron (elemental) | | 244% |
| (from ferrous sulfate) | 44mg | |

*% Daily Value tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice.

**Daily Value not established

Each teaspoonful (5mL) contains 220mg Ferrous Sulfate, providing approximately 44mg of elemental iron.

OTHER INGREDIENTS: Anhydrous citric acid, Dye FD&C yellow #6, Flavor cherry, Sodium Benzoate, Sucralose, Sucrose, Purified water.

WARNING: Accidental overdose of iron containing supplements is a leading cause of fatal poisoning in children under 6.

KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.

In case of accidental overdose, call a doctor or Poison Control Center immediately.

see boxed warning above.

CAUTION: Do not exceed suggested serving size.

The treatment of any anemic condition should be under the advice and supervision of a doctor. Since oral iron products interfere with absorption of oral tetracycline antibiotics, these products should not be taken within two (2) hours of each other.

This product may occasionally cause constipation, diarrhea, or may color stool black. It may cause gastrointestinal discomfort (such as nausea) which may be minimized by

taking with meals.

As with any supplement, if you are pregnant, nursing, taking medication, or under a doctor's care for any condition, ask a health professional before use.

OTHER INFORMATION: Store at room temperature 15-30°C (59-86°F)

Tamper-Evident: Do not use if foil seal over bottle opening is torn, broken or missing.

Pharmacist: Dispense in a tight, light-resistant container with a child resistant cap as defined in the USP.

SUGGESTED USE: Adults and children 12 years and over, take one (1) teaspoonful daily with or after a meal as a dietary supplement, or as directed by your doctor.

Children under 12, consult a doctor.

Mix with water or juice to avoid temporary staining of teeth. Do not mix with milk or wine-based vehicles.


Manufactured for:

Akron Pharma, Inc.

Fairfield, NJ 07004

www.akronpharma.com

NDC 71399-0040-06



Ferrous Sulfate

220 mg / 5mL

Iron Supplement Liquid

For the treatment of iron deficiency and iron deficiency anemia

16 FL OZ (473 mL)

| Supplement Facts | | |
|--|-------------------------------|---------------|
| Serving Size: 1 teaspoonful (5 mL) Servings per container: 94 | | |
| | Amount per teaspoonful (5 mL) | %Daily Value* |
| Calories | 4 | |
| Total Carbohydrate | 1g | <1% |
| Total Sugars | 1g | ** |
| Includes 1g Added Sugars | | 2% |
| Iron (elemental) (from ferrous sulfate) | 44mg | 244% |

*% Daily Value tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice.
**Daily Value not established

Each teaspoonful (5mL) contains 220mg Ferrous Sulfate, providing approximately 44mg of elemental iron.

OTHER INGREDIENTS: Anhydrous citric acid, Dye FD&C yellow #6, Flavor cherry, Sodium Benzoate, Sucralose, Sucrose, Purified water.

WARNING: Accidental overdose of iron containing supplements is a leading cause of fatal poisoning in children under 6.
KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.
In case of accidental overdose, call a doctor or Poison Control Center immediately.

SUGGESTED USE: Adults and children 12 years and over, take one (1) teaspoonful daily with or after a meal as a dietary supplement, or as directed by your doctor. Children under 12, consult a doctor. Mix with water or juice to avoid temporary staining of teeth. Do not mix with milk or wine-based vehicles.

CAUTION: Do not exceed suggested serving size. The treatment of any anemic condition should be under the advice and supervision of a doctor. Since oral iron products interfere with absorption of oral tetracycline antibiotics, these products should not be taken within two (2) hours of each other. This product may occasionally cause constipation, diarrhea, or may color stool black. It may cause gastrointestinal discomfort (such as nausea) which may be minimized by taking with meals.

As with any supplement, if you are pregnant, nursing, taking medication, or under a doctor's care for any condition, ask a health professional before use.


OTHER INFORMATION: Store at room temperature 15-30°C (59-86°F)

Tamper-Evident: Do not use if foil seal over bottle opening is torn, broken or missing.

Pharmacist: Dispense in a tight, light-resistant container with a child resistant cap as defined in the USP.

FOR INSTITUTIONAL USE ONLY

Akron Pharma
Manufactured for:
Akron Pharma, Inc.
Fairfield, NJ 07004
www.akronpharma.com



N 3 71399 00406 2

ONE VITE IRON SUPPLEMENT LIQUID

ferrous sulfate liquid

Product Information

Product Type

DIETARY SUPPLEMENT

Item Code (Source)

NHRIC:71399-0040

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-----------------|
| FERROUS SULFATE (UNII: 39R4TAN1VT) (FERROUS CATION - UNII:GW89581OWR) | FERROUS CATION | 220 mg in 5 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| SUCROSE (UNII: C151H8M554) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|--------------------|----------------------------|-----------------------------|---------------------------|
| 1 | NHRIC:71399-0040-6 | 473 mL in 1 BOTTLE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| dietary supplement | | 08/04/2023 | |

Supplement Facts

Serving Size : **Serving per Container :**

| Amount Per Serving | % Daily Value |
|---------------------------|----------------------|
| flavor | |

Labeler - Akron Pharma (067878881)