

**ALL FLU- aconitum napellus, arsenicum iodatum, bryonia (alba), eupatorium perfoliatum, gelsemium sempervirens, helix tosta, hydrogen, influenzinum, kreosotum, phosphorus, teucrium scorodonia, thuja occidentalis, veratrum viride, anas barbariae, hepatis et cordis extractum pellet**

**The Wellness Center For Research and Education**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Drug Facts:**

**ACTIVE INGREDIENTS:**

Aconitum Napellus 30C, Arsenicum Iodatum 30C, Bryonia (Alba) 30C, Eupatorium Perfoliatum 30C, Gelsemium Sempervirens 30C, Helix Tosta 30C, Hydrogen 30C, Influenzinum 30C, Kreosotum 30C, Phosphorus 30C, Teucrium Scorodonia 30C, Thuja Occidentalis 30C, Veratrum Viride 30C, Anas Barbariae, Hepatis Et Cordis Extractum 200C.

**INDICATIONS:**

Fever, chills, cough, headache and may reduce the duration and severity of ALL FLU symptoms.

**WARNINGS:**

**If you are pregnant, may become pregnant or breastfeeding,** consult your health care professional before using this product.

Stop use and consult your physician if symptoms persist for more than 3 days or worsen.

**Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing.

**KEEP OUT OF REACH OF CHILDREN:**

**Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

Adults take one capful (5 pellets) and children 2 years and over take 4 pellets:

Dissolve pellets in mouth. Adults every two hours; Children every 3 to 6 hours~up to 4 times per day.

Take 20 minutes before or after food or liquid.

Children under 2 years, consult your health care professional before use.

**INDICATIONS:**

Fever, chills, cough, headache and may reduce the duration and severity of ALL FLU symptoms.

**INACTIVE INGREDIENTS:**

Lactose (milk), Sucrose.

## QUESTIONS:

### Manufactured for:

**The Wellness Center for Research and Education, Inc.,**

1237 S. Victoria Ave. Suite 169 Oxnard, CA 93035

### PACKAGE LABEL DISPLAY:

**NDC # 50181-0044-1 HOMEOPATHIC REMEDY**

DR. DALE'S

WELLNESS CENTER

**ALL FLU**

**HOMEOPATHIC**

**Flu Remedy**

**NON TOXIC Net Wt. .88 oz (25g) (565 pellets) NO KNOWN CONTRADICTIONS**

**NDC # 50181-0061-1**

**HOMEOPATHIC REMEDY**

**DR. DALE'S WELLNESS CENTER**

**ALL FLU**

**HOMEOPATHIC Flu Remedy**

**Active Ingredients:**  
Aconitum Nap 30C, Arsenicum Iod 30C, Bryonia 30C, Eupatorium Perf 30C, Gelsemium 30C, Helix 30C, Hydrogen 30C, Influenzinum 30C, Kreosotum 30C, Phos 30C, Teucrium Scor 30C, Thuja Occ 30C, Veratrum Vir 30C, Anas Barbariae 200C.

**Inactive Ingredients:**  
Lactose (Milk), Sucrose.

Lot:

3 63878 02403 6

**Indications:** Fever, chills, cough, headache and may reduce the duration and severity of ALL FLU symptoms.

**Directions:** Adults take one capful (5 pellets) and children 2 years and over take 4 pellets; Dissolve pellets in mouth. Adults every two hours; Children every 3 to 6 hours-up to 4 times per day. Take 20 minutes before or after food or liquid. Children under 2 years, consult your health care professional before use.

**WARNING:** If you are pregnant, may become pregnant or breast-feeding, consult your health care professional before using this product. Stop use and consult your physician if symptoms persist for more than 3 days or worsen. **Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing.

**Manufactured for:**  
The Wellness Center for Research & Education, Inc.,  
1237 S. Victoria Ave. Suite 169, Oxnard, CA 93035

**NON TOXIC**      **Net Wt. 0.88 oz (25 g) (565 pellets)**      **NO KNOWN CONTRAINDICATIONS**

## ALL FLU

aconitum napellus, arsenicum iodatum, bryonia (alba), eupatorium perfoliatum, gelsemium sempervirens, helix tosta, hydrogen, influenzzinum, kreosotum, phosphorus, teucrium scorodonia, thuja occidentalis, veratrum viride, anas barbariae, hepatis et cordis extractum pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50181-0061
<b>Route of Administration</b>	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	30 [hp_C] in 1 g
ARSENIC TRIIODIDE (UNII: 3029988O2T) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIIODIDE	30 [hp_C] in 1 g
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	30 [hp_C] in 1 g
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	30 [hp_C] in 1 g
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	30 [hp_C] in 1 g
ESCARGOT SHELL, COOKED (UNII: 0H4593GXGV) (ESCARGOT SHELL, COOKED - UNII:0H4593GXGV)	ESCARGOT SHELL, COOKED	30 [hp_C] in 1 g
HYDROGEN (UNII: 7YNJ3PO35Z) (HYDROGEN - UNII:7YNJ3PO35Z)	HYDROGEN	30 [hp_C] in 1 g
INFLUENZA A VIRUS A/SINGAPORE/GP1908/2015 IVR-180A (H1N1) ANTIGEN (PROIOLACTONE INACTIVATED) (UNII: 9JWN7VDQ7N) (INFLUENZA A VIRUS A/SINGAPORE/GP1908/2015 IVR-180A (H1N1) HEMAGGLUTININ ANTIGEN (PROIOLACTONE INACTIVATED) - UNII:U6C4GJ6WZG)	INFLUENZA A VIRUS A/SINGAPORE/GP1908/2015 IVR-180A (H1N1) ANTIGEN (PROIOLACTONE INACTIVATED)	30 [hp_C] in 1 g
INFLUENZA A VIRUS A/HONG KONG/4801/2014 X-263B (H3N2) ANTIGEN (PROIOLACTONE INACTIVATED) (UNII: 3DZY3Q314E) (INFLUENZA A VIRUS A/HONG KONG/4801/2014 X-263B (H3N2) HEMAGGLUTININ ANTIGEN (PROIOLACTONE INACTIVATED) - UNII:C2C4DA5K06)	INFLUENZA A VIRUS A/HONG KONG/4801/2014 X-263B (H3N2) ANTIGEN (PROIOLACTONE INACTIVATED)	30 [hp_C] in 1 g
INFLUENZA B VIRUS B/BRISBANE/60/2008 ANTIGEN (PROIOLACTONE INACTIVATED) (UNII: 293LSV29OL) (INFLUENZA B VIRUS B/BRISBANE/60/2008 HEMAGGLUTININ ANTIGEN (PROIOLACTONE INACTIVATED) - UNII:45E2IPU4MG)	INFLUENZA B VIRUS B/BRISBANE/60/2008 HEMAGGLUTININ ANTIGEN (PROIOLACTONE INACTIVATED)	30 [hp_C] in 1 g
WOOD CREOSOTE (UNII: 3JYG22FD73) (CREOSOTE - UNII:3JYG22FD73)	WOOD CREOSOTE	30 [hp_C] in 1 g
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	30 [hp_C] in 1 g
TEUCRIUM SCORODONIA FLOWERING TOP (UNII: LOK3I16O7G) (TEUCRIUM SCORODONIA FLOWERING TOP - UNII:LOK3I16O7G)	TEUCRIUM SCORODONIA FLOWERING TOP	30 [hp_C] in 1 g
THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	30 [hp_C] in 1 g
VERATRUM VIRIDE ROOT (UNII: 197B3Q7T5Q) (VERATRUM VIRIDE ROOT - UNII:197B3Q7T5Q)	VERATRUM VIRIDE ROOT	30 [hp_C] in 1 g
CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE (UNII: RN2HC612GY) (CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE - UNII:RN2HC612GY)	CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE	200 [hp_C] in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)		
SUCROSE (UNII: C151H8M554)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50181-0061-1	25 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/27/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/27/2018	

**Labeler** - The Wellness Center For Research and Education (832363993)

**Registrant** - Apotheca Company (844330915)

## Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(50181-0061) , api manufacture(50181-0061) , label(50181-0061) , pack(50181-0061)

Revised: 2/2018

The Wellness Center For Research and Education