

RYCONTUSS CHERRY FLAVOR- chlorpheniramine maleate, dextromethorphan hydrobromide, phenylephrine hydrochloride liquid
Okendpharma, Inc.

Rycontuss Liquid Cherry Flavor

Active ingredients	Purpose
Chlorpheniramine Maleate 2mg.....	Antihistamine
Dextromethorphan Hydrobromide 10mg.....	Cough Supressant
Phenylephrine Hydrochloride 5mg.....	Nasal Decongestant

Uses - For the temporary relief of runny nose, sneezing, itching of the nose or throat, and itchy, watery eyes due to hay fever - Temporarily relieves cough due to minor throat and bronchial irritation occurring with the common cold - Temporarily restores freer breathing through the nose

Warnings Do not use - To sedate a child or to make a child sleepy. - If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional condition, or for 2 weeks after stopping the MAOI drug. - If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have - Heart disease. - Thyroid disease. - Trouble urinating due to enlarged prostate gland. - Glaucoma. - Cough that occurs with too much phlegm (mucus). - Breathing problems or persistent or chronic cough that lasts such as occurs with smoking, asthma, chronic bronchitis or emphysema.


Ask a doctor or pharmacist if you are taking sedatives or tranquilizers.

When using this product - Do not use more than directed. - May cause marked drowsiness. - Avoid alcoholic beverages. - Alcohol, sedatives and tranquilizers may cause increased drowsiness. - Be careful when driving a motor vehicle or operating machinery. - Excitability may occur, especially with children.

Stop use and ask a doctor if - You get nervous, dizzy, or sleepless. - Cough lasts more than 7 days, come back, or is accompanied by a fever, rash, or persistent headaches. These could be signs of a serious condition. If pregnant or breast feeding ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a poison control center right away.



Adults and	2 tsp (10 ml)
---------------	---------------------

children 12 or older	1 (1 mL) every 4 hours
Children age 6 - 12	1 tsp (5 mL) every 4 hours
Children younger than 6	Ask a doctor

Other information - Store at controlled room temperature between 15-30 C (58-86F) - Avoid excessive heat or humidity.

Inactive Ingredients

Citric acid, DandC red #33, FDandC red #40, flavor, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate and sucrose.

Questions or comments Phone: 1-787-548-0016, Labor hours 8:00 am to 5:00 pm

Manufactured for: Okendpharma Inc, 4287 Constanca Ave. Villa Del Carmen Ponce, PR 00716 United States Product of Puerto Rico

NDC RYCONTUSS Liquid CHERRY FLAVOR ANTITUSSIVE NASAL DECONGESTANT AND ANTIHISTAMINE 16 fl oz (1 pint) (473 ml) Lot # Exp.Date

Drug Facts (continued)	
These could be signs of a serious condition.	
If pregnant or breast feeding ask a health professional before use.	
Keep out of reach of children. In case of overdose, get medical help or contact a poison control center right away.	
Directions	
Adults and children 12 or older	2 tsp (10 mL) every 4 hours
Children age 6 - 12	1 tsp (5 mL) every 4 hours
Children younger than 6	Ask a doctor
Other information	<ul style="list-style-type: none"> Store at controlled room temperature between 15-30 C (59-86F) Avoid excessive heat or humidity.
Inactive Ingredients	Citric acid, D&C red #33, FD&C red #40, flavor, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate and sucrose
Questions or comments	Phone: 1-787-548-0016, Labor hours 8:00 am to 5:00 pm
<p>Manufactured for: Okendpharma Inc. 4287 Constanca Ave. Villa Del Carmen Ponce, PR 00716 United States Product of Puerto Rico</p>	
Lot #	Exp.Date

NDC

RYCONTUSS

Liquid

CHERRY FLAVOR



ANTITUSSIVE NASAL
DECONGESTANT
AND ANTIHISTAMINE

16 fl oz (1 pint) (473 ml)

Drug Facts	
Active ingredients	Purpose
Chlorpheniramine Maleate 2mg.....	Antihistamine
Dextromethorphan Hydrobromide 10mg.....	Cough Suppressant
Phenylephrine Hydrochloride 5mg.....	Nasal Decongestant
Uses	
<ul style="list-style-type: none"> For the temporary relief of runny nose, sneezing, itching of the nose or throat, and itchy, watery eyes due to hay fever Temporarily relieves cough due to minor throat and bronchial irritation occurring with the common cold Temporarily restores freer breathing through the nose 	
Warnings	
Do not use	
<ul style="list-style-type: none"> To sedate a child or to make a child sleepy. If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional condition, or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product. 	
Ask a doctor before use if you have	
<ul style="list-style-type: none"> Heart disease. Thyroid disease. Trouble urinating due to enlarged prostate gland. Glaucoma. Cough that occurs with too much phlegm (mucus). Breathing problems or persistent or chronic cough that lasts such as occurs with smoking, asthma, chronic bronchitis or emphysema. 	
Ask a doctor or pharmacist if you are taking sedatives or tranquilizers.	
When using this product	
<ul style="list-style-type: none"> Do not use more than directed. May cause marked drowsiness. Avoid alcoholic beverages. Alcohol, sedatives and tranquilizers may cause increased drowsiness. Be careful when driving a motor vehicle or operating machinery. Excitability may occur, especially with children. 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> You get nervous, dizzy, or sleepless. Cough lasts more than 7 days, comes back, or is accompanied by a fever, rash, or persistent headaches. 	

RYCONTUSS CHERRY FLAVOR

chlorpheniramine maleate, dextromethorphan hydrobromide, phenylephrine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76117-001
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg in 5 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY (CHERRY)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76117-001-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/31/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug	M012	05/31/2011	
--------------------	------	------------	--

Labeler - Okendpharma, Inc. (832814276)

Establishment

Name	Address	ID/FEI	Business Operations
Dextrum Laboratories Inc.		007392322	manufacture(76117-001)

Revised: 12/2024

Okendpharma, Inc.