LIDL ORANGE SMOOTH FIBER POWDER NATURALLY AND ARTIFICIALLY FLAVORED- psyllium husk powder LIDL US, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

LIDL ORANGE SMOOTH 100% Natural Psyllium Husk Orange Flavor

Drug Facts

Active ingredient: (in each TABLESPOON)

Psyllium husk approximately 3.4 g

Purpose

Bulk-Forming Laxative

Uses:

- for relief of occasional constipation (irregularity)
- generally produces bowel movement in 12-72 hours

Warnings:

Choking

Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Allergy alert:

This product may cause an allergic reaction in people sensitive to inhaled or ingested psyllium.

Ask a doctor before use if you have

- a sudden change in bowel habits persisting for 2 weeks
- abdominal pain, nausea or vomiting

Stop use and ask a doctor if

- constipation lasts more than 7 days
- rectal bleeding occurs

These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions:

Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults & children 12	1 rounded TABLESPOON in 8 oz of liquid at the first sign of irregularity.
years & older:	Can be taken up to 3 times daily.
Children 6-11 yrs:	½ adult dose in 8 oz of liquid, up to 3 times daily
Children under 6 yrs:	Consult a doctor

Bulk forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.

New Users

Start with 1 serving per day; gradually increased to 3 doses per day as necessary. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information:

- each tablespoon contains:potassium 35 mg; sodium 5 mg
- contains a 100% natural, therapeutic fiber
- store at room temperature tightly closed to protect from humidity

Inactive ingredients

citric acid, FD&C yellow 6, natural and artificial orange flavor, silica, sucrose.

Questions or comments?

1-844-656-5151

PRINCIPAL DISPLAY PANEL

NDC 71141-145-32

Made with Real Sugar

ORANGE SMOOTH

FIBER POWDER NATURALLY & ARTIFICIALLY FLAVORED

Compare to Psyllium in Metamucil® 4 in 1 MultiHealth Fiber*

Fiber POWDER

100% NATURAL PSYLLIUM HUSK

Bulk forming laxative/fiber supplement

- Helps you feel less hungry between meals**
- Helps maintain healthy blood sugar levels as part of your diet**
- Helps **lower choles terol** to promote heart health†
- Promotes digestive health**
- Gluten free

NET WT 30.4 OZ (861g)

fill controlled by weight, not volume

†See back for information about soluble fiber and heart disease.

**These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil® 4 in 1 MultiHealth Fiber.

GLUTEN FREE

If you have specific dietary needs, you should consult your doctor before consuming this product.

This product has a low glycemic index, a measure of the effect of dietary carbohydrates on blood sugar levels.

DISTRIBUTED BY:

Lidl US, LLC 3500 S. Clark Street Arlington, VA 22202 QUESTIONS? 1-844-656-5151

www.lidl.com



Notice: Put powder into an empty glass. Mix this product with at least 8 oz. (a full glass) of liquid. Str briskly and drink promptly. Jaking without comply liquid may cause choking. Do not take if you have difficulty swalowing.

Allergy after: This product may cause allerge reaction in people sensitive to inhaled or ingested polyllum. Contact your doctor BEFORE USING this detary supplement if

Cortact your doctor BEFORE USING this dietary supplement if you have recently experienced a useful change in howel habit persisting for 2 weeks, abdominal pain, nausea or vernifing. STOP USING this delay supplement and sax a doctor if constituation lasts more than 7 days or need a beeding occurs. These may be signs of a serious condition. New Users: Start with 1 serving per day; gradually increase to 3 doses per day as necessary. You may initially experience changes in bowel habits or minor boating, as your body adjusts to increased fiber intake.

When used as a daily fiber supplement

Fiber Supplement Information Uses & Directions:

For feeling less hungry between meals**

Adults & children 12 yrs. and over: Two rounded tablespoor
in 8 or more ounces of liquid with meals, up to 3 times daily.

To trimine success or region wim means, up to 3 times daily, or lowering cholesterol to promote heart health?
Idultis & children 12 yrs. & over-0 ne rounded biblespoo
18 ounces of liquid, 3 times daily. Dista bion is shartand tell
not cholesterol that include 7 grams of solible filter per day from
the cholesterol that include 7 grams of solible filter per day from
the cholesterol that include 7 grams of solible filter per day from
the solible that the cholesterol that
the cholesterol that include 1 grams of the solible filter Control and chord 1 you are considered
so of this product as a part of a cholesterolkovering program.

For maintaining healthy blood sugar levels as part of

your diet**
Adults & children 12 yrs. and over: One rounded tablespoon in
B oz. of liquid, 3 times daily. Consult your doctor before use if you
are currently using medication to control your blood sugar levels. For promoting and maintaining digestive health*

Adults & children 12 vrs. and over: One rounded tablespoo 8 oz. of liquid up to 3 times daily for fiber supplementation onal constipation and to help promote and maintain regularity. For children under 12: consult a doctor.

Supplen Serving Size Servings Per Container	nent Fac	ts
Serving Size	2 rounded Thsp (24 g)	1 rounded Tosp (1
Servings Per Container	About 36	About 72
	Ar Bare	

Amount per Serving	5705	%D∀*	00	%D∀*
Calories	90		45	
Total Carbohydrate	23 g	8%*	12 g	4%*
Dietary Fiber	6 g	24%*	3 g	12%*
Soluble Fiber	5 g	†	2 g	†
Sugars	16 g	†	8 g	†
ron	1.4 mg	8%	0.7 mg	4%
Sodium	10 mg	<1%	5 mg	<1%
Potassium	70 mg	2%	35 mg	1%

Ingredients: Sucrose, Psyllium Husk, Citric Acid, Natural 8 Artificial Orange Flavor, Silica, FD&C Yellow 6.

When used as a therapy for regularity

Drug Facts

Active ingredient (in each TABLESPOON) Purpose

Uses ■ for relief of occasional constipation (irregularity) ■ generally produces bowel movement in 12-72 hou

Warnings

Nokoling: Taking this product without adequate fluid may cause it to swell and block your throat or escohagus ar may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pair, womting or difficulty in swallowing or breathing after taking this product, seek immediate medical attention. Allergy alert: This product may cause an allergic reaction in people sensitive to inhaled or ingested psyllium

Ask a doctor before use if you have

■ a sudden change in bowel habits persisting for 2 weeks ■ abdominal pain, nausea or vomiting Stop use and ask a doctor if ■ constipation lasts more than 7 days ■ rectal bleeding occurs These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center righ

Directions Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly, If mixture thickens, add more liquid and stir.

	1 rounded TABLESPOON in 8 oz of liquid at the first sign of irregularity Can be taken up to 3 times daily.	
Children 6-11 yrs:	1/2 adult dose in 8 oz of liquid, up to 3 times daily	
Children under 6 yrs:	Consult a doctor	

sulk-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription nedicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine. New Users: Start with 1 serving per day; gradually increase to 3 doses per day as necessary. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information

Under Information

■ each tablespoon contains: potassium 35 mg, sodium 5 mg

■ contains a 100% natural, therapeutic fiber

■ store at room temperature tightly closed to protect from humidity

Inactive ingredients citric acid, FD&C yellow 6, natural & artificial orange flavor, silica, sucrose

This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil® 4 in 1 MultiHealth Fib

"These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING GLUTEN FREE If you have specific dietary needs, you should consult your doctor before consuming this product.
This product has a low glycemic index, a measure of the effect of dietary carbohydrates on blood sugar levels.

f 🗸 🜀

DISTRIBUTED BY Lidl US, LLC 3500 S. Clark Street

QUESTIONS? 1-844-656-5151 www.lidl.com

Discard Seal Empty & Replace Cap

51372LIDLR LOT:

LIDL ORANGE SMOOTH FIBER POWDER NATURALLY AND ARTIFICIALLY **FLAVORED**

psyllium husk powder

Product Information

HUMAN OTC DRUG NDC:71141-145 Product Type Item Code (Source)

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength PSYLLIUM HUSK (UNII: 0SHO53407G) (PSYLLIUM HUSK - UNII:0SHO53407G) PSYLLIUM HUSK 3.4 g in 12 g

Inactive Ingredients Strength **Ingredient Name** ANHYDRO US CITRIC ACID (UNII: XF417D3PSL) FD&C Yellow No. 6 (UNII: H77VEI93A8) SILICON DIO XIDE (UNII: ETJ7Z6 XBU4) SUCROSE (UNII: C151H8M554)

Product Characteristics			
Color	BROWN	Score	
Shape		Size	
Flavor	ORANGE (naturally and artificially)	Imprint Code	RP145
Contains			

l	Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1 NDC:71141-145- 32	861 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/15/2018		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	11/15/2018	

Labeler - LIDL US, LLC (079389709)

Revised: 9/2019 LIDL US, LLC