

**ANTI-DIARRHEAL- loperamide hydrochloride capsule, liquid filled  
Best Choice (Valu Merchandisers Company)**

-----  
**Drug Facts**

**Active ingredient (in each capsule)**

Loperamide HCl 2 mg

**Purpose**

Anti-diarrheal

**Use**

controls symptoms of diarrhea, including Travelers' Diarrhea

**Warnings**

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

**Heart alert:** Taking more than directed can cause serious heart problems or death

**Do not use**

- if you have bloody or black stool
- in children under 12 years of age

**Ask a doctor before use if you have**

- fever
- mucus in the stool
- a history of liver disease

**Ask a doctor or pharmacist before use if you are**

taking antibiotics.

**When using this product**

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

**Stop use and ask a doctor if**

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging.

These may be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- **not for use in children under 12 years of age**
- adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours

**Other information**

- store at 20°-25°C (68°-77°F). Protect from light
- avoid excessive heat above 40°C (104°F)
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date

**Inactive ingredients**

butylated hydroxyanisole, edible ink, FD&C blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water

**Questions or comments?**

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**Principal Display Panel**

COMPARE TO ACTIVE INGREDIENT IN IMODIUM® A-D \*\*

Anti-Diarrheal

2 mg Loperamide HCl

Controls the symptoms of diarrhea

Suitable for adults and children 12 years and over

Softgels\*

\*EACH LIQUID-FILLED CAPSULE CONTAINS 2 mg LOPERAMIDE HCl

**THIS PRODUCT IS PACKAGED IN A CHILD RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

\*\*This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals, distributor of Imodium® A-D.

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

[www.bestchoicebrand.com](http://www.bestchoicebrand.com)

**Product Label**

\*\*This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals, distributor of Imodium® A-D.

<p><b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p>	<p><b>Stop use and ask a doctor if</b>  <ul style="list-style-type: none"> <li>■ diarrhea lasts for more than 2 days</li> <li>■ symptoms get worse</li> </ul> </p>
<p><b>Inactive ingredients</b> butylated hydroxyanisole, edible ink, FD&amp;C blue #1, gelatin, glycerin, glyceryl caprylate, polyoxy 40 hydrogenated castor oil, purified water</p>	<p><b>When using this product</b> tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.</p>
<p><b>Other information</b>  <ul style="list-style-type: none"> <li>■ store at 20°-25°C (68°-77°F). Protect from light</li> <li>■ avoid excessive heat above 40°C (104°F)</li> <li>■ do not use if carton or blister unit is open or torn</li> <li>■ see side panel for lot number and expiration date</li> </ul> </p>	<p><b>Ask a doctor or pharmacist before use if you are</b>  <ul style="list-style-type: none"> <li>■ taking antibiotics.</li> <li>■ a history of liver disease</li> <li>■ fever</li> <li>■ mucus in the stool</li> </ul> </p>
<p><b>Directions</b>  <ul style="list-style-type: none"> <li>■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea</li> <li>■ not for use in children under 12 years of age</li> <li>■ adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours</li> </ul> </p>	<p><b>Do not use</b>  <ul style="list-style-type: none"> <li>■ if you have bloody or black stool</li> <li>■ in children under 12 years of age</li> </ul> <p><b>Heart alert:</b> Taking more than directed can cause serious heart problems or death.</p> <p><b>Allergy alert:</b> Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.</p> </p>
<p><b>Drug Facts (continued)</b>  <ul style="list-style-type: none"> <li>■ you get abdominal swelling or bloating. These may be signs of a serious condition.</li> <li>if pregnant or breast-feeding, ask a health professional before use.</li> <li>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</li> </ul> </p>	<p><b>Warnings</b>  <ul style="list-style-type: none"> <li>Travelers' Diarrhea.</li> </ul> <p><b>Use</b> Controls symptoms of diarrhea, including</p> <p><b>Active ingredient (in each capsule)</b> Loperamide HCl 2 mg.....Anti-diarrheal</p> <p><b>Purpose</b></p> </p>

# Anti-Diarrheal

## 2 mg Loperamide HCl




COMPARE TO THE ACTIVE INGREDIENT IN IMODIUM® A-D\*\*

# Anti-Diarrheal

## 2 mg Loperamide HCl

CHILD-RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

# Controls the symptoms of diarrhea

Suitable for adults and children 12 years and over

## 24 Softgels\*

\*EACH LIQUID-FILLED CAPSULE CONTAINS 2 MG LOPERAMIDE HCl

THIS PRODUCT IS PACKAGED IN A  
KEEP OUTER

Lot No.:  
Exp. Date:



www.bestchoicebrand.com  
REV # 9/16  
PLD-E45J FC003585

PROUDLY DISTRIBUTED BY:  
VALU MERCHANDISERS, CO.  
5000 KANSAS AVE  
KANSAS CITY, KS 66106



BEST CHOICE Anti-Diarrheal

### ANTI-DIARRHEAL

loperamide hydrochloride capsule, liquid filled

#### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-520
Route of Administration	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

#### Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOCAPRYLATE (UNII: TM2TZD4G4A)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
WATER (UNII: 059QF0KO0R)	

#### Product Characteristics

Color	BLUE	Score	no score
Shape	CAPSULE	Size	10 mm
Flavor		Imprint Code	P13
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-520-24	2 in 1 CARTON	08/30/2010	12/31/2021
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:63941-520-12	1 in 1 CARTON	08/30/2010	12/31/2021
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021855	08/30/2010	12/31/2021

**Labeler** - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 10/2019

Best Choice (Valu Merchandisers Company)