

**CVS PHARMACY GLYCERIN LAXATIVE- glycerin suppository**  
**CVS Pharmacy**

-----  
**CVS Pharmacy® Glycerin Suppositories 50 ct**

**Active Ingredient**

Active Ingredient (in each suppository)	Purpose
Glycerin, USP 2 grams .....	Laxative

**Uses**

relieves occasional constipation (irregularity)  
generally produces bowel movement in 1/4 to 1 hour

**Warnings**

For rectal use only

**Do not use**

Do not use laxative products for longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

Ask a doctor before use if you have

- abdominal pain - nausea - vomiting - noticed a sudden change in bowel habits that lasts over 2 weeks

**When using this product**

When using this product you may have rectal discomfort or a burning sensation

**Stop use and ask a doctor if**

Stop use and ask a doctor if

- you have rectal bleeding
- you fail to have a bowel movement after use of a laxative

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children 6 years and over by doctor	1 suppository per day or as directed
---	--------------------------------------

children 2 to under 6 years Suppositories	use CVS/pharmacy(TM) Child
--	----------------------------

children under 2 years	ask a doctor
------------------------	--------------

insert 1 suppository well up into the rectum and retain fo 15 minutes  
it need not melt to produce laxative action

**Other information**

keep tightly closed - avoid excessive heat

**Inactive ingredients**

purified water, sodium hydroxide, stearic acid

**Product Label**



Compare to active ingredient in Fleet® Glycerin Suppositories\*

## GLYCERIN SUPPOSITORIES LAXATIVE

**For fast, gentle relief of occasional constipation**

**50 ADULT SUPPOSITORIES**

Drug Facts							
<b>Active ingredient (in each suppository)</b> Glycerin USP 2 grams	<b>Purpose</b> Laxative						
<b>Uses</b> <ul style="list-style-type: none"> <li>relieves occasional constipation (irregularity)</li> <li>temporarily restores bowel movement to its normal state</li> </ul>							
<b>Warnings</b> <b>For rectal use only</b> <b>Do not use</b> unless you have used for longer than 1 week unless directed by a doctor. <b>Ask a doctor before use if you have:</b> <ul style="list-style-type: none"> <li>abdominal pain • nausea • vomiting</li> <li>had a sudden change in bowel habits that lasts over 2 weeks</li> </ul> <b>When using this product</b> you may have rectal discomfort as a normal reaction. <b>Stop use and ask a doctor if:</b> <ul style="list-style-type: none"> <li>you have rectal bleeding</li> <li>you fail to have a bowel movement after use of a laxative</li> </ul> These could be signs of a serious condition.							
<b>Directions</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Adults and children 15 years and over</td> <td style="width: 50%;">1 suppository per day as directed by a doctor</td> </tr> <tr> <td>Children 6 to 14 years</td> <td>use CVS Pharmacy® (Fleet) Suppositories</td> </tr> <tr> <td>Children under 6 years</td> <td>ask a doctor</td> </tr> </table> <ul style="list-style-type: none"> <li>insert 1 suppository well up into the rectum and retain for 15 minutes</li> <li>1 dose not used to produce routine action</li> </ul>		Adults and children 15 years and over	1 suppository per day as directed by a doctor	Children 6 to 14 years	use CVS Pharmacy® (Fleet) Suppositories	Children under 6 years	ask a doctor
Adults and children 15 years and over	1 suppository per day as directed by a doctor						
Children 6 to 14 years	use CVS Pharmacy® (Fleet) Suppositories						
Children under 6 years	ask a doctor						
<b>Other information</b> <ul style="list-style-type: none"> <li>keep tightly closed • avoid excessive heat</li> </ul>							
<b>Inactive ingredients</b> purified water, sodium hydroxide, stearic acid <small>*The CVS Pharmacy® product is not manufactured or distributed by G.D. Searle Co., Inc., owner of the registered trademark Fleet®.</small>							

**CVS Quality** Wholesale Bulk Guarantee

**Distributed by:** CVS Pharmacy, Inc., One CVS Drive, Woonsocket, RI 02896 © 2013 CVS Pharmacy 1 800-shop-CVS Y-14285 Made in the U.S.A.

**TAMPER EVIDENT - Do not use if inner seal is impaired or "SEALED FOR YOUR PROTECTION" is broken or missing.**

# 3047709  
 B 150428 829432 3  
 NDC 59779-109

# CVS PHARMACY GLYCERIN LAXATIVE

glycerin suppository

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59779-109
<b>Route of Administration</b>	RECTAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 g

## Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC321)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

## Product Characteristics

<b>Color</b>	white (CLEAR)	<b>Score</b>	
<b>Shape</b>	BULLET	<b>Size</b>	32mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-109-50	50 in 1 JAR; Type 0: Not a Combination Product	09/18/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/18/2014	

**Labeler** - CVS Pharmacy (062312574)

**Registrant** - Unipack LLC (116015769)

## Establishment

Name	Address	ID/FEI	Business Operations
Unipack LLC		009248480	manufacture(59779-109)

Revised: 1/2026

CVS Pharmacy