

**DYNAREX HYDROGEL- glycerin gel**  
**Dynarex Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**1280 DynaGel Moisturizing Wound Hydrogel NDC 67777-233-01**

**Active Ingredient**

Active Ingredient	Purpose
Glycerin 20.0%	Skin Protectant

**Purpose**

For dressing and management of stasis ulcers, pressure ulcers (stages I-IV) 1st and 2nd degree burns, cuts abrasions, skin irritations, post operative incisions, and skin conditions associated with peristomal care.

**Warnings**

- If condition worsens or does not improve within 10-14 days, consult a physician.
- Keep this and all medications out of the reach of children.
- Follow directions for use.

**Dosage & Administration Dynarex Hydrogel**

- Apply Wound Gel liberally to cover involved areas; apply as often as necessary.
- If gauze is used as a wound covering, moisten first.

**Keep out of reach of children**

- **KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN**

**Indications and Usage:**

Use:

- For dressing and management of stasis ulcers,
- pressure ulcers (stages I-IV)
- 1st and 2nd degree burns,
- cuts abrasions,
- skin irritations,
- post operative incisions,
- and skin conditions associated with peristomal care.

## Inactive Ingredient

Inactive ingredients: Allantoin, Aloe Vera Gel, Diazolidinyl Urea, Methyparaben, PEG-4 Oliviate, PEG-60 Hydrogenated Castor Oil, Propylene Glycol, Propylparaben, Purified Water, Sodium Polyacrylate, Tetrasodium EDTA, Tocopherol Acetate.

<div style="text-align: center;">  <p><b>from dynarex</b></p> </div> <div style="text-align: center; margin-top: 20px;"> <h1 style="color: red;">DYNAGEL</h1> <h2>MOISTURIZING WOUND HYDROGEL</h2> <p>• With Vitamin E and Aloe Vera • Clean and Greaseless</p> </div> <div style="text-align: center; background-color: #0056b3; color: white; padding: 10px; margin-top: 20px;"> <p><b>Net Wt. 3 oz. (84.7 g)</b></p> </div>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 85%;"><b>Drug Facts</b></td> <td style="width: 15%; text-align: center; vertical-align: middle;"><b>PATIENT NAME:</b></td> </tr> <tr> <td> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;"><b>Active Ingredient</b></td> <td style="width: 40%;"><b>Purpose</b></td> </tr> <tr> <td>Glycerin 20%</td> <td>Skin Protectant</td> </tr> </table> </td> <td></td> </tr> <tr> <td> <b>Use(s)</b> <ul style="list-style-type: none"> <li>■ Temporarily protects and helps relieve minor skin irritation and itching of minor cuts, scrapes, and burns</li> <li>■ Maintains a moist wound environment</li> <li>■ Ideal for management of stasis ulcers, pressure ulcers (stages 1-4), first and second-degree burns, cuts, post-operative incisions, and skin conditions associated with peristomal care</li> </ul> </td> <td></td> </tr> <tr> <td> <b>Warnings</b>  <b>For external use only</b> </td> <td></td> </tr> <tr> <td> <b>Do not use on</b> <ul style="list-style-type: none"> <li>■ Deep or puncture wounds ■ Animal bites</li> </ul> </td> <td></td> </tr> <tr> <td> <b>When using this product</b> ■ Avoid contact with eyes.         </td> <td></td> </tr> <tr> <td> <b>Stop use and ask doctor if</b> ■ Condition worsens or does not improve within 10-14 days         </td> <td></td> </tr> <tr> <td> <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.         </td> <td></td> </tr> <tr> <td> <b>Directions</b> <ul style="list-style-type: none"> <li>■ Apply liberally as often as necessary to cover affected areas.</li> <li>■ If gauze is used as a wound covering, moisten first.</li> <li>■ Children under 6 months: Consult a doctor before use.</li> </ul> </td> <td style="text-align: center; vertical-align: middle;"><b>ROOM #</b></td> </tr> <tr> <td> <b>Other Information</b> <ul style="list-style-type: none"> <li>■ Store at room temperature 15°-30°C (59°-86°F)</li> <li>■ Tamper evident. Do not use if seal is damaged.</li> </ul> </td> <td></td> </tr> <tr> <td> <b>Inactive Ingredients</b>            Allantoin, Aloe Vera Gel, Diazolidinyl Urea, Methylparaben, PEG-4 Oliviate, PEG-60 Hydrogenated Castor Oil, Propylene Glycol, Propylparaben, Purified Water, Sodium Polyacrylate, Tetrasodium EDTA, Tocopherol Acetate         </td> <td></td> </tr> <tr> <td> <b>Questions?</b>            1-888-DYNAREX Monday-Friday, 9AM-5PM EST         </td> <td></td> </tr> <tr> <td colspan="2"> <p><b>Reorder No. 1280</b></p> <p><b>Manufactured for:</b>            Dynarex Corporation            10 Glenshaw Street            Orangeburg, NY 10962            USA • www.dynarex.com            Made in India R220107</p> </td> </tr> <tr> <td colspan="2" style="text-align: right;">             6 16784 12801 6         </td> </tr> </table>	<b>Drug Facts</b>	<b>PATIENT NAME:</b>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;"><b>Active Ingredient</b></td> <td style="width: 40%;"><b>Purpose</b></td> </tr> <tr> <td>Glycerin 20%</td> <td>Skin Protectant</td> </tr> </table>	<b>Active Ingredient</b>	<b>Purpose</b>	Glycerin 20%	Skin Protectant		<b>Use(s)</b> <ul style="list-style-type: none"> <li>■ Temporarily protects and helps relieve minor skin irritation and itching of minor cuts, scrapes, and burns</li> <li>■ Maintains a moist wound environment</li> <li>■ Ideal for management of stasis ulcers, pressure ulcers (stages 1-4), first and second-degree burns, cuts, post-operative incisions, and skin conditions associated with peristomal care</li> </ul>		<b>Warnings</b> <b>For external use only</b>		<b>Do not use on</b> <ul style="list-style-type: none"> <li>■ Deep or puncture wounds ■ Animal bites</li> </ul>		<b>When using this product</b> ■ Avoid contact with eyes.		<b>Stop use and ask doctor if</b> ■ Condition worsens or does not improve within 10-14 days		<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.		<b>Directions</b> <ul style="list-style-type: none"> <li>■ Apply liberally as often as necessary to cover affected areas.</li> <li>■ If gauze is used as a wound covering, moisten first.</li> <li>■ Children under 6 months: Consult a doctor before use.</li> </ul>	<b>ROOM #</b>	<b>Other Information</b> <ul style="list-style-type: none"> <li>■ Store at room temperature 15°-30°C (59°-86°F)</li> <li>■ Tamper evident. Do not use if seal is damaged.</li> </ul>		<b>Inactive Ingredients</b> Allantoin, Aloe Vera Gel, Diazolidinyl Urea, Methylparaben, PEG-4 Oliviate, PEG-60 Hydrogenated Castor Oil, Propylene Glycol, Propylparaben, Purified Water, Sodium Polyacrylate, Tetrasodium EDTA, Tocopherol Acetate		<b>Questions?</b> 1-888-DYNAREX Monday-Friday, 9AM-5PM EST		<p><b>Reorder No. 1280</b></p> <p><b>Manufactured for:</b>            Dynarex Corporation            10 Glenshaw Street            Orangeburg, NY 10962            USA • www.dynarex.com            Made in India R220107</p>		 6 16784 12801 6	
<b>Drug Facts</b>	<b>PATIENT NAME:</b>																																
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;"><b>Active Ingredient</b></td> <td style="width: 40%;"><b>Purpose</b></td> </tr> <tr> <td>Glycerin 20%</td> <td>Skin Protectant</td> </tr> </table>	<b>Active Ingredient</b>	<b>Purpose</b>	Glycerin 20%	Skin Protectant																													
<b>Active Ingredient</b>	<b>Purpose</b>																																
Glycerin 20%	Skin Protectant																																
<b>Use(s)</b> <ul style="list-style-type: none"> <li>■ Temporarily protects and helps relieve minor skin irritation and itching of minor cuts, scrapes, and burns</li> <li>■ Maintains a moist wound environment</li> <li>■ Ideal for management of stasis ulcers, pressure ulcers (stages 1-4), first and second-degree burns, cuts, post-operative incisions, and skin conditions associated with peristomal care</li> </ul>																																	
<b>Warnings</b> <b>For external use only</b>																																	
<b>Do not use on</b> <ul style="list-style-type: none"> <li>■ Deep or puncture wounds ■ Animal bites</li> </ul>																																	
<b>When using this product</b> ■ Avoid contact with eyes.																																	
<b>Stop use and ask doctor if</b> ■ Condition worsens or does not improve within 10-14 days																																	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.																																	
<b>Directions</b> <ul style="list-style-type: none"> <li>■ Apply liberally as often as necessary to cover affected areas.</li> <li>■ If gauze is used as a wound covering, moisten first.</li> <li>■ Children under 6 months: Consult a doctor before use.</li> </ul>	<b>ROOM #</b>																																
<b>Other Information</b> <ul style="list-style-type: none"> <li>■ Store at room temperature 15°-30°C (59°-86°F)</li> <li>■ Tamper evident. Do not use if seal is damaged.</li> </ul>																																	
<b>Inactive Ingredients</b> Allantoin, Aloe Vera Gel, Diazolidinyl Urea, Methylparaben, PEG-4 Oliviate, PEG-60 Hydrogenated Castor Oil, Propylene Glycol, Propylparaben, Purified Water, Sodium Polyacrylate, Tetrasodium EDTA, Tocopherol Acetate																																	
<b>Questions?</b> 1-888-DYNAREX Monday-Friday, 9AM-5PM EST																																	
<p><b>Reorder No. 1280</b></p> <p><b>Manufactured for:</b>            Dynarex Corporation            10 Glenshaw Street            Orangeburg, NY 10962            USA • www.dynarex.com            Made in India R220107</p>																																	
 6 16784 12801 6																																	

## DYNAREX HYDROGEL

glycerin gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67777-233
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	20 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYOXYL 60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
EDETATE SODIUM (UNII: MP1J8420LU)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67777-233-02	24 in 1 CASE	05/26/2010	
1	NDC:67777-233-01	84.7 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	05/26/2010	

**Labeler** - Dynarex Corporation (008124539)**Registrant** - Dynarex Corporation (008124539)