OMEPRAZOLE MAGNESIUM- omeprazole magnesium 20.6mg capsules capsule, delayed release

The Kroger Co.

Active ingredient

Omeprazole magnesium delayed-release capsule 20.6 mg (equivalent to 20 mg omeprazole)

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs **2** or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness**, **sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your Doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if

you are taking

- warfarin, clopidogrel or cilostazol (blood-thinning medicines)
- prescription antifungal or anti-yeast medicines
- diazepam (anxiety medicine)
- digoxin (heart medicine)
- tacrolimus or mycophenolate mofetil (immune system medicines)
- prescription antiretrovirals (medicines for HIV infection)
- methotrexate (arthritis medicine)

Stop use and ask doctor if

• your heartburn continues or worsens

- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea

Pregnancy/Breast-feeding

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours.

14- day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush capsules.

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information

Storage

• store at 20 - 25°C (68 - 77° F) and protect from moisture

Inactive ingredients

black iron oxide, dibasic calcium phosphate, gelatin, glyceryl monostearate, hypromellose 3 cps, magnesium oxide, magnesium stearate, methacrylic acid copolymer dispersion, methacrylic acid copolymer Type B, microcrystalline cellulose, polysorbate 80, potassium hydroxide, propylene glycol, red iron oxide, shellac, silicon dioxide, sodium lauryl sulphate, sugar spheres, talc, titanium dioxide, triethyl citrate

Questions

Call 1-888-375-3784

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

PRINCIPAL DISPLAY PANEL





Omeprazole Magnesium Delayed-Release Capsules, 20. 6 mg - Container Label and carton 42 count

OMEPRAZOLE MAGNESIUM

omeprazole magnesium 20.6mg capsules capsule, delayed release

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59450-012(NDC:55111-397)	
Route of Administration	ORAL			

I	Active Ingredient/Active Moiety				
I	Ingredient Name	Basis of Strength	Strength		
I	OMEPRAZOLE MAGNESIUM (UNII: 426 QFE7XLK) (omeprazole - UNII:KG60484QX9)	o me prazo le	20 mg		

Inactive Ingredients	
Ingredient Name	Strength
FERROSOFERRIC OXIDE (UNII: XM0 M87F357)	
ANHYDRO US DIBASIC CALCIUM PHO SPHATE (UNII: L11K75P92J)	
Gelatin (UNII: 2G86QN327L)	
GLYCERYL MONOSTEARATE (UNII: 230 O U9 XXE4)	
HYPROMELLOSE 2208 (3 MPA.S) (UNII: 9H4L916OBU)	

Magnesium Oxide (UNII: 3A3U0GI71G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:2) (UNII: 5KY68S2577)	
Methacrylic Acid - Ethyl Acrylate Copolymer (1:1) Type A (UNII: NX76LV5T8J)	
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
Polysorbate 80 (UNII: 6OZP39ZG8H)	
POTASSIUM HYDRO XIDE (UNII: WZH3C48 M4T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SHELLAC (UNII: 46 N107B710)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
RAW SUGAR (UNII: 8M707QY5GH)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
Sodium Lauryl Sulfate (UNII: 368GB5141J)	

Product Characteristics				
Color	WHITE, PINK	Score	no score	
Shape	CAPSULE	Size	22mm	
Flavor		Imprint Code	OMP20	
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:59450-012-27	2 in 1 CARTON	0 1/0 1/20 16		
1		14 in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:59450-012-01	3 in 1 CARTON	0 1/0 1/20 16		
2		14 in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078878	0 1/0 1/20 16	

Labeler - The Kroger Co. (006999528)

Revised: 12/2019 The Kroger Co.