# LAXATIVE ENTERIC COATED- bisacodyl tablet, coated EQUALINE (SuperValu)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

## Active ingredient (in each tablet)

Bisacodyl USP 5mg

# **Purpose**

Stimulant laxative

#### Use

- for temporary relief of occasional constipation and irregularity
- this product generally produces a bowel movement in 6 to 12 hours

#### **Warnings**

#### Do not use

if you cannot swallow without chewing.

# Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

# When using this product

- do not chew or crush tablet(s)
- it may cause stomach discomfort, faintness and cramps
- do not use within 1 hour after taking an antacid or milk

# Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

# If pregnant or breast-feeding,

ask a health professions before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years of age	take 1 tablet in a single daily dose
children under 6 years of age	ask a doctor

#### Other information

• store between 20°-25°C (68°-77°F)

# **Inactive ingredients**

acacia, anhydrous calcium sulfate, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C yellow #10 lake, FD&C yellow #6 aluminum lake, gelatin, iron oxide, iron oxide black, iron oxide yellow (iron oxide ochre), magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide

#### Questions or comments?

Call toll free: 1-877-932-7948

## **Principal Display Panel**

compare to Dulcolax® active ingredient\*

#### **Gentle laxative**

Bisacodyl USP 5 mg

overnight relief of constipation and irregularity

comfort coated tablets

\*This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of Dulcolax® Laxative.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

#### DISTRIBUTED BY SUPERVALU INC.

**EDEN PRAIRIE, MN 55344 USA** 

www.supervalu-ourownbrands.com

# Package Label

NDC 41163-195-01

**EQUALINE®** 

compare to Dulcolax® Laxative active ingredient\*

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

Product of: Lot / Exp.:

# gentle laxative

bisacodyl USP 5mg

overnight relief of constipation and irregularity

100 comfort coated tablets



DISTRIBUTED BY SUPERVALU INC. EDEN PRAIRIE, MN 55344 USA



We're committed to your satisfaction and guarantee the quality of this product. Contact us at 1-877-932-7948, or www.supervalu-ourownbrands.com Please have package available.

PLD-B23K FC003369



distributor of Dulcolax® Laxative.

\*This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc.,

professional before use.

If pregnant or breast-feeding, ask a health

- you need to use a laxative for more than 1 week a serious condition.
- after using this product. These could be signs of you have rectal bleeding or no bowel movement
  - Stop use and ask a doctor if

- it may cause stomach discomfort, faintness and
- do not use within 1 hour after taking an antacid
  - do not chew or crush tablet(s) When using this product

than 2 weeks

- a sudden change in bowel habits that lasts more stomach pain, nausea or vomiting
  - Ask a doctor before use if you have

Do not use if you cannot swallow without chewing. SpnimaW


> movement in 6 to 12 hours ■ tuje broduct ĝenerally produces a bowel

#### 1-877-932-7948 Questions or comments? Call toll free

glycolate, stearic acid, sugar, talc, titanium dioxide phithalate, povidone, shellac, sodium starch cellulose, polyethylene glycol, polyvinyl acetate yellow, magnesium stearate, microcrystalline gelatin, iron oxide, iron oxide black, iron oxide #10 sluminum lake, FD&C yellow #6 aluminum lake, colloidal silicon dioxide, com starch, D&C yellow calcium sulfate, anhydrous lactose, carnauba wax, Inactive ingredients acacia, anhydrous

#### ■ store between 20-25°C (68-77°F) Other information

children under 6 years of age	ask a doctor
children 6 to under 12 years of age	single daily dose single daily dose
12 years or age and over	a single daily dose



**Equaline Gentle Laxative** 

#### LAXATIVE ENTERIC COATED

bisacodyl tablet, coated

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41163-195

Route of Administration ORAL

# **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)

BISACODYL

5 mg

SUCROSE (UNII: C151H8M554)

inactive ingredients	
Ingredient Name	Strength
<b>ACACIA</b> (UNII: 5C5403N26O)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SHELLAC (UNII: 46N107B710)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)	
POVIDONE (UNII: FZ989GH94E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	

**ALUMINUM OXIDE** (UNII: LMI26O6933)

Product Characteristics			
Color	orange	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	TCL003
Contains			

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:41163- 195-03	1 in 1 CARTON	03/31/2013	12/27/2024	
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product			
2	NDC:41163- 195-01	1 in 1 CARTON	03/31/2013	12/27/2024	
2		100 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/31/2013	12/27/2024

# Labeler - EQUALINE (SuperValu) (006961411)

Revised: 10/2022 EQUALINE (SuperValu)