

**ALLERGY RELIEF- diphenhydramine hcl tablet, film coated
H E B**

HEB 44-329

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 30 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal display panel

Compare to Benadryl® Allergy ULTRATAB® Tablets active ingredient*

NDC 37808-932-08

H-E-B®

Allergy Relief

Diphenhydramine HCl, 25 mg
Antihistamine

Allergy

Relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat

24 TABLETS

actual size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

100% GUARANTEE | promise If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB® Tablets.

50844 REV0721B32908

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

Compare to Benadryl® Allergy ULTRATAB® Tablets active ingredient*

NDC 37808-932-08

H-E-B®

Allergy Relief

Diphenhydramine HCl, 25 mg
Antihistamine

Allergy

Relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat

24 TABLETS

actual size

100% GUARANTEE
If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active Ingredient (in each tablet)
Diphenhydramine HCl 25 mg, Antihistamine

Purpose
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat ■ itching of the throat due to the common cold ■ runny nose ■ sneezing

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat ■ itching of the throat due to the common cold ■ runny nose ■ sneezing

Warnings
Do not use ■ to make a child sleep ■ with any other product containing diphenhydramine, even one used on skin
Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland
Ask a doctor or pharmacist before use if you are taking ■ sedatives or tranquilizers
When using this product ■ marked drowsiness may occur ■ avoid alcoholic beverages ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children

Directions
■ do not take more than directed ■ take every 4 to 6 hours, or as directed by a doctor ■ do not take more than 6 times in 24 hours ■ adults and children 12 years and over 1 to 2 tablets ■ children 6 to under 12 1 tablet ■ children under 6 years do not use

Other Information
■ each tablet contains: calcium 30 mg ■ TAMPER EVIDENT, DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from moisture ■ see end flap for expiration date and lot number

Inactive Ingredients corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments? 1-800-426-9991

Drug Facts (continued)
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

21701-2112
0 4 12201 36005 5

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

8-0712-329-08-R
REV0721B32908

No Print/No Varnish
Lot and Expiration No.

HEB 44-329

ALLERGY RELIEF

diphenhydramine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-932
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;329
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-932-08	2 in 1 CARTON	03/02/1990	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:37808-932-78	600 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/02/1990	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/02/1990	

Labeler - H E B (007924756)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(37808-932)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(37808-932) , pack(37808-932)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(37808-932)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(37808-932)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(37808-932)

Revised: 1/2024

H E B