

**CVS MINI ENEMA- docusate sodium w/benzocaine liquid**  
**CVS HEALTH**

-----  
**CVSHealth Ready-to-Use Mini Enema**

**Drug Facts**

**Active Ingredients (per delivered dose)**

Benzocaine 20 mg

Docusate Sodium USP 283 mg

**Purpose**

(Benzocaine)..... Anesthetic

(Docusate Sodium).... Stool Softener Laxative

**Uses**

- For the relief of occasional constipation (irregularity).
- This product generally produces a bowel movement in 2 to 15 minutes.

**Warnings**

**For rectal use only.**

**Do not use**

- If individual is sensitive to Benzocaine
- If you are presently taking mineral oil, unless directed by a doctor.
- When abdominal pain, nausea or vomiting are present.
- For a period longer than 1 week unless directed by a doctor.

**Stop use and ask a doctor if:**

- Symptoms last more than 2 weeks.
- You have rectal bleeding or fail to have a bowel movement after use. This may indicate a serious condition.

**Pregnant or Lactating Women**, ask a health professional before use.

**Keep out of reach of children.** In case of accidental ingestion, get medical help or contact a Poison Control Center immediately.

**Directions**

Adults and children 12 years of age and older (with adult supervision) one to three units

daily. Children under 12 years of age, consult a doctor prior to use.

- Twist off and remove tip.
- Lubricate tip prior to insertion: Place a few drops of the tube's liquid content on the shaft prior to insertion. Also apply liquid content or lubricant to the anus before inserting the mini-enema.
- Positioning: For best results, lay on the left side with knees bent. Alternate Positions: Administer while seated on the toilet. Or, kneel, then lower head and chest forward until side of face is resting on the surface.
- With steady pressure, gently insert the tube into the rectum with care to prevent damage to the rectal wall. Insert up to the shoulder of tube. Squeeze to empty the contents. Keep the tube squeezed until it is removed from the rectum. After the contents have been emptied, remove the disposable tube and discard. A small amount of liquid may remain in the unit after use.

## Other Information

Store at room temperature 15° - 30° C (59° - 86° F)

## Inactive Ingredients

Glycerin USP and Polyethylene Glycol

**Drug Facts**

Active Ingredients (in each delivered dose)	Purpose
Benzocaine 20 mg	Anesthetic
Docusate Sodium USP 283 mg	Stool Softener Laxative

**Uses**

- For the relief of occasional constipation (irregularity).
- This product generally produces a bowel movement in 2 to 15 minutes.

**Warnings**

**For rectal use only**

**Do not use**

- If individual is sensitive to Benzocaine.
- If you are presently taking mineral oil, unless directed by a doctor.
- When abdominal pain, nausea or vomiting are present.
- For a period longer than 1 week unless directed by a doctor.

**Stop use and ask a doctor if**

- Symptoms last more than 2 weeks.
- You have rectal bleeding or fail to have a bowel movement after use. This may indicate a serious condition.

**Pregnant or lactating women, ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, get medical help or contact a Poison Control Center immediately.**

**Directions**

Adults and children 12 years and older (with adult supervision), one to three units daily. Children under 12 years of age, consult a doctor prior to use.

- Twist off and remove tip.
- Lubricate tip prior to insertion: Place a few drops of the tube's liquid content on the shaft prior to insertion. Also apply liquid content or lubricant to the anus before inserting the mini-enema.
- Positioning: For best results, lay on left side with knees bent. Alternate Positions: Administer while seated on the toilet. Or, kneel, then lower head and chest forward until side of face is resting on the surface.
- With steady pressure, gently insert the tube into the rectum with care to prevent damage to the rectal wall. Insert up to the shoulder of tube. Squeeze to empty the contents. Keep the tube squeezed until it is removed from the rectum. After the contents have been emptied, remove the disposable tube and discard. A small amount of liquid may remain in the unit after use.

**Other Information**

Store at room temperature 15° - 30° C (59° - 86° F)

**Inactive Ingredients**

Glycerin USP and Polyethylene Glycol

**CVS Health.**

**Directions:**

Twist off and remove tip. Lubricate tip prior to insertion. Lay on side. Insert slowly into rectum, up to shoulder of tube. Squeeze contents and remove slowly. Discard tube.

**EACH 5 ML TUBE DELIVERS:**

Docusate Sodium 283mg  
Benzocaine 20mg

**TAMPER EVIDENT: DO NOT USE IF TWIST OFF TUBE SEAL IS TORN OR SHOWS ANY SIGNS OF TAMPERING.**

**Distributed by:**  
CVS Pharmacy, Inc.  
One CVS Drive,  
Woonsocket, RI 02895  
© 2021 CVS/pharmacy  
CVS.com®  
1-800-SHOP CVS  
V-31560

**CVS Quality**  
Money Back Guarantee  
PLEASE RECYCLE

**CVS Health.**

**Ready-to-Use Mini Enema**

**DOCUSATE SODIUM USP 283 mg**  
**BENZOCAINE 20 mg**  
Anesthetic

**Stool softener laxative**

- Relief in just minutes
- Constipation relief
- Non-irritating formula
- Easy to use

Actual Size Product on Side Panel

0.17 FL OZ (5 mL) EACH  
0.85 FL OZ (25 mL) TOTAL  
5 MINI ENEMAS

Actual Size

## CVS MINI ENEMA

docusate sodium w/benzocaine liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51316-991
<b>Route of Administration</b>	RECTAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	283 mg in 5 mL
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	20 mg in 5 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>POLYETHYLENE GLYCOL 300</b> (UNII: 5655G9Y8AQ)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-991-05	5 in 1 BOX	08/20/2021	
1	NDC:51316-991-01	5 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/20/2021	

**Labeler** - CVS HEALTH (062312574)**Registrant** - Enemeez, LLC dba Summit Pharmaceuticals (010717819)**Establishment**

Name	Address	ID/FEI	Business Operations
Enemeez LLC DBA Summit Pharmaceuticals		010717819	manufacture(51316-991)

Revised: 12/2025

CVS HEALTH