

CVS LEG CRAMPS- cinchona officinalis bark, aconitum napellus, pseudognaphalium obtusifolium, ledum palustre twig, magnesium phosphate, dibasic trihydrate, toxicodendron pubescens leaf, and viscum album fruiting top tablet, soluble
CVS HEALTH

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

CVS Leg Cramps

Leg cramps

Drug Facts

Active ingredients

Active ingredients

Aconitum Napellus 6X HPUS
Cinchona Officinalis 3X HPUS
Gnaphalium Polycephalum 3X HPUS
Ledum Palustre 6X HPUS
Magnesia Phosphorica 6X HPUS
Rhus Toxicodendron 6X HPUS
Viscum Album 3X HPUS

Purpose

pains in joints and legs
pains in limbs and joints; cramping in legs
cramps in calves and feet
pain and cramps in legs
muscle cramps
pain and stiffness
pains in joints

"HPUS" indicates that the active ingredients are in the official Homeopathic Pharmacopoeia of the United States.

Uses

According to homeopathic indications, these ingredients provide temporary relief of symptoms such as: stiffness, limb, joint, leg pain, cramps in calves, feet & legs, after serious causes have been ruled out by a physician. * These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.

Stop use and ask a doctor

- You experience new or worsening symptoms.
- Symptoms last longer than 3 days.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children

Keep out of reach of children. • In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Suitable for adults and children ages 12 and over. Children under the age of 12: Consult a physician before use. Dissolve entire tablet under tongue OR chew tablet and swallow.
- Do not swallow tablet whole. • Dissolve 1-2 tablets under tongue, every 4 hours or as needed. If the initial dosage is not providing relief, take 1-2 tablets every 15 minutes, for up to 6 doses. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

Inactive ingredients

Copovidone, Crospovidone, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose, Silicon dioxide, Sorbitol

Questions?

1-888-969-6855

***CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE,**

NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE,

NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

DO NOT USE IF TAMPER-EVIDENT SEAL IS BROKEN OR MISSING.

DO NOT USE IF TAMPER-EVIDENT SEAL IS BROKEN OR MISSING.

PACKAGE LABEL - PRINCIPAL DISPLAY PANEL

CVS LEG CRAMPS

NATURALLY DERIVED ACTIVE INGREDIENTS**

- Safe for ages 12 & up
- Reduces duration & severity of leg cramps*

40 DISSOLVING TABLETS

HOMEOPATHIC



CVS LEG CRAMPS

cinchona officinalis bark, aconitum napellus, pseudognaphalium obtusifolium, ledum palustre twig, magnesium phosphate, dibasic trihydrate, toxicodendron pubescens leaf, and viscum album fruiting top tablet, soluble

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-216
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CINCHONA OFFICINALIS BARK (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	3 [hp_X]
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS -	ACONITUM NAPELLUS	6 [hp_X]

UNII:U0NQ8555JD)	ACONITUM NAPELLUS	3 [hp_X]
PSEUDOGNAPHALIUM OBTUSIFOLIUM (UNII: 36XQ854NWW) (PSEUDOGNAPHALIUM OBTUSIFOLIUM - UNII:36XQ854NWW)	PSEUDOGNAPHALIUM OBTUSIFOLIUM	3 [hp_X]
LEDUM PALUSTRE TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWG	6 [hp_X]
MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	6 [hp_X]
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	6 [hp_X]
VISCUM ALBUM FRUITING TOP (UNII: BK9092J5MP) (VISCUM ALBUM FRUITING TOP - UNII:BK9092J5MP)	VISCUM ALBUM FRUITING TOP	3 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
MANNITOL (UNII: 3OWL53L36A)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CROSPVIDONE (UNII: 2S7830E561)	
SORBITOL (UNII: 506T60A25R)	
LACTOSE (UNII: J2B2A4N98G)	
COPOVIDONE K25-31 (UNII: D9C330MD8B)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-216-14	1 in 1 CARTON	01/25/2022	
1		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/25/2022	

Labeler - CVS HEALTH (062312574)

