# ROOTLY HAIR REGROWTH TREATMENT FOR WOMEN- minoxidil 2% solution TTEM, LLC

-----

## Rootly Hair Regrowth Treatment 2% Minoxidil

Minoxidil 2% w/v

Hair regrowth treatment

#### **USE**

to regrow hair on scalp

For external use only

Flammable: Keep away from fire or flame

Do not use if

- Your degree of hair loss is different than that shown on this carton, because this product may not work for you
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- Your hair loss is associated with childbirth
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies or children.
- Your scalp is red, inflammed, infected, irritated, or painful
- You use other medicines on your scalp

Ask a doctor before use if you have heart disease

When using this product

- Do not apply on other parts of the body
- Avoid contact with eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced change in hair color and/or texture. It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results.
- The amount of hair regrow is different for each person. This product will not work for everyone.

Stop use and ask a doctor if

- Chest pain, rapid heartbeat, faintness, or dizziness occurs
- Sudden, unexplained weight gain occurs
- Your hand or feet swell
- Scalp irritation or redness occurs
- Unwanted facial hair growth occurs
- You do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **DIRECTIONS**

- Apply 1 mL with dropper 2 times a day directly onto the scalp in the hair loss area
- Using more or more often will not improve results
- Continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

#### Other Information


- See hair loss pictures on side of this carton
- Before use, read all information on carton and enclosed leaflet
- Keep the carton. It contains important information.
- In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solutions was reported: 19% of women reported moderate hair regrowth after using minoxidil topical solution 2% for 8 months (19% had moderate regrowth: 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth: 33% had minimal regrowth).
- Store at controlled room temperature 68 ° 77 °F (20 ° 25 °C).


Alcohol, Propylene Glycol, Purified Water

Questions or comments

Call toll-free 1-800-681-0241 or visit hellorootly.com







## ROOTLY HAIR REGROWTH TREATMENT FOR WOMEN minoxidil 2% solution **Product Information HUMAN OTC DRUG** NDC:70150-004 **Product Type Item Code (Source) TOPICAL Route of Administration Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1) **MINOXIDIL** 2 g in 100 mL **Inactive Ingredients Ingredient Name** Strength PROPYLENE GLYCOL (UNII: 6DC9Q167V3) ISOPROPYL ALCOHOL (UNII: ND2M416302)

WATER (UNII: 059QF0KO0R)

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:70150-004- 01	1 in 1 BOX	08/22/2021			
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing I	Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ANDA	ANDA078176	08/22/2021			

# **Labeler -** TTEM, LLC (079997910)

Revised: 1/2023 TTEM, LLC