

**SALINE LAXATIVE CHERRY LAXATIVE- sodium phosphate, dibasic and sodium phosphate, monobasic, unspecified form liquid  
Dolgenercorp Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Oral Saline Laxative Cherry  
Laxative**

***Drug Facts***

<b><i>Active ingredients (in each tablespoon)</i></b>	<b><i>Purpose</i></b>
Dibasic sodium phosphate 2.7 g/tablespoon.	Saline laxative
Monobasic sodium phosphate 7.2 g/tablespoon	Saline laxative

**Use**

- for relief of occasional constipation

**Warnings**

**Dosage Warning**

**Taking more than the recommended dose in 24 hour can be harmful.**

**Do not use**

- if you have a previous kidney problem, congestive heart failure, impaired renal functions, decreased intervascular volume, dehydration, uncorrected electrolyte abnormalities
- in children under 5 years old
- for bowel cleansing

**Ask a doctor before use if you have**

- abdominal pain, nausea, or vomiting
- kidney disease
- heart problems
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than a week
- dehydration

**Ask a doctor or pharmacist before use if you are**

- on a sodium restricted diet
- under a doctor's care for any medical condition
- taking any other prescription or non-prescription medications. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

**Stop use and ask a doctor if you**

- have any rectal bleeding
- do not have a bowel movement within 6 hours
- have any symptoms that your body is losing more fluid than you are drinking
- have symptoms of dehydration including
  - thirstiness

- dizziness
- urinating less often than normal
- vomiting

These symptoms may indicate a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away: 800-222-1222.

### Directions

- **Use as a laxative for relief of occasional constipation**
- **dilute dose in the table below** with one glass (8 fl. oz.) of cool water. Drink, then follow with at least one additional glass (8 fl. oz.) of cool water. **There is significant loss of liquid when using this product.** To prevent dehydration, drink plenty of clear liquid after use.
- **do not use for bowel cleansing**
- **there are three teaspoons in one tablespoon**
- **do not take more unless directed by a doctor. See Warnings.**

Ages (years)	Dosage	Maximum Dose
12 & older	1 Tablespoon	2 or 3 Tablespoons*
10 & 11	1 Tablespoon*	1 Tablespoon*
5 to 9	1 ½ Teaspoons*	1 ½ Teaspoons*
Under 5	Do Not Use	Do Not Use

\* SINGLE DAILY DOSAGE. DO NOT TAKE MORE OF THIS PRODUCT IN A 24-HOUR PERIOD

### Other information

- **Each Tablespoon contains:** sodium 1.6 g
- Saline laxatives increase retention of water in the intestines, promoting bowel movements.
- this product generally produces a bowel movement in 30 minutes to 6 hours
- this product is sugar free
- do not freeze
- store at 15 to 30°C (59 to 86°F)

### Inactive ingredients

Cherry flavor, glycerin, purified water, saccharin sodium, sodium benzoate

### PRINCIPAL DISPLAY PANEL - 45 mL Bottle Carton

☐ FOR DIRECTIONS LIFT SIDE PANEL

NDC 55910-339-24

*Since 1903*

*Rexall*<sup>®</sup>

**Oral Saline**

**Laxative**

**Phosphate**

**For Relief of:**

- Occasional  
Constipation

**Cherry  
Splash**

**1.5 FL OZ (45 mL)**

1. 24 hour can be harmful.

roblem, congestive heart failure, impaired renal hydration, uncorrected electrolyte abnormalities

iminal pain, nausea, or vomiting  
n a week ■ dehydration

u are ■ on a sodium restricted diet  
on ■ taking any other prescription or  
:it two or more hours before or after other drugs.

y rectal bleeding ■ do not have a bowel  
ns that your body is losing more fluid  
hydration including • thirstiness  
• vomiting  
tion.

FOR DIRECTIONS  
LIFT PANEL  
HERE

rofessional before use.  
rdose, get medical help or contact a Poison

onstipation ■ dilute dose in the table below  
ien follow with at least one additional glass (8 fl.  
liquid when using this product. To prevent  
ie. ■ do not use for bowel cleansing  
on  
ctor. See Warnings.

Maximum Dose
2 or 3 Tablespoons*
1 Tablespoon*
1 1/2 Teaspoons*
Do Not Use

ORE OF THIS PRODUCT IN A 24-HOUR

KEEP THIS CARTON FOR  
INSTRUCTIONS  
AND WARNINGS

Oral Saline  
Laxative  
Phosphate



PL30558BT  
V01

TAMPER EVIDENT:  
MOUTH OF BOTTLE SEALED  
FOR YOUR SAFETY. IF PRINTED  
FOIL SEAL IS MISSING OR  
BROKEN, DO NOT USE.

FOR DIRECTIONS LIFT SIDE PANEL

NDC 55910-330-24



Oral Saline  
Laxative  
Phosphate

For Relief of:  
• Occasional  
Constipation



Oral Saline  
Laxative  
Phosphate



1.5 FL OZ (45 mL)

A1047

8 38891 01044 6

Drug Facts

Active ingredients (in each tablespoon)

Dibasic sodium phosphate 2.7 g/tablespoon..... Saline laxative  
Monobasic sodium phosphate 7.2 g/tablespoon..... Saline laxative

Purpose

Drug Facts (continued)

Other information

- Each Tablespoon contains: sodium 1.6 g
- Saline laxatives increase retention of water in the intestines, promoting bowel movements.
- this product generally produces a bowel movement in 30 minutes to 6 hours
- this product is sugar free
- do not freeze ■ store at 15 to 30°C (59 to 86°F)

Inactive ingredients

Cherry flavor, glycerin, purified water, saccharin sodium, sodium benzoate

Visit us at: [Rexall.com](http://Rexall.com) or call 1-866-4-REXALL

MANUFACTURED FOR DOLGENCORP, LLC  
100 MISSION BRIDGE  
GOODLETTSVILLE, TN 37072 USA MADE IN U.S.A.

**Drug Facts (continued)**

**Use** ■ for relief of occasional constipation

**Warnings**  
**Dosage Warning**  
 Taking more than the recommended dose it

**Do not use** ■ if you have a previous kidney p  
 functions, decreased intervascular volume, del  
 ■ in children under 5 years old ■ for bowel cl

**Ask a doctor before use if you have** ■ abd  
 ■ kidney disease ■ heart problems ■ a suddi  
 weeks ■ already used a laxative for more tha

**Ask a doctor or pharmacist before use if yo**  
 ■ under a doctor's care for any medical conditi  
 non-prescription medications. Take this produc  
 Laxatives may affect how other drugs work.

**Drug Facts (continued)**

**Stop use and ask a doctor if you** ■ have an  
 movement within 6 hours ■ have any symptom  
 than you are drinking ■ have symptoms of del  
 • dizziness • urinating less often than normal  
 These symptoms may indicate a serious condi

**Drug Facts (continued)**

**if pregnant or breast-feeding, ask a health pr**  
**Keep out of reach of children. In case of ove**  
 Control Center right away: 800-222-1222.

**Drug Facts (continued)**

**Directions**  
 ■ Use as a laxative for relief of occasional c  
 with one glass (8 fl. oz.) of cool water. Drink, th  
 oz.) of cool water. There is significant loss of  
 dehydration, drink plenty of clear liquid after us  
 ■ there are three teaspoons in one tablespo  
 ■ do not take more unless directed by a doc

Ages (years)	Dosage
12 & older	1 Teaspoon
10 & 11	1 Teaspoon
5 to 9	1 ½ Teaspoon
Under 5	Do Not Use

\*SINGLE DAILY DOSAGE. DO NOT TAKE MC  
 PERIOD

## SALINE LAXATIVE CHERRY LAXATIVE

sodium phosphate, dibasic and sodium phosphate, monobasic, unspecified form liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:559 10-339
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Sodium Phosphate, Dibasic</b> (UNII: GR686LBA74) (Phosphate Ion - UNII: NK08V8K8HR, Sodium Cation - UNII: LYR4M0NH37)	Sodium Phosphate, Dibasic	2.7 g in 45 mL
<b>Sodium Phosphate, Monobasic, Unspecified Form</b> (UNII: 3980JIH2SW) (Phosphate Ion - UNII: NK08V8K8HR, Sodium Cation - UNII: LYR4M0NH37)	Sodium Phosphate, Monobasic, Unspecified Form	7.2 g in 45 mL

### Inactive Ingredients

Ingredient Name	Strength
CHERRY (UNII: BUC5I9595W)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:559 10-339-24	1 in 1 CARTON	03/15/2016	
1		45 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	03/15/2016	

**Labeler** - Dolgencorp Inc. (068331990)

**Establishment**

Name	Address	ID/FEI	Business Operations
Natureplex LLC		062808196	MANUFACTURE(559 10 -339)

Revised: 4/2017

Dolgencorp Inc.