

PURITO ACNE INTENSIVE TREATMENT- salicylic acid patch
Hinature Inc.

Purito Acne Intensive Treatment Patch

Drug Facts

Active ingredient

Salicylic Acid 2%

Purpose

Acne treatment

Uses

- for the treatment of acne
- helps clear up acne pimples

Warnings

For external use only.

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- cover the entire affected area with one dot
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- *Sensitivity Test for a New User.* Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated above.

Other information

- Store in a cool, dry place.

Inactive ingredients

Arginine, Ascorbic Acid, Azelaic Acid, Butylene Glycol, Caprylyl Glycol, Cellulose Gum, Ethylhexylglycerin, Glycerin, Tea Tree (Melaleuca alternifolia) Extract, Niacinamide, Oligopeptide-76, Panthenol, Propanediol, Sodium Hyaluronate, Succinic Acid, 4-Terpineol, Tranexamic Acid, Trehalose, Zinc Hydrolyzed Hyaluronate, 1,2-Hexanediol.


Question or Comments?

research@purito.co.kr

Package Labeling



높이 25mm



높이 25mm



FAST-ACTING ACNE TREATMENT PATCH



Purito

SEOUL

12 Patches / Net Wt. 0.02 oz (0.62 g)

*This content was created using AI technology.

- for the treatment of acne
- helps clear up acne pimples

Warnings

For external use only.

When using this product ■ skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Clean the skin thoroughly before applying this product

■ cover the entire affected area with one dot

■ because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor

■ if bothersome dryness or peeling occurs, reduce application to once a day or every other day

■ Sensitivity Test for a New User: Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated above.

Other information

■ Store in a cool, dry place.

Inactive ingredients

Arginine, Ascorbic Acid, Azelaic Acid, Butylene Glycol, Caprylyl Glycol, Cellulose Gum, Ethylhexylglycerin, Glycerin, Tea Tree (Melaleuca alternifolia) Extract, Niacinamide, Oligopeptide-76, Panthenol, Propargyl, Sodium Hyaluronate, Succinic Acid, 4-Terpineol, Tranexamic Acid, Trehalose, Zinc Hydrolyzed Hyaluronate, 1,2-Hexanediol.

Question or Comments?

research@purito.co.kr

TO REPORT A SERIOUS ADVERSE EVENT, CONTACT HINATURE INC C/O
144 RESEARCH DRIVE, HAMPTON, VA, 23666.

DISTRIBUTED BY:

HINATURE INC.

S-2501-2503, SONGDO TECHNO PARK IT CENTER, 32, SONGDOGWAHAK-RO,
YEONSU-GU, INCHEON, 21984, SOUTH KOREA


MADE IN SOUTH KOREA

EXP YYYYMMDD





높이 25mm



PURITO ACNE INTENSIVE TREATMENT

salicylic acid patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73251-011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ARGININE (UNII: 94ZLA3W45F)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
AZELAIC ACID (UNII: F2VW3D43YT)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
MELALEUCA ALTERNIFOLIA LEAF (UNII: G43C57162K)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PANTHENOL (UNII: WW9CM0067Z)	
PROPANEDIOL (UNII: 5965N8W85T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SUCCINIC ACID (UNII: AB6MNQ6J6L)	
4-TERPINEOL, (+/-)- (UNII: L65MV77ZG6)	
TRANEXAMIC ACID (UNII: 6T84R30KC1)	
TREHALOSE (UNII: B8WCK70T7I)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73251-011-00	12 in 1 POUCH	03/09/2026	
1		0.001 g in 1 CELLO PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	03/09/2026	

Labeler - Hinature Inc. (694862999)

Registrant - Hinature Inc. (694862999)