SIGNATURE CARE ACID CONTROLLER MAXIMUM STRENGTH- famotidine tablet, film coated Safeway

Better Living Brands LLC Acid Controller Drug Facts

Active ingredient (in each tablet)

Famotidine 20 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to prevent symptoms, swallow 1 tablet with a glass of water at any time from 10
 to 60 minutes before eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

COMPARE TO Maximum Strength Pepcid[®] AC active ingredient

Quality Gauranteed

Maximum Strength

Acid Controller

FAMOTIDINE TABLETS, 20 mg


Acid Reducer

Just one tablet prevents & relieves heartburn due to acid indigestion

Actual Size

SEE NEW WARNINGS

50 TABLETS



Maximum Strength 19471 LJ C2 Acid Controller Signature DO NOT USE IF PRINTED FOIL are UNDER CAP IS BROKEN OR MISSING FAMOTIDINE TABLETS, 20 mg Quality Acid Reducer Guaranteed **Drug Facts** Drug Facts (continued) 872 ■heartburn with lighth ead edness, swea ting, or Active ingredient Purpose JUST ONE TABLET prevents and dizziness (in each tablet) relieves heartbum due to acid ■chest pain or shoulder pain with shortness of breath; . Famotidine 20 mg.. Acid reducer in digestion brought on by eating and sweating; pain spreading to arms, neck or shoulders; or lightheadedness 22 drinking certain foods and beverages Uses RD 20071 ■frequent chest pain 49 ■ relieves heartburn associated with acid indigestion frequent wheezing, particularly with heartburn unexplained weight loss andsourstomach Tips for Managing Heartburn prevents heartburn associated with acid indigestion • Do not lie flat or bend over after n ausea or vomiting and sourstomach brought on by eating ordrinking ∎stornach pain eating certain food and beverages kidney disease Do not wear tight-fitting clothing around the stomach Scan here for more informatio Warnings Ask a doctor or pharmacist before use if you are Allergyalert: Don ot use if you are allergic to famotidine taking a prescription drug. Acid reducersmay in teract Do not eat before bedtime Raise the head of your bed or other acid reducers with certain prescription drugs. Avoid hearth um-causing foods such as rich, spicy, fatty or fried foods, ch ocolate, caffeine, alcohol, and certain fruits and vegetables Stop use and ask a doctor if Do not use ■ if you have trouble or pain swallowing food, vom it ing ■your heartburn continues or worsens with blood, or bloody or black stools. These may be signs of a serious condition. See you r doctor. ■you need to take this product for more than 1 4 days If pregnant or breast-feeding, ask a health with other acid reducers Eat slowly and avoid big meals If overweight, lose weight professional before use Ask a doctor before use if you have Keep out of reach of children. In case of overdose, get had heartb urn over 3 months. This may be a sign of a medical help or contact a Poison Control Centerrigh • Quit smoking more serious condition. away. (1-800-222-1222) Drug Facts (continued) Drug Facts (continued) Directions store at 20°-25 °C (68° -7 7°F) ■ adultsand children 12 years and over: ■to relieve symptoms, swallow 1 tablet with a glass protect from moisture Inactive ingredients carnauba wax, coloidal of water. Do not chew. to prevent symptoms, swalbw 1 tablet with a glassof water at any time from 10 to 60 minutes before eating food or drinking beverages that silicon dioxide, croscarme lose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellubse, polýetnýľene glycol, polyviny lalcohol, talc, titanium dioxide

Questions or comments? 1-800-71 9-9260

*This product is not manufactured or distributed by

Johnson & John son Consumer Inc., distributor of Maximu m Strength Pepcid® AC.

SIGNATURE CARE ACID CONTROLLER MAXIMUM STRENGTH

cause heartburn

Other information

do not use more than 2 tablets in 24 hours

read the directions and warnings before use keep the carton. It contains important information.

child ren under 12 years: ask a doctor

famotidine tablet, film coated

Product Information						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source) ND0		NDC:21	DC:21130-777	
Route of Administration	ORAL					
Active Ingredient/Active	Moiety					
Ingredient Name Basis of Strengt					Strength	
FAMOTIDINE (UNII: 5QZ015J2Z8) (FAMOTIDINE - UNII:5QZO1	5J2Z8)	FAMOTIDINE		20 mg	
Inactive Ingredients						
Ingredient Name					Strength	
CARNAUBA WAX (UNII: R12CBM0	EIZ)					
SILICON DIOXIDE (UNII: ETJ7Z6X	BU4)					
CROSCARMELLOSE SODIUM (UI	MI: M280L1HH48)					

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L194
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:21130-777- 02	25 in 1 CARTON	09/06/2015	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
	NDC:21130-777- 71	1 in 1 CARTON	09/04/2015	
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
	NDC:21130-777- 82	1 in 1 CARTON	09/04/2015	
3		200 in 1 BOTTLE; Type 0: Not a Combination Product		
Μ	arketing	Information		
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
A NI	DA	ANDA077351	09/04/2015	

Labeler - Safeway (009137209)

Revised: 7/2021

Safeway