

BURN RELIEF- lidocaine 0.5% spray

Product Quest Mfg

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Lidocaine 0.5%

Purpose

External analgesic

Uses

Temporarily relieves pain and itching due to

- sunburn • minor burns • minor cuts • scrapes
- insect bites • minor skin irritation

Warnings

For external use only

Flammable: Do not spray while smoking or near heat or flame

Do not use in large quantities, particularly over raw surfaces or blistered areas.

When using this product

- keep out of your eyes
- use only as directed
- do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120F.

Stop use and ask a doctor if

- condition gets worse
- symptoms last more than 7 days
- symptoms clear up and occur again within a few days

Keep out of reach of the children

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- shake well
- adults and children 2 years of age and older: apply to affected area, not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- to apply to face, spray into palm of hand and gently apply

Inactive ingredients

Aloe Barbadensis Leaf Juice, Carbomer, Diazolidinyl Urea, Disodium Cocoamphodipropionate, Disodium EDTA, Glycerin, Methylparaben, Propylene Glycol, Propylparaben, SD Alcohol 40, Simethicone, Tocopheryl Acetate, Triethanolamine

Questions and comments?

1-866-483-2846



Since 1933, Scherer Labs™ has been providing Quality, Innovative and Value oriented family-care products.



Scherer labs™

Drug Facts

Active ingredient	Purpose
Lidocaine 0.5%.....	External analgesic

Uses For the temporary relief of pain and itching associated with: • sunburn • minor burns • minor cuts • scrapes • insect bites • minor skin irritations

Warnings
For external use only.

Flammable: Do not use near heat, flame, or while smoking.

Do not use in large quantities, particularly over raw surfaces or blistered areas.

When using this product • keep away from face to avoid breathing it. • avoid contact with eyes. • use only as directed. • do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

If condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • Shake well • Adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily • Children under 2 years of age: consult a doctor • Do not spray directly into face; spray into palm of hand and gently apply

Inactive ingredients Aloe Barbardensis Leaf Extract, Carbomer, Diazolidinyl Urea, Disodium Cocoamphodipropionate, Disodium EDTA, Glycerin, Methylparaben, Propylene Glycol, Propylparaben, SD Alcohol 40, Simethicone, Tocopheryl Acetate, Triethanolamine.

Questions? 866-483-2846



Burn Relief

Continuous Spray with Aloe Vera

0.5% Lidocaine
For Minor Burns, Cuts, Scrapes & Itching
Instant Pain Relief with Lidocaine
Sprays at Any Angle



NET WT. 4.5 OZ. (127 g)

MADE IN USA

BURN RELIEF

lidocaine 0.5% spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64048-5115
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Lidocaine (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	Lidocaine	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

Diazolidinyl Urea (UNII: H5RIZ3MPW4)
Disodium Cocoamphodipropionate (UNII: 6K8PRP397M)
EDETATE DISODIUM (UNII: 7FLD91C86K)
Glycerin (UNII: PDC6A3C0OX)
Methylparaben (UNII: A2I8C7HI9T)
Propylene Glycol (UNII: 6DC9Q167V3)
Propylparaben (UNII: Z8IX2SC1OH)
ALCOHOL (UNII: 3K9958V90M)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TROLAMINE (UNII: 9O3K93S3TK)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64048-5115-4	127 g in 1 CAN; Type 0: Not a Combination Product	02/06/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	02/06/2014	

Labeler - Product Quest Mfg (927768135)

Registrant - Product Quest Mfg (927768135)

Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(64048-5115) , label(64048-5115)

Revised: 7/2018

Product Quest Mfg