

**VIRI SODE- cytomegalovirus nosode, herpes simplex i nosode, herpes simplex ii nosode, influenzinum (2024-2025), rubella nosode, hepatitis a nosode, hepatitis b nosode, hepatitis c nosode, epstein barr virus nosode, herpes zoster nosode spray**  
**Nutritional Specialties, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **DRUG FACTS:**

### **ACTIVE INGREDIENTS:**

Cytomegalovirus Nosode 16X, Epstein Barr Virus Nosode 15C, Hepatitis A Nosode 30X, Hepatitis B Nosode 30X, Hepatitis C Nosode 30X, Herpes Simplex I & II Nosode 16X, Herpes Zoster Nosode 15C, Influenzinum 15C, Rubella Nosode 16X.

### **PURPOSE:**

Cytomegalovirus Nosode – Aids in Temporary Relief of Fatigue, Headaches, Sweats, Chills, and Aches of Muscles and Joints,† Epstein Barr Virus Nosode - Aids in Temporary Relief of Fatigue, Headaches, Sweats, Chills, and Aches of Muscles and Joints,† Hepatitis A Nosode - Aids in Temporary Relief of Fatigue, Sweats, Chills, and Aches of Joints,† Hepatitis B Nosode – Aids in Temporary Relief of Fatigue, and Aches of Muscles and Joints,† Hepatitis C Nosode - Aids in Temporary Relief of Fatigue, Sweats, Chills, and Aches of Muscles and Joints,† Herpes Simplex I & II Nosode – Aids in Temporary Relief of Headaches,† Herpes Zoster Nosode – Aids in Temporary Relief of Fatigue, Headaches, Sweats and Chills,† Influenzinum - Aids in Temporary Relief of Fatigue, Headaches, Sweats, Chills, Runny Nose and Aches of Muscles and Joints,† Rubella Nosode - Aids in Temporary Relief of Headaches, Sweats, Chills, Runny Nose and Aches of Muscles and Joints†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

### **USES:**

Aids in temporary relief of symptoms including fatigue, occasional headaches, sweats, chills, runny nose, and minor aches of muscles and joints.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

### **WARNINGS:**

**If pregnant or breast-feeding**, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If condition worsens, seek medical attention.

**KEEP OUT OF REACH OF CHILDREN**

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening

**KEEP OUT OF REACH OF CHILDREN:**

In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

- Adults: 2 to 3 sprays orally, three times daily.
  - Children under twelve one half adult dosage. For highly sensitive individuals: best tolerated administration is through imbrication (RUBBING IN) on skin at pulse points or abdomen.
  - Do not take within 15 minutes of consuming food, beverage or brushing teeth.
- Consult a physician for use in children under 12 years of age.

**INACTIVE INGREDIENTS:**

Alcohol USP 20%, Purified Water USP.

**QUESTIONS:**

**MANUFACTURED EXCLUSIVELY FOR  
NUTRITIONAL SPECIALTIES, INC.**

**PO BOX 97227**

**PITTSBURG, PA 15229**

**[www.phpltd.com](http://www.phpltd.com)**

**1-800245-1313**

**PACKAGE LABEL DISPLAY:**

**Professional**

**Health Products**

**HOMEOPATHIC**

**NDC 83027-0150-1**

**VIRI-SODE**

**2 FL. OZ (60 ml)**



HOMEOPATHIC

NDC 83027-0150-1

**VIRI-SODE**

N3 (reorder code)

2 FL. OZ. (60 ml) 20% Alcohol

Do not use if tamper evident seal is broken or missing.

### Drug Facts

#### Active ingredients (in each spray) Purposes

Cytomegalovirus Nosode 16x.....	Aids in Temporary Relief of Fatigue, Headaches, Sweats, Chills, and Aches of Muscles and Joints <sup>†</sup>
Epstein-Barr Virus Nosode 15c.....	Aids in Temporary Relief of Fatigue, Headaches, Sweats, Chills, and Aches of Muscles and Joints <sup>†</sup>
Hepatitis A Nosode 30x.....	Aids in Temporary Relief of Fatigue, Sweats, Chills, and Aches of Joints <sup>†</sup>

Drug Facts (continued under label)



MANUFACTURED EXCLUSIVELY FOR  
NUTRITIONAL SPECIALTIES, INC.  
PO BOX 97227  
PITTSBURGH, PA 15229  
www.ptpltd.com  
rev. 1.2 6 49818 01403 0

UNVARNISHED AREA

PEEL HERE

### Drug Facts (continued)

Hepatitis B Nosode 30x.....	Aids in Temporary Relief of Fatigue, and Aches of Muscles and Joints <sup>†</sup>
Hepatitis C Nosode 30x.....	Aids in Temporary Relief of Fatigue, Sweats, Chills, and Aches of Muscles and Joints <sup>†</sup>
Herpes Simplex I & II Nosode 16x.....	Aids in Temporary Relief of Headaches <sup>†</sup>
Herpes Zoster Nosode 15c.....	Aids in Temporary Relief of Fatigue, Headaches, Sweats and Chills <sup>†</sup>

### Drug Facts (continued)

Influenzinum 15c.....	Aids in Temporary Relief of Fatigue, Headaches, Sweats, Chills, Runny Nose and Aches of Muscles and Joints <sup>†</sup>
Rubella Nosode 16x.....	Aids in Temporary Relief of Headaches, Sweats, Chills, Runny Nose and Aches of Muscles and Joints <sup>†</sup>

### Uses

Aids in temporary relief of symptoms including •fatigue, •occasional headaches, •sweats, •chills, •runny nose, and •minor aches of muscles and joints.<sup>†</sup>

TIEDOWN AREA

### Drug Facts (continued)

#### Warnings

If pregnant or breast-feeding, ask a health professional before use. In case of overdose, get medical help or contact a Poison Control Center right away. If condition worsens, seek medical attention.

### Drug Facts (continued)

- Consult a physician for use in children under 12 years of age.

#### Other information

Store in a cool place after opening.

AREA

TIEDOWN

KEEP OUT OF REACH OF CHILDREN

Directions

- Adults: 2 to 3 sprays orally, three times daily.
- Children under twelve one half adult dosage. For highly sensitive individuals, best tolerated administration is through imbrication (RUBBING IN) on skin at pulse points or abdomen.
- Do not take within 15 minutes of consuming food, beverage or brushing teeth.

Inactive ingredients

Alcohol USP 20%, Purified Water USP

Questions? 1-800-245-1313

Claims based on traditional homeopathic practice; not accepted medical evidence. Not FDA evaluated.

VIRI SODE

cytomegalovirus nosode, herpes simplex i nosode, herpes simplex ii nosode, influenzinum (2024-2025), rubella nosode, hepatitis a nosode, hepatitis b nosode, hepatitis c nosode, epstein barr virus nosode, herpes zoster nosode spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83027-0150
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
HUMAN HERPESVIRUS 5 (UNII: 7COI029E6K) (HUMAN HERPESVIRUS 5 - UNII:7COI029E6K)		HUMAN HERPESVIRUS 5	16 [hp_X] in 1 mL
HUMAN HERPESVIRUS 1 (UNII: 22G38P19RL) (HUMAN HERPESVIRUS 1 - UNII:22G38P19RL)		HUMAN HERPESVIRUS 1	16 [hp_X] in 1 mL
HUMAN HERPESVIRUS 2 (UNII: 74J6DNH49U) (HUMAN HERPESVIRUS 2 - UNII:74J6DNH49U)		HUMAN HERPESVIRUS 2	16 [hp_X] in 1 mL
INFLUENZA A VIRUS A/VICTORIA/4897/2022 IVR-238 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: AU5C98U4BB) (INFLUENZA A VIRUS A/VICTORIA/4897/2022 IVR-238 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:AU5C98U4BB)		INFLUENZA A VIRUS A/VICTORIA/4897/2022 IVR-238 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED)	15 [hp_C] in 1 mL
INFLUENZA A VIRUS A/THAILAND/8/2022 IVR-237 (H3N2) ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: 6TU4EY6UNW) (INFLUENZA A VIRUS A/THAILAND/8/2022 IVR-237 (H3N2) ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:6TU4EY6UNW)		INFLUENZA A VIRUS A/THAILAND/8/2022 IVR-237 (H3N2) ANTIGEN (FORMALDEHYDE INACTIVATED)	15 [hp_C] in 1 mL
INFLUENZA B VIRUS B/AUSTRIA/1359417/2021 BVR-26 WHOLE (UNII: CYK5P89K8X) (INFLUENZA B VIRUS B/AUSTRIA/1359417/2021 BVR-26 WHOLE - UNII:CYK5P89K8X)		INFLUENZA B VIRUS B/AUSTRIA/1359417/2021 BVR-26 WHOLE	15 [hp_C] in 1 mL
INFLUENZA B VIRUS B/PHUKET/3073/2013 BVR-1B WHOLE (UNII: PS2DCE2WWF) (INFLUENZA B VIRUS B/PHUKET/3073/2013 BVR-1B WHOLE - UNII:PS2DCE2WWF)		INFLUENZA B VIRUS B/PHUKET/3073/2013 BVR-1B WHOLE	15 [hp_C] in 1 mL
RUBELLA VIRUS (UNII: U751HEX436) (RUBELLA VIRUS - UNII:U751HEX436)		RUBELLA VIRUS	16 [hp_X] in 1 mL
HEPATITIS A VIRUS (UNII: G54MT8V18G) (HEPATITIS A VIRUS - UNII:G54MT8V18G)		HEPATITIS A VIRUS	30 [hp_X] in 1 mL
HEPATITIS B VIRUS (UNII: 77H9EM77P7) (HEPATITIS B VIRUS - UNII:77H9EM77P7)		HEPATITIS B VIRUS	30 [hp_X] in 1 mL
HEPATITIS C VIRUS (UNII: QI56415283) (HEPATITIS C VIRUS - UNII:QI56415283)		HEPATITIS C VIRUS	30 [hp_X] in 1 mL
HUMAN HERPESVIRUS 4 (UNII: 2A26YW7PNX) (HUMAN HERPESVIRUS 4 - UNII:2A26YW7PNX)		HUMAN HERPESVIRUS 4	15 [hp_C] in 1 mL
HUMAN HERPESVIRUS 3 (UNII: 9885M7D6JP) (HUMAN HERPESVIRUS 3 - UNII:9885M7D6JP)		HUMAN HERPESVIRUS 3	15 [hp_C] in 1 mL

UNII:9885M7D6JP)	HUMAN HERPES VIRUS 3	in 1 mL
------------------	----------------------	---------

Inactive Ingredients	
Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83027-0150-1	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	06/03/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/03/2025	

**Labeler -**
Nutritional Specialties, Inc. (032744609)