

MAXIMUM ALLERGY RELIEF- acetaminophen, phenylephrine hcl tablet
Western First Aid Safety DBA Aramark

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Aramark Maximum Allergy Relief

Drug Facts

Active Ingredient (in each tablet)

Acetaminophen 500 mg
Phenylephrine HLC 5 mg

Purpose

AcetaminophenPain reliever/fever reducer
Phenylephrine HLCNasal decongestant

Uses:

Temporarily relieves these symptoms associated with hay fever or other respiratory allergies and the common cold:

- headache
- sinus congestion and pressure
- nasal congestion
- minor aches and pains
- promotes sinus drainage
- temporarily reduces fever

Warnings:

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 6 tablets (3,000 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blister
- rash

If a skin reaction occurs, stop use and seek medical help right away

Do not use

- with any other drug containing acetaminophen. If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOIs), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a

doctor or pharmacist before taking this product.

- if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have:

- liver disease
- diabetes
- heart disease
- high blood pressure
- thyroid disease
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking the blood thinning drug Warfarin

When using this product do not exceed recommended dose

Stop use and ask a doctor if:

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Overdose warning: in case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions:

- **do not take more than directed (see overdose warning)**
- adults and children 12 years and over:
 - take 2 tablet every 4 hours
 - swallow whole; do not crush, chew or dissolve
 - do not take more than 6 tablets in 24 hours
- children under 12 years: ask a doctor

Other information:

read all warnings and directions before use. Keep carton. Store at 20-25°C (68-77°F) avoid excessive heat above 40°C (104°F)

Inactive Ingredients:

Corn Starch, FD & C Blue #1 Lake, Microcrystalline Cellulose, Povidone, Sodium Starch Glycolate, Stearic Acid, USP Purified Water

Package Labeling

aramark

**100 TABLETS Part # 91933B
PER BOX**

Maximum

Allergy Relief

Pain Reliever/Nasal Decongestant

**Temporary relief of headaches,
sinus pain, nasal and sinus congestion,
minor aches, pains, fever**

MANUFACTURED FOR:

Aramark


Lenexa, KS 66219

(913) 269-9611

aramarkuniform.com

Retain carton for complete product information

100 Tablet Box



aramark

Maximum Allergy Relief
Pain Reliever/Nasal Decongestant

Temporary relief of rhinitis, sneezing, runny nose and itchy nose, throat, itchy, watery eyes, and itchy, watery ears.

Part # 91933B

100 TABLETS PER BOX

Drug Facts

Each 100 mg tablet (in each tablet) contains Acetaminophen 325 mg. Pain reliever/fever reducer. Pseudoephedrine HCl 5 mg. Nasal decongestant.

Warnings:

- Temporarily relieve these symptoms associated with the fever or other respiratory ailments and the common cold.
- Headache
- Stomach pain
- Blurred vision
- Increased blood pressure
- Prostate gland changes
- Temporary release liver

Directions:

Take 1 or 2 tablets every 4 to 6 hours as needed for pain or fever. Do not take more than 3 tablets in 24 hours. Do not take more than 12 tablets in 24 hours. Do not take more than 3 tablets in 24 hours. Do not take more than 12 tablets in 24 hours. Do not take more than 3 tablets in 24 hours.

aramark

100 TABLETS PER BOX Part # 91933B

Maximum Allergy Relief
Pain Reliever/Nasal Decongestant

Full to Open

Temporary relief of headaches, sinus pain, fever and other symptoms, relief of itchy, watery eyes, and itchy, watery ears.

Drug Facts

Warnings (continued): If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-321-3322) Get medical attention is critical for infants as well as for children even if you do not notice any signs or symptoms.

Directions:

- do not take more than directed (see overdose warning)
- adults and children 12 years and over: take 2 tablets every 4 hours
- swallow whole; do not crush, chew or dissolve
- do not take more than 6 tablets in 24 hours
- children under 12 years: ask a doctor

aramark

MANUFACTURED FOR:

Aramark
Lenexa, KS 66219
866-362-2691


6 81238 12552 1

Retain carton for complete product information

Retain carton for complete product information

aramarkuniform.com

250 Tablet Box



2-Tablet Packet



MAX ALLERGY RELIEF

Pain Reliever/Nasal Decongestant

2 Tablets

Active Ingredients (In Each Tablet) Purpose

Acetaminophen 500 mg...pain reliever/fever reducer
Phenylephrine HCl 5 mg...nasal decongestant

Uses: Temporarily relieves:
• headache • sinus pain • nasal and sinus congestion • minor aches and pains • fever

Warnings: Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take: • more than 8 tablets in 24 hours, which is the maximum daily amount • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product. **Ask a doctor before use if you have** • liver disease • heart disease • high blood pressure • thyroid

Warnings (continued)

disease • diabetes or • difficulty in urination due to enlargement of the prostate gland.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions: Adults and children 12 years of age and older: 2 tablets every 4 to 6 hours, not to exceed 8 tablets in any 24 hour period. Children under 12: Consult a doctor.

Other Information: Store at a controlled room temperature 15°-30° (59°-86°F). Tamper evident: Do not use packet if torn or cut.

Contact: Aramark Lenexa, KS 66219

FOR COMPLETE WARNINGS/CAUTIONS: SEE BOX

REV 3/2021

Made in USA

res

MAXIMUM ALLERGY RELIEF

acetaminophen, phenylephrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81238-0240
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

STEARIC ACID (UNII: 4ELV7Z65AP)

WATER (UNII: 059QF0KO0R)

Product Characteristics

Color	blue	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	FR33
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81238-0240-1	50 in 1 BOX	05/07/2021	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:81238-0240-2	125 in 1 BOX	05/07/2021	
2		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/07/2021	

Labeler - Western First Aid Safety DBA Aramark (043861524)

Registrant - Western First Aid Safety DBA Aramark (043861524)

Establishment

Name	Address	ID/FEI	Business Operations
ULTRA SEAL CORPORATION		085752004	pack(81238-0240)

Establishment

Name	Address	ID/FEI	Business Operations
ULTRA SEAL CORPORATION		944090448	manufacture(81238-0240)

Revised: 6/2021

Western First Aid Safety DBA Aramark